

Product References

Poietics™ Mesenchymal Stem Cells

Cells*

1. Aggarwal S, Pittenger MF. Human mesenchymal stem cells modulate allogeneic immune cell responses. *Blood*. 2005 Feb; 105(4):1815-22.
2. Akino K, Mineda T, Mori N, Hirano A, Imaizumi T, Akita S. Attenuation of cysteinyl leukotrienes induces human mesenchymal stem cell differentiation. *Wound Repair Regen*. 2006 May-Jun; 14(3):343-9.
3. Angelini DJ, Su Q, Kolosova IA, Fan C, Skinner JT, et al. Hypoxia-induced mitogenic factor (HIMF/FIZZ1/RELM α) recruits bone marrow-derived cells to the murine pulmonary vasculature. *PLoS ONE*. 2010; 5(6): e11251. doi:10.1371/journal.pone.0011251.
4. Angelopoulou M, Novelli E, Grove JE, Rinder HM, Civin C, Cheng L, Krause DS. Cotransplantation of human mesenchymal stem cells enhances human myelopoiesis and megakaryocytopoiesis in NOD/SCID mice. *Exp Hematol*. 2003; 31:413-20.
5. Anton K, Banerjee D, Glod J. Macrophage-associated mesenchymal stem cells assume an activated, migratory, pro-inflammatory phenotype with increased IL-6 and CXCL10 secretion. *PLoS ONE*. 2012; 7(4):e35036. doi:10.1371/journal.pone.0035036.
6. Ball SG, Shuttleworth CA, Kielty CM. Platelet-derived growth factor receptor-alpha is a key determinant of smooth muscle alpha-actin filaments in bone marrow-derived mesenchymal stem cells. *Int J Biochem Cell Biol*. 2007; 39(2):379-91.
7. Barberi T, Willis LM, Socci ND, Studer L. Derivation of multipotent mesenchymal precursors from human embryonic stem cells. *PLoS Med*. 2005 Jun; 2(6):e161.
8. Benoit DS, Durney AR, Anseth KS. The effect of heparin-functionalized PEG hydrogels on three-dimensional human mesenchymal stem cell osteogenic differentiation. *Biomaterials*. 2007 Jan; 28(1):66-77.
9. Böker W, Yin Z, Drosse I, Haasters F, Rossmann O, Wierer M, Popov C, Locher M, Mutschler W, Docheva D, Schieker M. Introducing a single-cell-derived human mesenchymal stem cell line expressing hTERT after lentiviral gene transfer. *J Cell Mol Med*. 2008 Aug; 12(4):1347-59.
10. Bruedigam C, Eijken M, Koedam M, Van De Peppel J, Drabek K, Chiba H, van Leeuwen J. A new concept underlying stem cell lineage skewing that explains the detrimental effects of thiazolidinediones on bone. *Stem Cells*. 2012; 28:916-927.
11. Bruno S, Grange C, Collino F, Deregibus MC, Cantaluppi V, et al. Microvesicles derived from mesenchymal stem cells enhance survival in a lethal model of acute kidney injury. *PLoS ONE*. 2012; 7(3): e33115. doi:10.1371/journal.pone.0033115.
12. Buckbinder L, Crawford DT, Qi H, Ke HZ, Olson LM, Long KR, Bonnette PC, Baumann AP, Hambor JE, Grasser WA 3rd, Pan LC, Owen TA, Luzzio MJ, Hulford CA, Gebhard DF, Paralkar VM, Simmons HA, Kath JC, Roberts WG, Smock SL, Guzman-Perez A, Brown TA, Li M. Proline-rich tyrosine kinase 2 regulates osteoprogenitor cells and bone formation, and offers an anabolic treatment approach for osteoporosis. *Proc Natl Acad Sci U S A*. 2007 Jun 19; 104(25):10619-24.
13. Catelas I, Dwyer JF, Helgerson S. Controlled release of bioactive transforming growth factor Beta-1 from fibrin gels in vitro.

- Tissue Eng Part C Methods. 2008 Jun; 14(2):119-28.
14. Chang MG, Tung L, Sekar RB, Chang CY, Cysyk J, Dong P, Marbán E, Abraham MR. Proarrhythmic potential of mesenchymal stem cell transplantation revealed in an in vitro coculture model. *Circulation*. 2006 Apr 18; 113(15):1832-41.
 15. Davis BM, Humeau L, Slepishkin V, Binder G, Korshalla L, Ni Y, Ogunjimi EO, Chang L-F, Lu X, Dropulic. ABC transporter inhibitors that are substrates enhance lentiviral vector transduction into primitive hematopoietic progenitor cells. *Blood*. 2004 Jul; 104(2): 364-73.
 16. Deshpande AM, Akunowicz JD, Reveles XT, Patel BB, Saria EA, Gorlick RG, Naylor SL, Leach RJ, Hansen MF. PHC3, a component of the hPRC-H complex, associates with E2F6 during G0 and is lost in osteosarcoma tumors. *Oncogene*. 2007 Mar 15; 26(12):1714-22.
 17. Docheva D, Padula D, Popov C, Mutschler W, Clausen-Schaumann H, Schieker M. Researching into the cellular shape, volume and elasticity of mesenchymal stem cells, osteoblasts and osteosarcoma cells by atomic force microscopy. *J Cell Mol Med*. 2008 Apr; 12(2):537-52.
 18. Egusa H, Iida K, Kobayashi M, Lin TY, Zhu M, Zuk PA, Wang CJ, Thakor DK, Hedrick MH, Nishimura I. Downregulation of extracellular matrix-related gene clusters during osteogenic differentiation of human bone marrow- and adipose tissue-derived stromal cells. *Tissue Eng*. 2007 Oct; 13(10):2589-600.
 19. Etheridge SL, Spencer GJ, Heath DJ, Genever PG. Expression profiling and functional analysis of wnt signaling mechanisms in mesenchymal stem cells. 2004; 22(5):849-60.
 20. Fan VH, Tamama K, Au A, Littrell R, Richardson LB, Wright JW, Wells A, Griffith LG. Tethered epidermal growth factor provides a survival advantage to mesenchymal stem cells. *Stem Cells*. 2007 May; 25(5):1241-51.
 21. Gao L, Gorski J, Chen C. The Cdc42 guanine nucleotide exchange factor FGD1 regulates osteogenesis in human mesenchymal stem cells. *Am J Pathol* 2011; 178:969-974.
 22. Genetos D, Rao R, Vidal M. Betacellulin inhibits osteogenic differentiation and stimulates proliferation through HIF-1 α . *Cell Tissue Res*. 2010; 340:81-89.
 23. Ghali O, Chauveau C, Hardouin P, Broux O, Devedjian J. TNF- α 's effects on proliferation and apoptosis in human mesenchymal stem cells depend on RUNX2 expression. *J of Bone and Mineral Research*. 2010; 25:1616-1626.
 24. Grünert M, Dombrowski C, Sadasivam M, Manton K, Cool SM, Nurcombe V. Isolation of a native osteoblast matrix with a specific affinity for BMP2. *J Mol Histol*. 2007 Oct; 38(5):393-404.
 25. Guo W, Flanagan J, Jasuja R, Kirkland J, Jiang L, Bhasin S. The effects of myostatin on adipogenic differentiation of human bone marrow-derived mesenchymal stem cells are mediated through cross-communication between Smad3 and Wnt/beta-catenin signaling pathways. *J Biol Chem*. 2008 Apr 4; 283(14):9136-45.
 26. Hata N, Shinojima N, Gumin J, Yong R, Marini F, Andreeff M, Lang F. PDGF-BB mediates the tropism of human mesenchymal stem cells for malignant gliomas. *Neurosurgery*. 2010 January; 66(1):144-157.
 27. Haga K, Ohno S, Yugawa T, Narisawa-Saito M, Fujita M, Sakamoto M, Galloway DA, Kiyono T. Efficient immortalization of primary human cells by p16INK4a-specific short hairpin RNA or Bmi-1, combined with introduction of hTERT. *Cancer Sci*. 2007 Feb; 98(2):147-54.
 28. Heubach JF, Graf EM, Lautheuser J, Bock M, Balana B, Zahanich I, Christ T, Boxberger S, Wettwer E, Ravens U. Electrophysiological properties of human mesenchymal stem cells. *J Physiol*. 2003; 554(3): 659-72.
 29. Hoelters J, Ciccarella M, Drechsel M, Geissler C, Gülkan H, Böcker W, Schieker M, Jochum M, Neth P. Nonviral genetic modification mediates effective transgene expression and functional RNA interference in human mesenchymal stem cells. *J Gene Med*. 2005; 7:718-28.
 30. Huang J, Zhao L, Xing L, Chen D. MicroRNA-204 Regulates Runx2 Protein Expression and Mesenchymal Progenitor Cell Differentiation. *Stem Cells*. 2010; 28:357-364.
 31. Huttunen MM, Pekkinen M, Ahlström ME, Lamberg-Allardt CJ. Effects of bioactive peptides isoleucine-proline-proline (IPP), valine-proline-proline (VPP) and leucine-lysine-proline (LKP) on gene expression of osteoblasts differentiated from human

- mesenchymal stem cells. *Br J Nutr.* 2007 Oct; 98(4):780-8.
32. Hwang NS, Varghese S, Zhang Z, Elisseeff J. Chondrogenic differentiation of human embryonic stem cell-derived cells in arginine-glycine-aspartate-modified hydrogels. *Tissue Eng.* 2006 Sep; 12(9):2695-706.
 33. Ichii M, Oritani T, Yokota T, Zhang Q, Garrett K, Kanakura Y, Kincade P. The density of CD10 corresponds to commitment and progression in the human B lymphoid lineage. *PLoS ONE.* 2010; 5(9): e12954. doi:10.1371/journal.pone.0012954
 34. Ito Y, Hasaouda H, Kitajima T, Kiyono T. Ex vivo expansion of human cord blood hematopoietic progenitor cells using glutaraldehyde-fixed human bone marrow stromal cells. *J Biosci Bioeng.* 2006 Nov; 102(5):467-9.
 35. Janderova L, McNeil M, Murrell AN, Mynatt RL, Smith SR. Human mesenchymal stem cells as an in vitro model for human adipogenesis. *Obesity Res.* 2003 Jan; 11(1): 65-74.
 36. Janderová-Rossmeislová L, Nováková Z, Vlasáková J, Philimonenko V, Hozák P, Hodný Z. PML protein association with specific nucleolar structures differs in normal, tumor and senescent human cells. *J Struct Biol.* 2007 Jul; 159(1):56-70.
 37. Jian H, Shen X, Liu I, Semenov M, He X, Wang XF. Smad3-dependent nuclear translocation of beta-catenin is required for TGF-beta1-induced proliferation of bone marrow-derived adult human mesenchymal stem cells. *Genes Dev.* 2006 Mar 15; 20(6):666-74.
 38. Jones S, Horwood N, Cope A, Dazzi F. The antiproliferative effect of mesenchymal stem cells is a fundamental property shared by all stromal cells. *J Immunol.* 2007 Sep 1; 179(5):2824-31.
 39. Kärner E, Unger C, Sloan AJ, Ahrlund-Richter L, Sugars RV, Wendel M. Bone matrix formation in osteogenic cultures derived from human embryonic stem cells in vitro. *Stem Cells Dev.* 2007 Feb; 16(1):39-52.
 40. Kawasaki BT, Mistree T, Hurt EM, Kalathur M, Farrar WL. Co-expression of the toleragenic glycoprotein, CD200, with markers for cancer stem cells. *Biochem Biophys Res Commun.* 2007 Dec 28; 364(4):778-82.
 41. Kawazoe Y, Katoh S, Onodera Y, Kohgo T, Shindoh M, Shiba T. Activation of the FGF signaling pathway and subsequent induction of mesenchymal stem cell differentiation by inorganic polyphosphate. *Int J Biol Sci.* 2008 Feb 3; 4(1):37-47.
 42. Klees RF, Salaszyk RM, Kingsley K, Williams WA, Boskey A, Plopper GE. Laminin-5 induces osteogenic gene expression in human mesenchymal stem cells through an ERK-dependent pathway. *Mol Biol Cell.* 2005 Feb; 16:881-90.
 43. Klees RF, Salaszyk RM, Ward DF, Crone DE, Williams WA, Harris MP, Boskey A, Quaranta V, Plopper GE. Dissection of the osteogenic effects of laminin-332 utilizing specific LG domains: LG3 induces osteogenic differentiation, but not mineralization. *Exp Cell Res.* 2008 Feb 15; 314(4):763-73.
 44. Kou I, Ikegawa S. SOX9-dependent and – independent transcriptional regulation of human cartilage link protein. *J Biol Chem.* 2004; 279(49):50942-8.
 45. Lavery K, Swain P, Falb D, Alaoui-Ismaïli MH. BMP-2/4 and BMP-6/7 differentially utilize cell surface receptors to induce osteoblastic differentiation of human bone marrow-derived mesenchymal stem cells. *J Biol Chem.* 2008 Jul 25; 283(30):20948-58.
 46. Le Visage C, Dunham B, Flint P, Leong KW. Coculture of mesenchymal stem cells and respiratory epithelial cells to engineer a human composite respiratory mucosa. *Tissue Engineer.* 2004; 10(9-10):1426-35.
 47. Le Visage C, Kim SW, Tateno K, Sieber AN, Kostuik JP, Leong KW. Interaction of human mesenchymal stem cells with disc cells: changes in extracellular matrix biosynthesis. *Spine.* 2006 Aug 15; 31(18):2036-42.
 48. Lee HK, Lee BH, Park SA, Kim CW. The proteomic analysis of an adipocyte differentiated from human mesenchymal stem cells using two-dimensional gel electrophoresis. *Proteomics.* 2006 Feb; 6(4):1223-9.
 49. Lock J, Lui H. Nanomaterials enhance osteogenic differentiation of human mesenchymal stem cells similar to a short peptide of BMP-7. *International Journal of Nanomedicine.* 2011; 6:2769-2777.
 50. Lund RD, Wang S, Lu B, Girman S, Holmes T, Sauvé Y, Messina DJ, Harris IR, Kihm AJ, Harmon AM, Chin FY, Gosiewska A, Mistry SK. Cells isolated from umbilical cord tissue rescue photoreceptors and visual functions in a rodent model of retinal disease. *Stem Cells.* 2007 Mar; 25(3):602-11.

51. Luong-Van E, Grøndahl L, Nurcombe V, Cool S. In vitro biocompatibility and bioactivity of microencapsulated heparan sulfate. *Biomaterials*. 2007 Apr; 28(12):2127-36.
52. Mabry R, et al. A dual-targeting PDGFR β /VEGF-A molecule assembled from stable antibody fragments demonstrates anti-angiogenic activity in vitro and in vivo. *mAbs*. 2010; 2:20-34.
53. Majumdar MK, Thiede MA, Haynesworth SE, Bruder SP, Gerson SL. Human marrow derived mesenchymal stem cells (MSCs) express hematopoietic cytokines and support long-term hematopoiesis when differentiated toward stromal and osteogenic lineages. *J Hematother Stem Cell Res*. 2000 Dec; 9(6):841-8.
54. Malone A, Narain R, Jacobs C. Biomechanical regulation of mesenchymal stem and progenitor cells and the implications for regenerative medicine. *Curr Opin Orthoped*. 2005 Oct; 16(5):363-7.
55. McBeath R, Pirone DM, Nelson CM, Bhadriraju K, Chen CS. Cell shape, cytoskeleton tension, and RhoA regulate stem cell lineage commitment. *Devel Cell*. 2004; 6:483-95.
56. Miyazaki T, Kitagawa Y, Toriyama K, Kobori M, Toril S. Isolation of two human fibroblastic call populations with multiple but distinct potential of mesenchymal differentiation by ceiling culture of mature fat cells from subcutaneous adipose tissue. *Differentiat*. 2005 Mar; 73(2-3):69-78.
57. Mosca JD, Hendricks JK, Buyaner D, Davis-Sproul J, Chuang LC, Majumdar MK, Chopra R, Barry F, Murphy M, Thiede MA, Junker U, Rigg RJ, Forestell SP, Bohnlein E, Storb R, Sandmaier BM. Mesenchymal stem cells as vehicles for gene delivery. *Clin Orthop*. 2000 Oct; (379 Suppl):S71-90.
58. Mukherjee S, Raje N, Schoonmaker JA, Liu JC, Hideshima T, Wein MN, Jones DC, Vallet S, Bouxsein ML, Pozzi S, Chhetri S, Seo YD, Aronson JP, Patel C, Fulciniti M, Purton LE, Glimcher LH, Lian JB, Stein G, Anderson KC, Scadden DT. Pharmacologic targeting of a stem/progenitor population in vivo is associated with enhanced bone regeneration in mice. *J Clin Invest*. 2008 Feb; 118(2):491-504.
59. Norgaard N, Holien T, Jonsson S, Hella H, Espevik T, Sundan A, Standal T. CpG-oligodeoxynucleotide inhibits smad-dependent bone morphogenic protein signalling: effects on myeloma cell apoptosis and in vitro osteoblastogenesis. *J Immunol*. 2010; 185:3131-3139.
60. Ogura N, Kawada M, Chang W-J, Zhang Q, Lee S-Y, Kondoh T, Abiko Y. Differentiation of the human mesenchymal stem cells derived from bone marrow and enhancement of cell attachment by fibronectin. *J Oral Sci*. 2004; 46(4):207-13.
61. Okochi M, Nomura S, Kaga C, Honda H. Peptide array-based screening of human mesenchymal stem cell-adhesive peptides derived from fibronectin type III domain. *Biochem Biophys Res Commun*. 2008 Jun 20; 371(1):85-9.
62. Ovcharenko D, Jarvis R, Hunnicke-smith S, Kelnar K, Brown D. High-throughput RNAi screening in vitro: from cell lines to primary cells. *RNA*. 2005; 11:958-93.
63. Park W, Kim S, Lee S, Kim H, Park J, Hyun J. The effect of mesenchymal stem cell transplantation on the recovery of bladder and hindlimb function after spinal cord contusion in rats. *MBC Neuroscience*. 2012; 11:119.
64. Pekkinen M, Ahlström ME, Riehle U, Huttunen MM, Lamberg-Allardt CJ. Effects of phosphodiesterase 7 inhibition by RNA interference on the gene expression and differentiation of human mesenchymal stem cell-derived osteoblasts. *Bone*. 2008 Jul; 43(1):84-91.
65. Perrien DS, Achenbach SJ, Bledsoe SE, Walser B, Suva LJ, Khosla S, Gaddy D. Bone turnover across the menopause transition: correlations with inhibins and follicle-stimulating hormone. *J Clin Endocrinol Metab*. 2006; 91(5):1848-54.
66. Plotnikov AN, Shlapakova I, Szabolcs MJ, Danilo P Jr, Lorell BH, Potapova IA, Lu Z, Rosen AB, Mathias RT, Brink PR, Robinson RB, Cohen IS, Rosen MR. Xenografted adult human mesenchymal stem cells provide a platform for sustained biological pacemaker function in canine heart. *Circulation*. 2007 Aug 14; 116(7):706-13.
67. Popov C, Radic T, Haasters F, Prall WC, Aszodi A, Gulberg D, Schieker M, Docheva D. Integrins $\alpha 2\beta 1$ and $\alpha 11\beta 1$ regulate the survival of mesenchymal stem cells on collagen I. *Cell Death and Disease*. 2011 Jul 28; 2:e186. doi: 10.1038/cddis.2011.71
68. Potapova I, Plotnikov A, Lu Z, Danilo Jr, Baliunas V, Qu J, Soronin S, Zuckerman J, Shlapakova IN, Gao J, Pan Z, Herron AJ, Robinson RB, Brink PR, Rosen MR, Cohen IS. Human mesenchymal stem cells as a

- gene delivery system to create cardiac pacemakers. *Circ Res.* 2004; 94:952-9.
69. Ren G, Li T, Lan JQ, Wilz A, Simon RP, Boison D. Lentiviral RNAi-induced downregulation of adenosine kinase in human mesenchymal stem cell grafts: A novel perspective for seizure control. *Exp Neurol.* 2007 Nov; 208(1):26-37.
 70. Riddle RC, Taylor AF, Genetos DC, Donahue HJ. MAP kinase and calcium signaling mediate fluid flow-induced human mesenchymal stem cell proliferation. *Am J Physiol Cell Physiol.* 2006 Mar; 290(3):C776-84.
 71. Rivron N, Raiss C, Lui J, Nandakumar A, Sticht C, Gretz N, Truckenmuller R, Rouwkema J, van Blitterswijk C. Sonic Hedgehog-activated engineered blood vessels enhance bone tissue formation. *Proc Natl Acad Sci.* 2012; 109(12):4413-4418
 72. Rosen AB, Kelly DJ, Schuldt AJ, Lu J, Potapova IA, Doronin SV, Robichaud KJ, Robinson RB, Rosen MR, Brink PR, Gaudette GR, Cohen IS. Finding fluorescent needles in the cardiac haystack: tracking human mesenchymal stem cells labeled with quantum dots for quantitative in vivo three-dimensional fluorescence analysis. *Stem Cells.* 2007 Aug; 25(8):2128-38.
 73. Salaszyk RM, Klees RF, Williams WA, Boskey A, Plopper GE. Focal adhesion kinase signaling pathways regulate the osteogenic differentiation of human mesenchymal stem cells. *Exp Cell Res.* 2007 Jan; 313(1):22-37.
 74. Salaszyk RM, Williams AW, Boskey A, Batorsky A, Plopper GE. Adhesion to vitronectin and collagen I promotes osteogenic differentiation of human mesenchymal stem cells. *J Biomed Biotech.* 2004; 1:24-34.
 75. Saldaña L, Méndez-Vilas A, Jiang L, Multigner M, González-Carrasco JL, Pérez-Prado MT, González-Martín ML, Munuera L, Vilaboa N. In vitro biocompatibility of an ultrafine grained zirconium. *Biomaterials.* 2007 Oct; 28(30):4343-54.
 76. Salinas CN, Anseth KS. The enhancement of chondrogenic differentiation of human mesenchymal stem cells by enzymatically regulated RGD functionalities. *Biomaterials.* 2008 May; 29(15):2370-7.
 77. Sawada R, Ito T, Tsuchiya T. [Safety evaluation of tissue engineered medical devices using normal human mesenchymal stem cells] *Yakugaku Zasshi.* 2007 May; 127(5):851-6.
 78. Sawada R, Ito T, Tsuchiya T. Changes in expression of genes related to cell proliferation in human mesenchymal stem cells during in vitro culture in comparison with cancer cells. *J Artif Organs.* 2006; 9(3):179-84.
 79. Scavo LM, Karas M, Murray M, Leroith. Insulin-like growth factor-I stimulates both cell growth and lipogenesis during differentiation of human mesenchymal stem cells into Adipocytes. *J Clin Endocrinol Metabol.* 2004; 89(7):3543-53.
 80. Schie IW, Weeks T, McNerney GP, Fore S, Sampson JK, Wachsmann-Hogiu S, Rutledge JC, Huser T. Simultaneous forward and epi-CARS microscopy with a single detector by time-correlated single photon counting. *Opt Express.* 2008 Feb 4; 16(3):2168-75.
 81. Schieker M, Pautke C, Haasters F, Schieker J, Docheva D, Böcker W, Guelkan H, Neth P, Jochum M, Mutschler W. Human mesenchymal stem cells at the single-cell level: simultaneous seven-colour immunofluorescence. *J Anat.* 2007 May; 210(5):592-9.
 82. Schieker M, Seitz S, Gulkan H, Nentwich M, Horvath G, Regauer M, Milz S, Mutschler W. Tissue engineering of bone. Integration and migration of human mesenchymal stem cells in colonized constructs in a murine model. *Orthopade.* 2004 Dec; 33(12):1354-60.
 83. Schliephake H, Strecker N, Forster A, Schwenzer B, Reichert J, Scharnweber D. Angiogenic Functionalism of Titanium Surfaces Using Nano-anchored VEGF – An *In Vitro* Study. *European Cells and Materials.* 2012; 23:(161-169).
 84. Schoolmeesters A, Eklund T, Leake D, Vermeulen A, Smith Q, Force Aldred S, Fedorov Y. Functional profiling reveals critical role for miRNA in differentiation of human mesenchymal stem cells. *PLoS One.* 2009;4(5):e5605. Epub 2009 May 19.
 85. Seitz S, Ern K, Lamper G, Docheva D, Drosse I, Milz S, Mutschler W, Schieker M. Influence of in vitro cultivation on the integration of cell-matrix constructs after subcutaneous implantation. *Tissue Eng.* 2007 May; 13(5):1059-67.
 86. Sila-Asna M, Bunyaratvej A, Maeda S, Kitaguchi H, Bunyaratavej N. Osteoblast differentiation and bone formation gene expression in strontium-inducing bone

- marrow mesenchymal stem cell. *Kobe J Med Sci.* 2007; 53(1-2):25-35.
87. Simmons CA, Matlis S, Thornton AJ, Chen S, Wang C-Y, Mooney DJ. Cyclic strain enhances matrix mineralization by adult human mesenchymal stem cells via the extracellular signal-regulated kinase (ERK1/2) signaling pathway. *J Biomechan.* 2003; 36:1087-96.
 88. Simpson D, Boyd N, Kaushal S, Stice S, Dudley S. Use of human embryonic stem cell derived-mesenchymal cells for cardiac repair. *Biotechnology and Bioengineering.* 2012; 109:247-283.
 89. Smith SR, Gawronska-Kozak B, Janderova L, Nguyen T, Murrell A, Stephens JM, Mynatt RL. Agouti expression in human adipose tissue. Functional consequences and increased expression in Type 2 diabetes. *Diabetes.* 2003; 52:2914-22.
 90. Sonabend AM, Ulasov IV, Tyler MA, Rivera AA, Mathis JM, Lesniak MS. Mesenchymal stem cells effectively deliver an oncolytic adenovirus to intracranial glioma. *Stem Cells.* 2008 Mar; 26(3):831-41.
 91. Stringer B, Waddington R, Sloan A, Phillips I, Telford G, Hughes D, Craig G, Gangemi L, Brook I, Freeman C, Cao X, Gosal M, Smith S, Russell G, Foster G. Bespoke human hypertrophic chondrocytic cell lines provide the osteoinductive signals required for vascularized bone formation. *Tissue Eng.* 2007 Jan; 13(1):133-45.
 92. Terai M, Uyama T, Sugiki T, Li X-K, Umezawa A, Kiyono. Immortalization of human fetal cells: the life span of umbilical cord blood-derived cells can be prolonged without manipulating p16^{INK4a}/RB braking pathway. *Mol Biol Cell.* 2005 Mar; 16:1491-9.
 93. Terrovitis J, Stuber M, Youssef A, Preece S, Leppo M, Kizana E, Schär M, Gerstenblith G, Weiss RG, Marbán E, Abraham MR. Magnetic resonance imaging overestimates ferumoxide-labeled stem cell survival after transplantation in the heart. *Circulation.* 2008 Mar 25; 117(12):1555-62.
 94. Throm Quinlan A, Sierad L, Capulli A, Firstenberg L, Billiar K. Combining Dynamic Stretch and Tunable Stiffness to Probe Cell Mechanobiology. *In Vitro. PLoS ONE.* 2011; 6(8): e23272. doi:10.1371/journal.pone.0023272.
 95. Toma JG, Akhavan M, Fernandes KJL, Barnabe-Heider F, Sadikot A, Kaplan DR, Miller FD. Isolation of multipotent adult stem cells from the dermis of mammalian skin. *Nat Cell Biol.* 2001 Sep; 3: 778-84.
 96. Tomokiyo A, Maeda H, Fujii S, Wada N, Shima K, Akamine A. Development of a multipotent clonal human periodontal ligament cell line. *Differentiation.* 2008 Apr; 76(4):337-47.
 97. Treiser M, Yang E, Gordonov S, Cohen D, Androulakis I, Kohn J, Chen C, Moghe P. Cytoskeleton-based forecasting of stem cell fates. 2010. *PNAS.* 107(2):610-615.
 98. Uebersax L, Merkle HP, Meinel L. Insulin-like growth factor I releasing silk fibroin scaffolds induce chondrogenic differentiation of human mesenchymal stem cells. *J Control Release.* 2008 Apr 7; 127(1):12-21.
 99. Valiunas V, Doronin S, Valiuniene L, Potapova I, Zuckerman J, Walcott B, Robinson RB, Rosen MR, Brink PR, Cohen IS. Human mesenchymal stem cells make cardiac connexins and form functional gap junctions. *J Physiol.* 2004; 555.3:617-26.
 100. Vallabhaneni K, Tkachuk S, Kiyon Y, Shushakova N, Haller H, Dumler I, Eden G. Urokinase receptor mediates mobilization, migration, and differentiation of mesenchymal stem cells. *Cardiovascular Research.* 2011; 90:113-121.
 101. Van Overstraeten-Schlögel N, Beguin Y, Gothot A. Role of stromal-derived factor-1 in the hematopoietic-supporting activity of human mesenchymal stem cells. *Eur J Haematol.* 2006 Jun; 76(6):488-93.
 102. Van Sant C, Wang G, Anderson MG, Trask OJ, Lesniewski R, Semizarov D. Endothelin signaling in osteoblasts: global genome view and implication of the calcineurin/NFAT pathway. *Mol Cancer Ther.* 2007 Jan; 6(1):253-61.
 103. Wei J, Heo SJ, Kim DH, Kim SE, Hyun YT, Shin JW. Comparison of physical, chemical and cellular responses to nano- and micro-sized calcium silicate/poly(epsilon-caprolactone) bioactive composites. *J R Soc Interface.* 2008 Jun 6; 5(23):617-30.
 104. Wei S, Kitaura H, Zhou P, Ross FP, Teitelbaum SL. IL-1 mediates THF-induced osteoclastogenesis. *J Clin Invest.* 2005 Feb; 115(2): 282-90.
 105. Wiesmann A, Bühring HJ, Mentrup C, Wiesmann HP. Decreased CD90 expression in human mesenchymal stem cells by applying mechanical stimulation. *Head & Face Med.* 2006 Mar 31; 2:8.
 106. Winkler DG, Sutherland MK, Geoghegan JC, Yu C, Hayes T, Skonier JE, Shpektor D, Jonas M, Kovacevich BR, Staehling-

- Hampton K, Appleby M, Brunkow ME, Latham JA. Osteocyte control of bone formation via sclerostin, a novel BMP antagonist. *EMBO J.* 2003; 22(23):6267-76.
107. Xu J, Wang W, Ludeman M, Cheng K, Hayami T, Lotz JC, Kapila S. Chondrogenic differentiation of human mesenchymal stem cells in three-dimensional alginate gels. *Tissue Eng Part A.* 2008 May; 14(5):667-80.
108. Yim EK, Liao IC, Leong KW. Tissue compatibility of interfacial polyelectrolyte complexation fibrous scaffold: evaluation of blood compatibility and biocompatibility. *Tissue Eng.* 2007 Feb; 13(2):423-33.
109. Yim EK, Pang SW, Leong KW. Synthetic nanostructures inducing differentiation of human mesenchymal stem cells into neuronal lineage. *Exp Cell Res.* 2007 May 15; 313(9):1820-9.
110. Yim EK, Pang SW, Leong KW. Synthetic nanostructures inducing differentiation of human mesenchymal stem cells into neuronal lineage. *Exp Cell Res.* 2007 May 15; 313(9):1820-9.
111. Yokoo T, Fukui A, Matsumoto K, Ohashi T, Sado Y, Suzuki H, Kawamura T, Okabe M, Hosoya T, Kobayashi E. Generation of a transplantable erythropoietin-producer derived from human mesenchymal stem cells. *Transplantation.* 2008 Jun 15; 85(11):1654-8.
112. Yokoo T, Fukui A, Ohashi T, Miyazaki Y, Utsunomiya Y, Kawamura T, Hosoya T, Okabe M, Kobayashi E. Xenobiotic kidney organogenesis from human mesenchymal stem cells using a growing rodent embryo. *J Am Soc Nephrol.* 2006 Apr; 17(4):1026-34.
113. Yokoo T, Ohashi T, Shen JS, Sakurai K, Miyazaki Y, Utsunomiya Y, Takahashi M, Tereda Y, Eto Y, Kawamura T, Osumi N, Hosoya T. Human mesenchymal stem cells in rodent whole-embryo culture are reprogrammed to contribute to kidney tissues. *PNAS.* 2005 Mar; 102(9):3296-300.
114. Yoon Y-S, Wecker A, Heyd L, Park J-S, Tkebuchava T, Kusano K, Hanley A, Scadova H, Qin G, Cha D-H, Johnson KL, Aikawa R, Asahara T, Losordo DW. Clonally expanded novel multipotent stem cells from human bone marrow after myocardial infarction. *J Clin Invest.* 2005; 115(2):326-38.
115. Yoshikawa T, Uchimura E, Kishi M, Funeriu DP, Miyake M, Miyake J. Transfection microarray of human mesenchymal stem cells and on-chip siRNA gene knockdown. *J Control Release.* 2004; 96:227-32.
116. Yuge L, Kajiume T, Tahara H, Kawahara Y, Umeda C, Yoshimoto R, Wu SL, Yamaoka K, Asashima M, Kataoka K, Ide T. Microgravity potentiates stem cell proliferation while sustaining the capability of differentiation. *Stem Cells Dev.* 2006 Dec; 15(6):921-9.
117. Zhao Y, Ding S. A high-throughput siRNA library screen identifies osteogenic suppressors in human mesenchymal stem cells. *Proc Natl Acad Sci U S A.* 2007 Jun 5; 104(23):9673-8.
118. Zuk PA, Zhu M, Askjian P, De Ugarte DA, Huang JI, Mizuno H, Alfonso ZC, Fraser JK, Benhaim P, Hedrick MH. Human adipose tissue is a source of multipotent stem cells. *Mol Biol of the Cell.* 2002; 13:4279-95.
119. Zvezdaryk KJ, Coffelt SB, Figueroa YG, Liu J, Phinney DG, LaMarca HL, Florez L, Morris CB, Hoyle GW, Scandurro AB. Erythropoietin, a hypoxia-regulated factor, elicits a pro-angiogenic program in human mesenchymal stem cells. *Exp Hematol.* 2007 Apr; 35(4):640-52.

Media

1. Airey JA, Almeida-Porada G, Colletti EJ, Porada CD, Chamberlain J, Movsesian M, Sutko JL, Zanjani ED. Human mesenchymal stem cells form Pukinje fibers in fetal sheep heart. *Circ.* 2004; 109:1401-7.
2. Liu Y, Bhat RA, Seestaller-Wehr LM, Fukayama S, Mangine A, Moran RA, Komm BS, Bodine PV, Billiard J. The orphan receptor tyrosine kinase Ror2 promotes osteoblast differentiation and enhances *ex vivo* bone formation. *Mol Endocrinol.* 2007 Feb; 21(2):376-87.
3. Potain JA, Aviv H, Ponzio NM, Harrison JS, Rameshwar P. Veto-like activity of mesenchymal stem cells: functional discrimination between cellular responses to alloantigens and recall antigens. *J Immunol.* 2003; 171:3426-34.

* References not specifically citing the use of Lonza cells, media, or reagents in their research.

+ Denotes sections containing only the articles published within the last ten years.