

## Product References

### Clonetics™ Smooth Muscle Cells

#### General/Multiple Smooth Muscle Cell Types

1. Roomi MW, Monterrey JC, Kalinovsky T, Rath M, Niedzwiecki A. Distinct patterns of matrix metalloproteinase-2 and -9 expression in normal human cell lines. *Oncol Rep.* 2009 Mar; 21(3):821-6.

#### AoSMC<sup>+</sup>

1. Abdallah R, Keum J, Lee M Wang B, Gooz M, Luttrell D, Luttrell L, Jaffa A. Plasma Kallikrein Promotes Epidermal Growth Factor Receptor Transactivation and Signaling in Vascular Smooth Muscle through Direct Activation of Protease-activated Receptors. *The Journal of Biological Chemistry.* 2010; 285(45):35206-35215.
2. Allen J, Liu Y, Kim YL, Turzhitsky VM, Backman V, Ameer GA. Spectroscopic translation of cell-material interactions. *Biomaterials.* 2007 Jan; 28(2):162-74.
3. Banerjee S, Sengupta K, Dhar K, Mehta S, D'Amore PA, Dhar G, Banerjee SK. Breast cancer cells secreted platelet-derived growth factor-induced motility of vascular smooth muscle cells is mediated through neuropilin-1. *Mol Carcinog.* 2006; 45(11):871-80.
4. Boguslawski G, McGlynn PW, Potempa LA, Filep JG, Labarrere CA. Conduct unbecoming: C-reactive protein interactions with a broad range of protein molecules. *J Heart Lung Transplant.* 2007 Jul; 26(7):705-13.
5. Bohlen F, Kratzsch J, Mueller M, Seidel B, Friedman-Einat M, Witzigmann H, Teupser D, Koerner A, Storck M, Thiery J. Leptin inhibits cell growth of human vascular smooth muscle cells. *Vascul Pharmacol.* 2007 Jan; 46(1):67-71.
6. Burg KJL, Delnomdedieu M, Beiler RJ, Culberson CR, Greene KG, Halberstadt CR, Holder jr. WD, Loebssack AB, Roland WD, Johnson GA. Application of magnetic resonance microscopy to tissue engineering: a polylactide model. *J Biomed Mater Res.* 2002; 61(3):380-90.
7. Butticè G, Miller J, Wang L, Smith BD. Interferon-gamma induces major histocompatibility class II transactivator (CIITA), which mediates collagen repression and major histocompatibility class II activation by human aortic smooth muscle cells. *Circ Res.* 2006; 98(4):472-9.
8. Chen Z, Lee FY, Bhalla KN, Wu J. Potent inhibition of platelet-derived growth factor-induced responses in vascular smooth muscle cells by BMS-354825 (dasatinib). *Mol Pharmacol.* 2006; 69(5):1527-33.
9. Cifarelli V, Luppi P, Tse HM, He J, Piganelli J, Trucco M. Human proinsulin C-peptide reduces high glucose-induced proliferation and NF-kappaB activation in vascular smooth muscle cells. *Atherosclerosis.* 2008 Feb 20. [Epub ahead of print]
10. Connelly JJ, Shah SH, Doss JF, Gadson S, Nelson S, Crosslin DR, Hale AB, Lou X, Wang T, Haynes C, Seo D, Crossman DC, Mooser V, Granger CB, Jones CJ, Kraus WE, Hauser ER, Gregory SG. Genetic and functional association of FAM5C with myocardial infarction. *BMC Med Genet.* 2008 Apr 22; 9:33.

11. Curtis SB, Hewitt J, Yakubovitz S, Anzarut A, Hsiang YN, Buchan AMJ. Somatostatin receptor subtype expression and function in human vascular tissue. *Am J Physiol Heart Circ Physiol.* 2000; 278:H1815-22.
12. Davis BB, Morrisseau C, Newman JW, Pedersen TL, Hammock BD, Weiss RH. Attenuation of vascular smooth muscle cell proliferation by 1-cyclohexyl-3-dodecyl urea is independent of soluble epoxide hydrolase inhibition. *J Pharmacol Exp Ther.* 2006; 316(2):815-21.
13. Deshpande MC, Prausnitz MR. Synergistic effect of ultrasound and PEI on DNA transfection in vitro. *J Control Release.* 2007 Mar 12; 118(1):126-35.
14. Doe C, Bentley R, Behm DJ, Lafferty R, Stavenger R, Jung D, Bamford M, Panchal T, Grygielko E, Wright LL, Smith GK, Chen Z, Webb C, Khandekar S, Yi T, Kirkpatrick R, Dul E, Jolivette L, Marino JP, Willette R, Lee D, Hu E. Novel Rho kinase inhibitors with anti-inflammatory and vasodilatory activities. *J Pharmacol Exp Ther.* 2007; 320(1):89-98.
15. Dong Y, Ishikawa H, Wu Y, Yoshitomi T. Vasodilatory mechanism of levobunolol on vascular smooth muscle cells. *Exp Eye Res.* 2007 Jun;84(6):1039-46.
16. Gilbertson DG, Duff ME, West JW, Kelly JD, Sheppard PO, Hofstrand PD, Gao Z, Shoemaker K, Bukowski TR, Moore M, Feldhaus AL, Humes JM, Palmer TE, Hart CE. Platelet-derived growth factor C (PDGF-C), a novel growth factor that binds to PDGF  $\alpha$  and  $\beta$  receptor. *J Biol Chem.* 2001 Jul 20; 276(29):27408-14.
17. Guzmán HR, Nguyen DX, Khan S, Prausnitz MR. Ultrasound-mediated disruption of cell membranes. I. Quantification of molecular uptake and cell viability. *J Acoustic Soc Am.* 2001 Jul; 110(1):588-96.
18. Hayashi H, Nakagami H, Takami Y, Sato N, Saito Y, Nishikawa T, Mori M, Koriyama H, Tamai K, Morishita R, Kaneda Y. Involvement of gamma-secretase in postnatal angiogenesis. *Biochem Biophys Res Commun.* 2007 Nov 23; 363(3):584-90.
19. Heo KS, Kim DU, Ryoo S, Nam M, Baek ST, Kim L, Park SK, Myung CS, Hoe KL. PPARgamma activation abolishes LDL-induced proliferation of human aortic smooth muscle cells via SOD-mediated down-regulation of superoxide. *Biochem Biophys*
20. Ho M, Yang E, Marcuk G, Deng D, Sampas N, Tselenko A, Tabibiazar R, Zhang Y, Chen M, Talbi S, Ho YD, Wang J, Tsao PS, Ben-Dor A, Yakhini Z, Bruhn L, Quertermous T. Identification of endothelial cell genes by combined database mining and microarray analysis. *Physiol Genom.* 2003; 13:249-62.
21. Horvath G, Mendes ES, Schmid N, Schmid A, Conner GE, Salathe M, Wanner A. The effect of corticosteroids on the disposal of long-acting beta2-agonists by airway smooth muscle cells. *J Allergy Clin Immunol.* 2007 Nov; 120(5):1103-9.
22. Hudson BI, Carter AM, Harja E, Kalea AZ, Arriero M, Yang H, Grant PJ, Schmidt AM. Identification, classification, and expression of RAGE gene splice variants. *FASEB J.* 2008 May; 22(5):1572-80.
23. Isenberg BC, Tsuda Y, Williams C, Shimizu T, Yamato M, Okano T, Wong JY. A thermoresponsive, microtextured substrate for cell sheet engineering with defined structural organization. *Biomaterials.* 2008 Jun; 29(17):2565-72.
24. Isenberg JS, Ridnour LA, Dimitry J, Frazier WA, Wink DA, Roberts DD. CD47 is necessary for inhibition of nitric oxide-stimulated vascular cell responses by thrombospondin-1. *J Biol Chem.* 2006; 281(36):26069-80.
25. Isenberg JS, Romeo MJ, Abu-Asab M, Tsokos M, Oldenborg A, Pappan L, Wink DA, Frazier WA, Roberts DD. Increasing survival of ischemic tissue by targeting CD47. *Circ Res.* 2007 Mar 16; 100(5):712-20.
26. Ito A, Ino K, Hayashida M, Kobayashi T, Matsunuma H, Kagami H, Ueda M, Honda H. Novel methodology for fabrication of tissue-engineered tubular constructs using magnetite nanoparticles and magnetic force. *Tissue Engin.* 2005; 11(9/10):1553-61.
27. Ito I, Laporte JD, Fiset PO, Asai K, Yamauchi Y, Martin JG, Hamid Q. Downregulation of a disintegrin and metalloproteinase 33 by IFN-gamma in human airway smooth muscle cells. *J Allergy Clin Immunol.* 2007; 119(1):89-97.
28. Ivanov V, Ivanova S, Roomi MW, Kalinovsky T, Niedzwiecki A, Rath M. Extracellular matrix-mediated control of aortic smooth muscle cell growth and migration by a combination of ascorbic acid, lysine, proline,

- and catechins. *J Cardiovasc Pharmacol.* 2007 Nov; 50(5):541-7.
29. Ivanov V, Roomi MW, Kalinovsky T, Niedzwiecki A, Rath M. Anti-atherogenic effects of a mixture of ascorbic acid, lysine, proline, arginine, cysteine, and green tea phenolics in human aortic smooth muscle cells. *J Cardiovasc Pharmacol.* 2007 Mar; 49(3):140-5.
30. Iversen N, Birkenes B, Torsdalen K, Djurovic S. Electroporation by nucleofector is the best nonviral transfection technique in human endothelial and smooth muscle cells. *Genetic Vaccin Ther.* 2005; 3:2-15.
31. Jamaluddin MD, Chen I, Yang F, Jiang X, Jan M, Liu X, Schafer AI, Durante W, Yang X, Wang H. Homocysteine inhibits endothelial cell growth via DNA hypomethylation of the cyclin Agene. *Blood.* 2007 Nov 15; 110(10):3648-55.
32. Jay DB, Papaharalambus CA, Seidel-Rogol B, Dikalova AE, Lassègue B, Griendling KK. Nox5 mediates PDGF-induced proliferation in human aortic smooth muscle cells. *Free Radic Biol Med.* 2008 Aug; 45(3):329-35.
33. Julien MA, Wang P, Haller CA, Wen J, Chaikof EL. Mechanical strain regulates syndecan-4 expression and shedding in smooth muscle cells through differential activation of MAP kinase signaling pathways. *Am J Physiol Cell Physiol.* 2007; 292(1):C517-25.
34. Kamat CD, Thorpe JE, Shenoy SS, Ceriello A, Green DE, Warnke LA, Ihnat MA. A long-term "memory" of HIF induction in response to chronic mild decreased oxygen after oxygen normalization. *BMC Cardiovasc Disord.* 2007 Jan 18; 7:4.
35. Klinger RY, Blum JL, Hearn B, Lebow B, Niklason LE. Relevance and safety of telomerase for human tissue engineering. *Proc Natl Acad Sci U S A.* 2006; 103(8): 2500-5.
36. Kunieda T, Minamino T, Katsuno T, Tateno K, Nishi J, Miyauchi H, Orimo M, Okada S, Komuro I. Cellular senescence impairs circadian expression of clock genes in vitro and in vivo. *Circ Res.* 2006; 98(4):532-9.
37. Kunieda T, Minamino T, Miura K, Katsuno T, Tateno K, Miyauchi H, Kaneko S, Bradfield CA, FitzGerald GA, Komuro I. Reduced nitric oxide causes age-associated impairment of circadian rhythmicity. *Circ Res.* 2008 Mar 14; 102(5):607-14.
38. Kurachi S, Tashiro K, Sakurai F, Sakurai H, Kawabata K, Yayama K, Okamoto H, Nakagawa S, Mizuguchi H. Fiber-modified adenovirus vectors containing the TAT peptide derived from HIV-1 in the fiber knob have efficient gene transfer activity. *Gene Ther.* 2007 Aug; 14(15):1160-5.
39. Lagna G, Ku MM, Nguyen PH, Neuman NA, Davis BN, Hata A. Control of phenotypic plasticity of smooth muscle cells by bone morphogenetic protein signaling through the myocardin-related transcription factors. *J Biol Chem.* 2007 Dec 21; 282(51):37244-55.
40. Lai TS, Liu Y, Li W, Greenberg CS. Identification of two GTP-independent alternatively spliced forms of tissue transglutaminase in human leukocytes, vascular smooth muscle, and endothelial cells. *FASEB J.* 2007 Dec; 21(14):4131-43.
41. Lamphere L, Tsui L, Wick S, Nakano T, Kilinshi L, Finer M, McArthur J, Gyuris J. Novel chimeric p16 and p27 molecules with increased antiproliferative activity for vascular disease gene therapy. *J Mol Med.* 2000 Oct; 78(8):451-9.
42. Lasagni L, Grepin R, Mazzinghi B, Lazzeri E, Meini C, Sagrinati C, Liotta F, Frosali F, Ronconi E, Alain-Courtois N, Ballerini L, Netti GS, Maggi E, Annunziato F, Serio M, Romagnani S, Bikfalvi A, Romagnani P. PF-4/CXCL4 and CXCL4L1 exhibit distinct subcellular localization and a differentially regulated mechanism of secretion. *Blood.* 2007 May 15; 109(10):4127-34.
43. Li S, Whorton AR. Functional characterization of two S-nitroso-L-cysteine transporters, which mediate movement of NO equivalents into vascular cells. *Am J Physiol Cell Physiol.* 2007 Apr; 292(4):C1263-71.
44. Liang F, O'Rear J, Schellenberger U, Tai L, Lasecki M, Schreiner GF, Apple FS, Maisel AS, Pollitt NS, Prottier AA. Evidence for functional heterogeneity of circulating B-type natriuretic peptide. *J Am Coll Cardiol.* 2007; 49(10):1071-8.
45. Lindner V, Wang Q, Conley BA, Friesel RE, Vary CPH. Vascular injury induces expression of periostin implications for vascular cell differentiation and migration. *Arterioscler Thromb Vasc Biol.* 2005; 25:77-83.
46. Liu H, Zhang W, Kennard S, Caldwell R, Lilly B. Notch3 Is Critical for Proper

- Angiogenesis and Mural Cell Investment. Circulation Research. 2010; 107:860-870.
47. Maffei A, Vecchione C, Aretini A, Poulet R, Bettarini U, Gentile MT, Cifelli G, Lembo G. Characterization of nitric oxide release by nebivolol and its metabolites. Am J Hypertens. 2006; 19(6):579-86.
48. Miller FJ Jr, Filali M, Huss GJ, Stanic B, Chamseddine A, Barna TJ, Lamb FS. Cytokine activation of nuclear factor kappa B in vascular smooth muscle cells requires signaling endosomes containing Nox1 and CIC-3. Circ Res. 2007 Sep 28; 101(7):663-71.
49. Milliat F, François A, Isoir M, Deutsch E, Tamarat R, Tarlet G, Atfi A, Validire P, Bourhis J, Sabourin JC, Benderitter M. Influence of endothelial cells on vascular smooth muscle cells phenotype after irradiation: implication in radiation-induced vascular damages. Am J Pathol. 2006; 169(4):1484-95.
50. Moe KT, Aulia S, Jiang F, Chua YL, Koh TH, Wong MC, Dusting GJ. Differential upregulation of Nox homologues of NADPH oxidase by tumor necrosis factor-alpha in human aortic smooth muscle and embryonic kidney cells. J Cell Mol Med. 2006; 10(1):231-9.
51. Montes de Oca A, Madueno J, Martinez-Moreno J, Guerrero F, Munoz-Castaneda J, Rodriguez-Ortiz M, Mendoza F, Almaden Y, Lopez I, Rodriguez M, Aguilera-Tejero E. High-Phosphate-Induced Calcification Is Related to SM22 $\alpha$  Promoter Methylation in Vascular Smooth Muscle Cells. J of Bone and Mineral Research. 2010; 25(9):1996-2005.
52. Mu H, Wang X, Lin PH, Yao Q, Chen C. Chlorotyrosine promotes human aortic smooth muscle cell migration through increasing superoxide anion production and ERK1/2 activation. Atherosclerosis. 2008 Feb 15. [Epub ahead of print]
53. Muldowney JA, Stringham JR, Levy SE, Gleaves LA, Eren M, Piana RN, Vaughan DE. Antiproliferative agents alter vascular plasminogen activator inhibitor-1 expression: a potential prothrombotic mechanism of drug-eluting stents. Arterioscler Thromb Vasc Biol. 2007; 27(2):400-6.
54. Naumova E, Ubezio P, Garofalo A, Borsotti P, cassis L, Riccardi E, Scanziani E, Eccles SA, Bani MR, Giavazzi R. The vascular targeting property of paclitaxel is enhanced by SU6668, a receptor tyrosine kinase inhibitor, causing apoptosis of endothelial cells and inhibition of angiogenesis. Clinic Canc Res. 2006 Mar; 12:1839-49.
55. Naveau A, Reinald N, Fournier B, Durand E, Lafont A, Coulomb B, Gogly B. Gingival fibroblasts inhibit MMP-1 and MMP-3 activities in an ex-vivo artery model. Connect Tissue Res. 2007; 48(6):300-8.
56. Ogle BM, Mooradian DL. Manipulation of remodeling pathways to enhance the mechanical properties of a tissue engineered blood vessel. J Biomech Engineer. 2002 Dec; 124(6):724-33.
57. Ohta T, Kikuta K, Imamura H, Takagi Y, Nishimura M, Arakawa Y, Hashimoto N, Nozaki K. Administration of ex vivo-expanded bone marrow-derived endothelial progenitor cells attenuates focal cerebral ischemia-reperfusion injury in rats. Neurosurgery. 2006; 59(3):679-86.
58. Osako MK, Tomita N, Nakagami H, Kunugiza Y, Yoshino M, Yuyama K, Tomita T, Yoshikawa H, Ogihara T, Morishita R. Increase in nuclease resistance and incorporation of NF-kappaB decoy oligodeoxynucleotides by modification of the 3'-terminus. J Gene Med. 2007 Sep; 9(9):812-9.
59. Peng S, Larsson A, Wassberg E, Gerwins P, Thelin S, Fu X, Westermark P. Role of aggregated medin in the pathogenesis of thoracic aortic aneurysm and dissection. Lab Invest. 2007 Dec; 87(12):1195-205.
60. Pross C, Farooq MM, Lane JS, Angle N, Tomono CK, Xavier AE, Freischlag JA, Collins AE, Law RE, Gelabert HA. Rat and human aortic smooth muscle cells display differing migration and matrix metalloproteinase activities in response to dexamethasone. J Vasc Surg. 2002 Jan; 35(6):1253-9.
61. Shai S, Sukhanov S, Higashi Y, Vaughn C, Kelly J, Delafontaine P. Smooth Muscle Cell-Specific Insulin-Like Growth Factor-1 Overexpression in Apoe-/ Mice Does Not Alter Atherosclerotic Plaque Burden but Increases Features of Plaque Stability. Aterioscler Thromb Vasc Biol. 2010; 30:1916-1924.
62. Sinha-Hikim I, Shen R, Lee W, Crum A, Vaziri N, Norris K. Effects of a novel cysteine-based glutathione precursor on oxidative stress in vascular smooth muscle

- cells. *Am J Physiol Cell Physiol.* 2010; 299:C638-C642.
63. Song S, Choi K, Ryu S, Kang S, Choi C. TRAIL promotes caspase-dependent pro-inflammatory responses via PKC $\delta$  activation by vascular smooth muscle cells. *Cell Death and Disease.* 2011. e223.
64. Reddy MA, Li SL, Sahar S, Kim YS, Xu ZG, Lanting L, Natarajan R. Key role of Src kinase in S100B-induced activation of the receptor for advanced glycation end products in vascular smooth muscle cells. *Biol Chem.* 2006; 281(19):13685-93.
65. Reilly DF, Curtis AM, Cheng Y, Westgate EJ, Rudic RD, Paschos G, Morris J, Ouyang M, Thomas SA, FitzGerald GA. Peripheral circadian clock rhythmicity is retained in the absence of adrenergic signaling. *Arterioscler Thromb Vasc Biol.* 2008 Jan; 28(1):121-6.
66. Rho MC, Ah Lee K, Mi Kim S, Sik Lee C, Jeong Jang M, Kook Kim Y, Sun Lee H, Hyun Choi Y, Yong Rhim B, Kim K. Sensitization of vascular smooth muscle cell to TNF-alpha-mediated death in the presence of palmitate. *Toxicol Appl Pharmacol.* 2007 May 1; 220(3):311-9.
67. Rose SL, Babensee JE. Complimentary endothelial cell/smooth muscle cell co-culture systems with alternate smooth muscle cell phenotypes. *Ann Biomed Eng.* 2007 Aug; 35(8):1382-90.
68. San Martín A, Lee MY, Williams HC, Mizuno K, Lassègue B, Griendling KK. Dual regulation of cofilin activity by LIM kinase and Slingshot-1L phosphatase controls platelet-derived growth factor-induced migration of human aortic smooth muscle cells. *Circ Res.* 2008 Feb 29; 102(4):432-8.
69. Sandbo N, Taurin S, Yau DM, Kregel S, Mitchell R, Dulin NO. Downregulation of smooth muscle alpha-actin expression by bacterial lipopolysaccharide. *Cardiovasc Res.* 2007 May 1;74(2):262-9.
70. Shimizu K, Ito A, Arinobe M, Murase Y, Iwata Y, Narita Y, Kagami H, Ueda M, Honda H. Effective cell-seeding technique using magnetite nanoparticles and magnetic force onto decellularized blood vessels for vascular tissue engineering. *J Biosci Bioeng.* 2007 May; 103(5):472-8.
71. Shintani Y, Takashima S, Asano Y, Kato H, Liao Y, Yamazaki S, Tsukamoto O, Seguchi O, Yamamoto H, Fukushima T, Sugahara K, Kitakaze M, Hori M. Glycosaminoglycan modification of neuropilin-1 modulates
72. Simeonova PP, Hulderman T, Harki D, Luster MI. Arsenic exposure accelerates atherogenesis in apolipoprotein E $^{-/-}$  mice. *Env Health Perspec.* 2003 Nov; 111(14): 1744-8.
73. Son BK, Akishita M, Iijima K, Kozaki K, Maemura K, Eto M, Ouchi Y. Adiponectin antagonizes stimulatory effect of tumor necrosis factor-alpha on vascular smooth muscle cell calcification: regulation of growth arrest-specific gene 6-mediated survival pathway by adenosine 5'-monophosphate-activated protein kinase. *Endocrinology.* 2008 Apr; 149(4):1646-53.
74. Son BK, Kozaki K, Iijima K, Eto M, Nakano T, Akishita M, Ouchi Y. Gas6/Axl-PI3K/Akt pathway plays a central role in the effect of statins on inorganic phosphate-induced calcification of vascular smooth muscle cells. *Eur J Pharmacol.* 2007 Feb 5; 556(1-3):1-8.
75. Son YH, Jeong YT, Lee KA, Choi KH, Kim SM, Rhim BY, Kim K. Roles of MAPK and NF-kappaB in interleukin-6 induction by lipopolysaccharide in vascular smooth muscle cells. *J Cardiovasc Pharmacol.* 2008 Jan; 51(1):71-7.
76. Soncin F, Mattot V, Lionnetton F, Spruyt N, Lepretre F, Begue A, Stehelin D. VE-statin, an endothelial repressor of smooth muscle cell migration. *EMBO J.* 2003; 22(21):5700-11.
77. Sturrock A, Cahill B, Norman K, Huecksteadt TP, Hill K, Sanders K, Karwande SV, Stringham JC, Bull DA, Gleich M, Kennedy TP, Hoidal JR. Transforming growth factor-beta1 induces Nox4 NAD(P)H oxidase and reactive oxygen species-dependent proliferation in human pulmonary artery smooth muscle cells. *Am J Physiol Lung Cell Mol Physiol.* 2006; 290(4):L661-L673.
78. Sukhanov S, Higashi Y, Shai SY, Vaughn C, Mohler J, Li Y, Song YH, Titterington J, Delafontaine P. IGF-1 reduces inflammatory responses, suppresses oxidative stress, and decreases atherosclerosis progression in ApoE-deficient mice. *Arterioscler Thromb Vasc Biol.* 2007 Dec; 27(12):2684-90.
79. Takami Y, Nakagami H, Morishita R, Katsuya T, Hayashi H, Mori M, Koriyama H, Baba Y, Yasuda O, Rakugi H, Ogihara T, Kaneda Y. Potential role of CYLD

- (Cylindromatosis) as a deubiquitinating enzyme in vascular cells. Am J Pathol. 2008 Mar; 172(3):818-29.
80. Tomura H, Wang J-Q, Komachi M, Damirin A, Mogi C, Tobo M, Kon J, Misawa N, Sato K, Okajima F. Prostaglandin I<sub>2</sub> production and cAMP accumulation in response to acidic extracellular pH through OGR1 in human aortic smooth muscle cells. J Biol Chem. 2004 Oct 14; 280(41):34458-64.
81. Touyz RM, Chen X, Tabet F, Yao G, He G, Quinn MT, Pagano PJ, Schiffrian EL. Expression of a functionally active gp91phox-containing neutrophils-type NAD(P)H oxidase in smooth muscle cells from human resistance arteries: regulation by angiotensin II. Circ res. 2002; 90:1205-13.
82. Van Campenhout A, Moran CS, Parr A, Clancy P, Rush C, Jakubowski H, Golledge J. Role of homocysteine in aortic calcification and osteogenic cell differentiation. Atherosclerosis. 2008 May 28.
83. Van De Parre TJ, Martinet W, Verheyen S, Kockx MM, Van Langenhove G, Herman AG, De Meyer GR. Mitochondrial uncoupling protein 2 mediates temperature heterogeneity in atherosclerotic plaques. Cardiovasc Res. 2008 Jan 15; 77(2):425-31.
84. Vigetti D, Clerici M, Deleonibus S, Karousou E, Viola M, Moretto P, Heldin P, Hascall V, De Luca G, Passi A. Hyaluronan Synthesis Is Inhibited by Adenosine Monophosphate-activated Protein Kinase through the Regulation of HAS2 Activity in Human Aortic Smooth Muscle Cells. The Journal of Biological Chemistry. 2011; 286(10):7917-7924.
85. Vigetti D, Moretto P, Viola M, Genasetti A, Rizzi M, Karousou E, Pallotti F, De Luca G, Passi A. Matrix metalloproteinase 2 and tissue inhibitors of metalloproteinases regulate human aortic smooth muscle cell migration during in vitro aging. FASEB J. 2006; 20(8):1118-30.
86. Vigetti D, Ori M, Viola M, Genasetti A, Karousou E, Rizzi M, Pallotti F, Nardi I, Hascall VC, De Luca G, Passi A. Molecular cloning and characterization of UDP-glucose dehydrogenase from the amphibian *Xenopus laevis* and its involvement in hyaluronan synthesis. J Biol Chem. 2006; 281(12):8254-63.
87. Vigetti D, Viola M, Karousou E, Rizzi M, Moretto P, Genasetti A, Clerici M, Hascall VC, De Luca G, Passi A. Hyaluronan-CD44-ERK1/2 regulate human aortic smooth muscle cell motility during aging. J Biol Chem. 2008 Feb 15; 283(7):4448-58.
88. Wågsäter D, Sheikine Y, Sirsjö A. All-trans retinoic acid regulates CXCL16/SR-PSOX expression. Int J Mol Med. 2005; 16:661-5.
89. Wallace CS, Champion JC, Truskey GA. Adhesion and function of human endothelial cells co-cultured on smooth muscle cells. Ann Biomed Eng. 2007; 35(3):375-86.
90. Wang L, Hauser ER, Shah SH, Seo D, Sivashanmugam P, Exum ST, Gregory SG, Granger CB, Haines JL, Jones CJ, Crossman D, Haynes C, Kraus WE, Freedman NJ, Pericak-Vance MA, Goldschmidt-Clermont PJ, Vance JM. Polymorphisms of the Tumor Suppressor Gene LSAMP are Associated with Left Main Coronary Artery Disease. Ann Hum Genet. 2008 Mar 3. [Epub ahead of print]
91. Wild R, Dings RPM, Subramanian I, Ramakrishnan S. Carboplatin selectivity induces the VEGF stress response in endothelial cells: potentiation of antitumor activity by combination treatment with antibody to VEGF. Int J Canc. 2004; 110(3): 343-51.
92. Wu-Wong JR, Nakane M, Ma J. Vitamin D analogs modulate the expression of plasminogen activator inhibitor-1, thrombospondin-1 and thrombomodulin in human aortic smooth muscle cells. J Vasc Res. 2007; 44(1):11-8.
93. Yamamoto M, Acevedo-Duncan M, Chalfant CE, Patel NA, Watson JE, Cooper DR. Acute glucose-induced downregulation of PKC-βII accelerates cultured VSMC proliferation. Am J Physiol Cell Physiol. 2000; 279:C587-95.
94. Yamamoto Y, Ramakrishnan S. Addition of integrin binding sequence to a mutant human endostatin improves inhibition of tumor growth. Int J Canc. 2004; 111(6): 839-48.
95. Yoon C, Koyanagi M, Iekushi K, Seeger F, Urbich C, Zeiher A, Dimmeler S. Mechanism of Improved Cardiac Function After Bone Marrow Mononuclear Cell Therapy : Role of Cardiovascular Lineage Commitment. Circulation. 2010; 121:2001-2011.
96. Zhu X, Lin Y, Bacanamwo M, Chang L, Chai R, Massud I, Zhang J, Garcia-Barrio MT,

Thompson WE, Chen YE. Interleukin-1 beta-induced Id2 gene expression is mediated by Egr-1 in vascular smooth muscle cells. *Cardiovasc Res.* 2007 Oct 1; 76(1):141-8.

## BSMC<sup>+</sup>

1. Agrawal DK, Ariyarthna K, Kelbe PW. (S)-Albuterol activates pro-constrictory and pro-inflammatory pathways in human bronchial smooth muscle cells. *J Allergy Clin Immunol.* 2004 Mar; 113(3):503-10.
2. Allakhverdi Z, Comeau MR, Jessup HK, Delespesse G. Thymic stromal lymphopoietin as a mediator of crosstalk between bronchial smooth muscles and mast cells. *J Allergy Clin Immunol.* 2009 Apr; 123(4):958-60.e2.
3. Banti I, Nencetti S, Orlandini E, Lapucci A, Breschi MC, Fogli S. Synthesis and in-vitro antitumour activity of new naphthyridine derivatives on human pancreatic cancer cells. *J Pharm Pharmacol.* 2009 Aug; 61(8):1057-66.
4. Billings PC, Herrick DJ, Howard PS, Kucich U, Engelsberg BN, Rosenbloom J. Expression of betaig-h3 by human bronchial smooth muscle cells: localization To the extracellular matrix and nucleus. *Am J Respir Cell Mol Biol.* 2000 Mar; 22(3):352-9.
5. Blanchet M-R, Israël-Assayag E, Cormier Y. Modulation of airway inflammation and resistance in mice by a nicotinic receptor agonist. *Eur respir J.* 2005; 26:21-7.
6. Bossé Y, Maghni K, Hudson TJ. 1alpha,25-dihydroxy-vitamin D3 stimulation of bronchial smooth muscle cells induces autocrine, contractility, and remodeling processes. *Physiol Genomics.* 2007 Apr 24; 29(2):161-8.
7. Bossé Y, Thompson C, Audette K, Stankova J, Rola-Pleszczynski M. Interleukin-4 and interleukin-13 enhance human bronchial smooth muscle cell proliferation. *Int Arch Allergy Immunol.* 2008; 146(2):138-48.
8. Cai TQ, Wong B, Mundt SS, Thieringer R, Wright SD, Hermanowski-Vosatka A. Induction of 11beta-hydroxysteroid dehydrogenase type 1 but not -2 in human aortic smooth muscle cells by inflammatory stimuli. *J Steroid Biochem Mol Biol.* 2001 May; 77(2-3):117-22.
9. Dagnell C, Kemi C, Klominek J, Eriksson P, Sköld CM, Eklund A, Grunewald J, Olgart Höglund C. Effects of neurotrophins on human bronchial smooth muscle cell migration and matrix metalloproteinase-9 secretion. *Transl Res.* 2007 Nov; 150(5):303-10.
10. Erlemann KR, Cossette C, Gravel S, Lesimple A, Lee GJ, Saha G, Rokach J, Powell WS. Airway epithelial cells synthesize the lipid mediator 5-oxo-ETE in response to oxidative stress. *Free Radic Biol Med.* 2007 Mar 1; 42(5):654-64.
11. Ethier MF, Madison JM. LY294002, but not wortmannin, increases intracellular calcium and inhibits calcium transients in bovine and human airway smooth muscle cells. *Cell Calcium.* 2002 Jul; 32(1):31-8.
12. Feoktistov I, Ryzhov S, Zhong H, Goldstein AE, Matafonov A, Zeng D, Biaggioni I. Hypoxia modulates adenosine receptors in human endothelial and smooth muscle cells toward an A2B angiogenic phenotype. *Hypertension.* 2004 Nov; 44(5):649-54.
13. Fujitani Y, Trifilieff A. In vivo and in vitro effects of SAR 943, a rapamycin analogue, on airway inflammation and remodeling. *Am J Respir Crit Care Med.* 2003 Jan 15; 167(2):193-8.
14. Garlisi CG, Zou J, Devito KE, Tian F, Zhu FX, Liu J, Shah H, Wan Y, Motasim Billah M, Egan RW, Umland SP. Human ADAM33: protein maturation and localization. *Biochem Biophys Res Commun.* 2003 Jan 31; 301(1):35-43.
15. Goto K, Chiba Y, Misawa M. IL-13 induces translocation of NF-kappaB in cultured human bronchial smooth muscle cells. *Cytokine.* 2009 Apr; 46(1):96-9.
16. Goto K, Chiba Y, Sakai H, Misawa M. Tumor necrosis factor-alpha (TNF-alpha) induces upregulation of RhoA via NF-kappaB activation in cultured human bronchial smooth muscle cells. *J Pharmacol Sci.* 2009 Aug; 110(4):437-44.
17. Grunstein MM, Hakonarson H, Maskeri N, Chuang S. Autocrine cytokine signaling mediates effects of rhinovirus on airway responsiveness. *Am J Physiol Lung Cell Mol Physiol.* 2000 Jun; 278(6):L1146-53.
18. Ibe BO, Abdallah MF, Raj JU. Mechanisms by which S-albuterol induces human bronchial smooth muscle cell proliferation. *Int Arch Allergy Immunol.* 2008;146(4):321-33.
19. Iwamoto LM, Fujiwara N, Nakamura KT, Wada RK. Na-K-2Cl cotransporter inhibition

- impairs human lung cellular proliferation. Am J Physiol Lung Cell Mol Physiol. 2004; 287: L510-4.
20. Iwamoto LM, Nakamura KT, Wada RK. Immunolocalization of a Na-K-2Cl cotransporter in human tracheobronchial smooth muscle. J Appl Physiol. 2003 Apr; 94(4):1596-601.
21. Iwata S, Ito S, Iwaki M, Kondo M, Sashio T, Takeda N, Sokabe M, Hasegawa Y, Kume H. Regulation of endothelin-1-induced interleukin-6 production by Ca<sup>2+</sup> influx in human airway smooth muscle cells. Eur J Pharmacol. 2009 Mar 1; 605(1-3):15-22.
22. Jaramillo A, Naziruddin B, Zhang L, Reznik SI, Smith M, Aloush A, Trulock EP, Patterson GA, Mohanakumar T. Activation of human airway epithelial cells by non-HLA antibodies developed after lung transplantation: a potential etiological factor for bronchiolitis obliterans syndrome. Transplant. 2001 Apr 15; 71(7):966-76.
23. Jaramillo A, Smith CR, Maruyama T, Zhang L, Patterson GA, Mohanakumar T. Anti-HLA class I antibody binding to airway epithelial cells induces production of fibrogenic growth factors and apoptotic cell death: a possible mechanism for bronchiolitis obliterans syndrome. Hum Immunol. 2003 May; 64(5):521-9.
24. Jia Y, Wang X, Varty L, Rizzo CA, Yang R, Correll CC, Phelps T, Egan RW, Hey JA. Functional TRPV4 channels are expressed in human airway smooth muscle cells. Am J Physiol Lung Cell Mol Physiol. 2004; L272-8.
25. Jo T, Iida H, Kishida S, Imuta H, Oonuma H, Nagata T, Hara H, Iwasawa K, Soma M, Sato Y, Nagase T, Nagai R, Nakajima T. Acute and chronic effects of eicosapentaenoic acid on voltage-gated sodium channel expressed in cultured human bronchial smooth muscle cells. Biochem Biophys Res Commun. 2005 Jun 17; 331(4):1452-9.
26. John AE, Zhu YM, Brightling CE, Pang L, Knox AJ. Human airway smooth muscle cells from asthmatic individuals have CXCL8 hypersecretion due to increased NF-kappa B p65, C/EBP beta, and RNA polymerase II binding to the CXCL8 promoter. J Immunol. 2009 Oct 1; 183(7):4682-92.
27. Kawata T, Ishizuka T, Tomura H, Hisada T, Dobashi K, Tsukagoshi H, Ishiwara M, Kurose H, Mori M, Okajima F. Sphingosine 1-phosphate inhibits migration and RANTES production in human bronchial smooth muscle cells. Biochem Biophys Res Commun. 2005 Jun 3; 331(2):640-7.
28. Kellner J, Tantscher J, Oelmez H, Edelmann M, Fischer R, Huber RM, Bergner A. Mechanisms altering airway smooth muscle cell Ca<sup>2+</sup> homeostasis in two asthma models. Respiration. 2008; 76(2):205-15.
29. Kuhn A, Schlauch K, Lao R, Halayko A, Gerthoffer W, Singer C. MicroRNA Expression in Human Airway Smooth Muscle Cells. Am J Respir Cell Mol Biol. 2010; 42:506-513.
30. Kume H, Takeda N, Oguma T, Ito S, Kondo M, Ito Y, Shimokata K. Sphingosine 1-phosphate causes airway hyper-reactivity by rho-mediated myosin phosphatase inactivation. J Pharmacol Exp Ther. 2007; 320(2): 766-73.
31. Lee JH, Kaminski N, Dolganov G, Grunin G, Koth L, Soloman C, Erle DJ, Sheppard D. Interleukin-13 induces dramatically different transcriptional programs in three human airway cell types. Am J Respir Cell Mol Biol. 2001; 25L:474-85.
32. Lee SD, Misseri R, Akbal C, Jung C, Rink RC, Kaefer M. Muscarinic receptor expression increases following exposure to intravesical pressures of < or =40 cm-H<sub>2</sub>O: a possible mechanism for pressure-induced cell proliferation. World J Urol. 2008 Aug; 26(4):387-93.
33. Martin G, O'Connell RJ, Pietrzykowski AZ, Treistman SN, Ethier MF, Madison JM. Interleukin-4 activates large-conductance, calcium-activated potassium (BKCa) channels in human airway smooth muscle cells. Exp Physiol. 2008 Jul; 93(7):908-18.
34. Nakajima T, Jo T, Meguro K, Oonuma H, Ma J, Kubota N, Imuta H, Takano H, Iida H, Nagase T, Nagata T. Effect of dexamethasone on voltage-gated Na<sup>+</sup> channel in cultured human bronchial smooth muscle cells. Life Sci. 2008 Jun 6; 82(23-24):1210-5.
35. Niimi K, Asano K, Shiraishi Y, Nakajima T, Wakaki M, Kagyo J, Takihara T, Suzuki Y, Fukunaga K, Shiomi T, Oguma T, Sayama K, Yamaguchi K, Natori Y, Matsumoto M, Seya T, Yamaya M, Ishizaka A. TLR3-mediated synthesis and release of eotaxin-1/CCL11 from human bronchial smooth muscle cells stimulated with double-stranded RNA. J Immunol. 2007; 178(1):489-95.

36. Ono A, Utsugi M, Masubuchi K, Ishizuka T, Kawata T, Shimizu Y, Hisada T, Hamuro J, Mori M, Dobashi K. Glutathione redox regulates TGF-beta-induced fibrogenic effects through Smad3 activation. *FEBS Lett.* 2009 Jan 22; 583(2):357-62.
37. Oonuma H, Iwasawa K, Iida H, Nagata T, Imuta H, Morita Y, Yamamoto K, Nagai R, Omata M, Nakajima T. Inward rectifier K(+) current in human bronchial smooth muscle cells: inhibition with antisense oligonucleotides targeted to Kir2.1 mRNA. *Am J Respir Cell Mol Biol.* 2002 Mar; 26(3):371-9.
38. Potter-Perigo S, Baker C, Tsoi C, Braun KR, Isenhath S, Altman GM, Altman LC, Wight TN. Regulation of proteoglycan synthesis by leukotriene d4 and epidermal growth factor in bronchial smooth muscle cells. *Am J Respir Cell Mol Biol.* 2004 Jan; 30(1):101-8.
39. Ravasi S, Citro S, Viviani B, Capra V, Rovati GE. CysLT1 receptor-induced human airway smooth muscle cells proliferation requires ROS generation, EGF receptor transactivation and ERK1/2 phosphorylation. *Respir Res.* 2006; 7:42.
40. Rödel J, Woytas M, Groh A, Schmidt K-H, Hartmann M, Lehmann M, Straube. Production of basic fibroblast growth factor and interleukin 6 by human smooth muscle cells following infection with Chlamydia pneumoniae. *Infect Immunity.* 2000 Jun; 68(6):3635-41.
41. Ross KR, Corey DA, Dunn JM, Kelley TJ. SMAD3 expression is regulated by mitogen-activated protein kinase kinase-1 in epithelial and smooth muscle cells. *Cell Signal.* 2007 May; 19(5):923-31.
42. Rovati GE, Baroffio M, Citro S, Brichetto L, Ravasi S, Milanese M, Crimi E, Brusasco V. Cysteinyl-leukotrienes in the regulation of beta2-adrenoceptor function: an in vitro model of asthma. *Respir Res.* 2006; 7:103.
43. Saegusa S, Tsubone H, Kuwahara M. Leukotriene D(4)-induced Rho-mediated actin reorganization in human bronchial smooth muscle cells. *Eur J Pharmacol.* 2001 Feb 16; 413(2-3):163-71.
44. Sakai H, Yamamoto M, Kozutsumi Y, Chiba Y, Misawa M. Identification of PKC isoforms expressed in human bronchial smooth muscle cell. *Smooth Muscle Res.* 2009 Feb; 45(1):55-62.
45. Schmidlin F, Loeffler S, Bertrand C, Landry Y, Gies JP. PLA2 phosphorylation and cyclooxygenase-2 induction, through p38 MAP kinase pathway, is involved in the IL-1beta-induced bradykinin B2 receptor gene transcription. *Naunyn Schmiedebergs Arch Pharmacol.* 2000 Mar; 361(3):247-54.
46. Shimizu S, Gabazza EC, Hayashi T, Ido M, Adachi Y, Suzuki K. Thrombin stimulates the expression of PDGF in lung epithelial cells. *Am J Physiol Lung Cell Mol Physiol.* 2000 Sep; 279(3):L503-10.
47. Singer CA, Baker KJ, McCaffrey A, AuCoin DP, Dechert MA, Gerthoffer WT. p38 MAPK and NF-kappaB mediate COX-2 expression in human airway myocytes. *Am J Physiol Lung Cell Mol Physiol.* 2003 Nov; 285(5):L1087-98.
48. Solarewicz-Madejek K, Basinski TM, Cramer R, Akdis M, Akkaya A, Blaser K, Rabe KF, Akdis CA, Jutel M. T cells and eosinophils in bronchial smooth muscle cell death in asthma. *Clin Exp Allergy.* 2009 Jun; 39(6):845-55.
49. Summer R, Kotton DN, Sun X, Ma B, Fitzsimmons K, Fine A. Side population cells and Bcrp1 expression in lung. *Am J Physiol Lung Cell Mol Physiol.* 2003; 285:L97-104.
50. Suzuki Y, Asano K, Niimi K, Miyata J, Shiraishi Y, Fukunaga K, Shiomi T, Nakajima T, Oguma T, Sayama K, Ishizaka A. TP receptor-mediated release of eosinophil chemotactic activity from human bronchial smooth muscle cells. *Eur J Pharmacol.* 2008 Dec 14; 600(1-3):133-9.
51. Suzuki Y, Asano K, Shiraishi Y, Oguma T, Shiomi T, Fukunaga K, Nakajima T, Niimi K, Yamaguchi K, Ishizaka A. Human bronchial smooth muscle cell proliferation via thromboxane A2 receptor. *Prostaglandins Leukot Essent Fatty Acids.* 2004 Dec; 71(6):375-82.
52. Sweeney M, McDaniel SS, Platoshyn O, Zhang S, Yu Y, Lapp BR, Zhao Y, Thistlethwaite PA, Yuan JX. Role of capacitative Ca<sup>2+</sup> entry in bronchial contraction and remodeling. *J Appl Physiol.* 2002 Apr; 92(4):1594-602.
53. Talts JF, Sasaki T, Miosge N, Göhring W, Mann K, Mayne R, Timpl R. Structural and functional analysis of the recombinant G domain of the laminin α4 chain and its proteolytic processing in tissues. *J Biol Chem.* 2000; 275(45):35192-9.
54. Yagami T, Ueda K, Asakura K, Hayasaki-Kajiwara Y, Nakazato H, Sakaeda T, Hata S, Kuroda T, Takasu N, Hori Y. Group IB

- secretory phospholipase A2 induces neuronal cell death via apoptosis. *J Neurochem.* 2002 May; 81(3):449-61.
55. Zhang W, Yan SD, Zhu A, Zou YS, Williams M, Godman GC, Thomashow BM, Ginsburg ME, Stern DM, Yan S-F. Expression of Egr-1 in late stage emphysema. *Am J Pathol.* 2000 Oct; 157:1311-20.
56. Zhong H, Belardinelli L, Maa T, Feoktistov I, Biaggioni I, Zeng D. A(2B) adenosine receptors increase cytokine release by bronchial smooth muscle cells. *Am J Respir Cell Mol Biol.* 2004 Jan; 30(1):118-25.
- CASMC<sup>+</sup>**
1. Aiyar N, Disa J, Ao Z, Ju H, Nerurkar S, Willette RN, Macphee CH, Johns DG, Douglas SA. Lysophosphatidylcholine induces inflammatory activation of human coronary artery smooth muscle cells. *Mol Cell Biochem.* 2007; 295(1-2):113-20.
  2. Anderson BD, Nakamura T, Russell SJ, Peng K-W. High CD46 receptor density determines preferential killing of tumor cells by oncolytic measles virus. *Canc Res.* 2004 Jul 15; 64:4919-26.
  3. Barlic J, Zhang Y, Foley JF, Murphy PM. Oxidized lipid-driven chemokine receptor switch, CCR2 to CX3CR1, mediates adhesion of human macrophages to coronary artery smooth muscle cells through a peroxisome proliferator-activated receptor gamma-dependent pathway. *Circulation.* 2006; 114 (8):807-19.
  4. Barlic J, Zhang Y, Murphy PM. Atherogenic lipids induce adhesion of human coronary artery smooth muscle cells to macrophages by up-regulating chemokine CX3CL1 on smooth muscle cells in a TNFalpha-NFkappaB-dependent manner. *J Biol Chem.* 2007 Jun 29; 282(26):19167-76.
  5. Bermúdez B, López S, Pacheco YM, Villar J, Muriana FJ, Hoheisel JD, Bauer A, Abia R. Influence of postprandial triglyceride-rich lipoproteins on lipid-mediated gene expression in smooth muscle cells of the human coronary artery. *Cardiovasc Res.* 2008 Jul 15; 79(2):294-303.
  6. Biron KK, Harvey RJ, Chamberlain SC, Good SS, Smith III AA, Davis MG, Talarico CL, Miller WH, Ferris R, Dornsoife RE, Stanat SC, Drach JC, Townsend LB, Koszalka GW. Potent and selective inhibition of human cytomegalovirus replication by 1263W94, a benzimidazole L-riboside with a unique mode of action. *Antimicro Agents Chemother.* 2002 Aug; 46(8):2365-72.
  7. Brasselet C, Durand E, Addad F, Vitry F, Chatellier G, Demerens C, Lemire M, Garnotel R, Urbain D, Bruneval P, Lafont A. Effect of local heating on restenosis and instant neointimal hyperplasia in the atherosclerotic rabbit model: a dose-ranging study. *Eur Heart J.* 2008 Feb; 29(3):402-12.
  8. Bruemmer D, Yin F, Liu J, Berger JP, Sakai T, Blaschke F, Fleck E, Van Herle AJ, Forman BM, Law RE. Regulation of the growth arrest and DNA damage-inducible gene 45 (GADD45) by peroxisome proliferators-activated receptor γ in vascular smooth muscle cells. *Circ Res.* 2003; 93:1-10.
  9. Chan K, Rajab N, Siegel D, Din L, Ross D, Inayat-Hussain S. Goniothalamin Induces Coronary Artery Smooth Muscle Cells Apoptosis: The p53-Dependent Caspase-2 Activation Pathway. *Toxicological Sciences.* 2010; 116(2):533-548.
  10. Damirin A, Tomura H, Komachi M, Liu JP, Mogi C, Tobo M, Wang JQ, Kimura T, Kuwabara A, Yamazaki Y, Ohta H, Im DS, Sato K, Okajima F. Role of lipoprotein-associated lysophospholipids in migratory activity of coronary artery smooth muscle cells. *Am J Physiol Heart Circ Physiol.* 2007 May; n292(5):H2513-22.
  11. Dietrich T, Perlitz C, Licha K, Stawowy P, Atrott K, Tachezy M, Meyborg H, Stocker C, Gräfe M, Fleck E, Schirner M, Graf K. ED-B fibronectin (ED-B) can be targeted using a novel single chain antibody conjugate and is associated with macrophage accumulation in atherosclerotic lesions. *Basic Res Cardiol.* 2007 Jul; 102(4):298-307.
  12. Eijken M, Swagemakers S, Koedam M, Steenbergen C, Derkx P, Uitterlinden AG, van der Spek PJ, Visser JA, de Jong FH, Pols HA, van Leeuwen JP. The activin A-follistatin system: potent regulator of human extracellular matrix mineralization. *FASEB J.* 2007 Sep; 21(11):2949-60.
  13. El-Mowafy AM, Alkhalfaf M, El-Kashef HA. Resveratrol reverses hydrogen peroxide-induced proliferative effects in human coronary smooth muscle cells: a novel signaling mechanism. *Arch Med Res.* 2008 Feb; 39(2):155-61.
  14. El-Mowafy AM, Alkhalfaf M, Jaffal SM. Nongenomic activation of the GC-A enzyme by resveratrol and estradiol downstream

- from membrane estrogen receptors in human coronary arterial cells. *Nutr Metab Cardiovasc Dis.* 2007 Sep; 17(7):508-16.
15. Feng SS, Zeng W, Teng Lim Y, Zhao L, Yin Win K, Oakley R, Hin Teoh S, Hang Lee RC, Pan S. Vitamin E TPGS-emulsified poly(lactic-co-glycolic acid) nanoparticles for cardiovascular restenosis treatment. *Nanomed.* 2007 Jun; 2(3):333-44.
  16. Francy JM, Nag A, Conroy EJ, Hengst JA, Yun JK. Sphingosine kinase 1 expression is regulated by signaling through PI3K, AKT2, and mTOR in human coronary artery smooth muscle cells. *Biochim Biophys Acta.* 2007 Apr; 1769(4):253-65.
  17. Gieffers J, Solbach W, Maass M. Invitro susceptibility and eradication of chlamydia pneumoniae cardiovascular strains from coronoary artery epithelium and smooth muscle cells. *Cardiovasc Drugs Ther.* 2001 May; 15(3):259-62.
  18. Grenier S, Sandig M, Mequanint K. Polyurethane biomaterials for fabricating 3D porous scaffolds and supporting vascular cells. *J Biomed Mater Res A.* 2007 Sep 15;82(4):802-9.
  19. Han G, Ma H, Chintala R, Miyake K, Fulton DJ, Barman SA, White RE. Nongenomic, endothelium-independent effects of estrogen on human coronary smooth muscle are mediated by type I (neuronal) NOS and PI3-kinase-Akt signaling. *Am J Physiol Heart Circ Physiol.* 2007 Jul;293(1):H314-21.
  20. Han G, Yu X, Lu L, Li S, Ma H, Zhu S, Cui X, White RE. Estrogen receptor alpha mediates acute potassium channel stimulation in human coronary artery smooth muscle cells. *J Pharmacol Exp Ther.* 2006; 316(3):1025-30.
  21. Hansen-Hagge TE, Baumeister E, Bauer T, Schmiedeke D, Renné T, Wanner C, Galle J. Transmission of oxLDL-derived lipid peroxide radicals into membranes of vascular cells is the main inducer of oxLDL-mediated oxidative stress. *Atherosclerosis.* 2008 Apr; 197(2):602-11.
  22. Hofbauer LC, Schrader J, Niebergall U, Viereck V, Burchert A, Hörsch D, Preissner KT, Schoppet M. Interleukin-4 differentially regulates osteoprotegerin expression and induces calcification in vascular smooth muscle cells. *Thromb Haemost.* 2006; 95(4):708-14.
  23. Ihara Y, Egashira K, Nakano K, Ohtani K, Kubo M, Koga J, Iwai M, Horiuchi M, Gang Z, Yamagishi S, Sunagawa K. Upregulation of the ligand-RAGE pathway via the angiotensin II type I receptor is essential in the pathogenesis of diabetic atherosclerosis. *J Mol Cell Cardiol.* 2007 Oct; 43(4):455-64.
  24. Kaur J, Dhaunsi GS, Turner RB. Interleukin-1 and nitric oxide increase NADPH oxidase activity in human coronary artery smooth muscle cells. *Med Princ Pract.* 2004 Jan-Feb; 13(1): 26-9.
  25. Kim YH, Choi SY, Suh JH, Kim TK, Seung KB, Wang YP, Chang K. The effect of Chlamydia pneumoniae on the expression of peroxisome proliferator-activated receptor-gamma in vascular smooth muscle cells. *Yonsei Med J.* 2008 Apr 30; 49(2):230-6.
  26. Li D, Mukai K, Suzuki T, Suzuki R, Yamashita S, Mitani F, Suematsu M. Adrenocortical zonation factor 1 is a novel matricellular protein promoting integrin-mediated adhesion of adrenocortical and vascular smooth muscle cells. *FEBS J.* 2007 May; 274(10):2506-22.
  27. Lin S, Sandig M, Mequanint K. Three-Dimensional Topography of Synthetic Scaffolds Induces Elastin Synthesis by Human Coronary Artery Smooth Muscle Cells. *Tissue Engineering.* 2011; 17(11/12):1561-1571.
  28. Mendonca M, Koles N, Doi S, Sellitti D. Transforming growth factor- $\beta_1$  regulation of C-type natriuretic peptide expression in human vascular smooth muscle cells: dependence on TSC22D1. *Am J Physiol heart circ Physiol.* 2010; 299:H2018-H2027.
  29. Michas G, Liberman M, Becker K, handy D, loscalzo J, Leopold J. Reciprocal regulation of 11b-hydroxysteroid dehydrogenase 1 and glucocorticoid receptor expression by dexamethasone inhibits human coronary artery smooth muscle cell proliferation in vitro. *Mol Cell Biochem.* 2011. 346:69-79.
  30. Minamiyama Y, Takemura S, Hai S, Suehiro S, Okada S, Funae Y. Nicorandil elevates tissue cGMP levels in a nitric-oxide-independent manner. *J Pharmacol Sci.* 2007 Jan; 103(1):33-9.
  31. Monahan TS, Andersen ND, Panossian H, Kalish JA, Daniel S, Shrikhande GV, Ferran C, Logerfo FW. A novel function for cadherin 11/osteoblast-cadherin in vascular smooth muscle cells: modulation of cell migration and proliferation. *J Vasc Surg.* 2007 Mar; 45(3):581-9.
  32. Nakahashi T, Fujimura H, Altar CA, Li J, Kanbayashi J, Tandon NN, Sun B. Vascular

- endothelial cells synthesize and secrete brain-derived neurotrophic factor. *FEBS Letters.* 2000; 470:113-7.
33. Natarajan A, han G, Chen S, Yu P, White R, Jose P. The D5 Dopamine Receptor Mediates Large-Conductance, Calcium- and Voltage-Activated Potassium Channel Activation in Human Coronary Artery Smooth Muscle Cells. *The journal of Pharmacology and Experimental Therapeutics.* 2010; 332(2):640-649.
34. Nde PN, Simmons KJ, Kleshchenko YY, Pratap S, Lima MF, Villalta F. Silencing of the laminin gamma-1 gene blocks Trypanosoma cruzi infection. *Infect Immun.* 2006; 74(3):1643-8.
35. Niessner A, Sato K, Chaikof EL, Colmegna I, Goronzy JJ, Weyand CM. Pathogen-sensing plasmacytoid dendritic cells stimulate cytotoxic T-cell function in the atherosclerotic plaque through interferon-alpha. *Circulation.* 2006; 114(23):2482-9.
36. Nührenberg TG, Langwieser N, Schwarz JB, Hou Y, Frank P, Sorge F, Matschurat S, Seidl S, Kastrati A, Schömig A, Clauss MA, Zohlnhäuser D. EMAP-II downregulation contributes to the beneficial effects of rapamycin after vascular injury. *Cardiovasc Res.* 2008 Feb 1; 77(3):580-9.
37. Ohba T, Watanabe H, Murakami M, Radovanovic M, Iino K, Ishida M, Tosa S, Ono K, Ito H. Amlodipine inhibits cell proliferation via PKD1-related pathway. *Biochem Biophys Res Commun.* 2008 May 2; 369(2):376-81.
38. Okada Y, Yano K, Jin E, Funahashi N, Kitayama M, Doi T, Spokes K, Beeler DL, Shih SC, Okada H, Danilov TA, Maynard E, Minami T, Oettgen P, Aird WC. A three-kilobase fragment of the human Robo4 promoter directs cell type-specific expression in endothelium. *Circ Res.* 2007 Jun 22; 100(12):1712-22.
39. Otsui K, Inoue N, Kobayashi S, Shiraki R, Honjo T, Takahashi M, Hirata K, Kawashima S, Yokoyama M. Enhanced expression of TLR4 in smooth muscle cells in human atherosclerotic coronary arteries. *Heart Vessels.* 2007 Nov; 22(6):416-22.
40. Parahuleva MS, Kanse SM, Parviz B, Barth A, Tillmanns H, Bohle RM, Sedding DG, Hölschermann H. Factor Seven Activating Protease (FSAP) expression in human monocytes and accumulation in unstable coronary atherosclerotic plaques. *Atherosclerosis.* 2008 Jan; 196(1):164-71.
41. Patecki M, von Schaewen M, Tkachuk S, Jerke U, Dietz R, Dumler I, Kusch A. Tyk2 mediates effects of urokinase on human vascular smooth muscle cell growth. *Biochem Biophys Res Commun.* 2007 Aug 3; 359(3):679-84.
42. Patel A, Mequanint K. Novel physically crosslinked polyurethane-block-poly(vinyl pyrrolidone) hydrogel biomaterials. *Macromol Biosci.* 2007 May 10; 7(5):727-37.
43. Puolakkainen M, Campbell LA, Lin TM, Richards T, Patton DL, Kuo CC. Cell-to-cell contact of human monocytes with infected arterial smooth-muscle cells enhances growth of *Chlamydia pneumoniae.* *J Infect Dis.* 2003 Feb 1; 187(3):435-40.
44. Rajesh M, Mukhopadhyay P, Haskó G, Huffman JW, Mackie K, Pacher P. CB2 cannabinoid receptor agonists attenuate TNF-alpha-induced human vascular smooth muscle cell proliferation and migration. *Br J Pharmacol.* 2008 Jan; 153(2):347-57.
45. Reeve JL, Stenson-Cox C, O'Doherty A, Pörn-Ares I, Ares M, O'Brien T, Samali A. OxLDL-induced gene expression patterns in CASMC are mimicked in apoE-/- mice aortas. *Biochem Biophys Res Commun.* 2007 May 11; 356(3):681-6.
46. Remillard CV, Tigno DD, Platoshyn O, Burg ED, Brevnova EE, Conger D, Nicholson A, Rana BK, Channick RN, Rubin LJ, O'connor DT, Yuan JX. Function of Kv1.5 channels and genetic variations of KCNA5 in patients with idiopathic pulmonary arterial hypertension. *Am J Physiol Cell Physiol.* 2007 May; 292(5):C1837-53.
47. Sandbo N, Taurin S, Yau DM, Kregel S, Mitchell R, Dulin NO. Downregulation of smooth muscle alpha-actin expression by bacterial lipopolysaccharide. *Cardiovasc Res.* 2007 May 1; 74(2):262-9.
48. Simmons G, Wool-Lewis RJ, Baribaud F, Netter RC, Bates P. Ebola virus glycoproteins induce flobal surface protein down-modulation and loss of cell adherence. *J Virol.* 2002 Mar; 76(5):2518-28.
49. Takahashi Y, Watanabe H, Murakami M, Ohba T, Radovanovic M, Ono K, Iijima T, Ito H. Involvement of transient receptor potential canonical 1 (TRPC1) in angiotensin II-induced vascular smooth muscle cell hypertrophy. *Atherosclerosis.* 2007 Dec; 195(2):287-96.

50. Takahashi Y, Watanabe H, Murakami M, Ono K, Munehisa Y, Koyama T, Nobori K, Iijima T, Ito H. Functional role of stromal interaction molecule 1 (STIM1) in vascular smooth muscle cells. *Biochem Biophys Res Commun.* 2007 Oct 5; 361(4):934-40.
51. Taylor MR, Slavov D, Ku L, Di Lenarda A, Sinagra G, Carniel E, Haubold K, Boucek MM, Ferguson D, Graw SL, Zhu X, Cavanaugh J, Sucharov CC, Long CS, Bristow MR, Lavori P, Mestroni L; Familial Cardiomyopathy Registry; BEST (Beta-Blocker Evaluation of Survival Trial) DNA Bank. Prevalence of desmin mutations in dilated cardiomyopathy. *Circulation.* 2007; 115(10):1244-51.
52. Tian S, Hayes AJ, Metheny-Barlow LJ, Li LY. Stabilization of breast cancer xenograft tumour neovasculation by angiopoitin-1. *Br J Canc.* 2002 Feb 12; 86(4):645-51.
53. Tokutomi Y, Araki N, Kataoka K, Yamamoto E, Kim-Mitsuyama S. Oxidation of Prx2 and phosphorylation of GRP58 by angiotensin II in human coronary smooth muscle cells identified by 2D-DIGE analysis. *Biochem Biophys Res Commun.* 2007 Dec 28; 364(4):822-30.
54. Voisard R, Wiegmann D, Baur R, Hombach V, Kamenz J. Low-dose irradiation stimulates TNF-alpha-induced ICAM-1 mRNA expression in human coronary vascular cells. *Med Sci Monit.* 2007 May; 13(5):BR107-11.
55. Voisard R, Zellmann S, Müller F, Fahlisch F, von Müller L, Baur R, Braun J, Gschwendt J, Kountides M, Hombach V, Kamenz J. Sirolimus inhibits key events of restenosis in vitro/ex vivo: evaluation of the clinical relevance of the data by SI/MPL- and SI/DES-ratios. *BMC Cardiovasc Disord.* 2007 May 11; 7:15.
56. Wang XT, Venkatraman S, Boey F, Loo SC, Tan LP. Effects of controlled-released sirolimus from polymer matrices on human coronary artery smooth muscle cells. *J Biomater Sci Polym Ed.* 2007; 18(11):1401-14.
57. Wessely R, Hengst L, Jaschke B, Wegener F, Richter T, Lupetti R, Paschalidis M, Schömig A, Brandl R, Neumann F-J. A central role of interferon regulatory factor-1 for the limitation of neointimal hyperplasia. *Human Mol Genet.* 2003; 12(2):177-87.
58. Wolf SC, Sauter G, Jobst J, Kempf VA, Risler T, Brehm BR. Major differences in gene expression in human coronary smooth muscle cells after nebivolol or metoprolol treatment. *Int J Cardiol.* 2008 Mar 28; 125(1):4-10.
59. Wu W, Platoshyn O, Firth AL, Yuan JX. Hypoxia divergently regulates production of reactive oxygen species in human pulmonary and coronary artery smooth muscle cells. *Am J Physiol Lung Cell Mol Physiol.* 2007 Oct; 293(4):L952-9.
60. Wu-Wong JR, Nakane M, Ma J, Ruan X, Kroeger PE. Elevated phosphorus modulates vitamin D receptor-mediated gene expression in human vascular smooth muscle cells. *Am J Physiol Renal Physiol.* 2007 Nov; 293(5):F1592-604.
61. Wu-Wong JR, Noonan W, Ma J, Dixon D, Nakane M, Bolin AL, Koch KA, Postl S, Morgan SJ, Reinhart GA. Role of phosphorus and vitamin D analogs in the pathogenesis of vascular calcification. *J Pharmacol Exp Ther.* 2006; 318(1):90-8.
62. Zhao N, Liu H, Lilly B. Reciprocal Regulation of SYNDECAN-2 and Notch Signaling in Vascular Smooth Muscle Cells. *The Journal of Biological Chemistry.* 2012; 287:16111-16120.
- PASMC<sup>+</sup>**
1. Belaiba RS, Bonello S, Zähringer C, Schmidt S, Hess J, Kietzmann T, Görlich A. Hypoxia up-regulates hypoxia-inducible factor-1alpha transcription by involving phosphatidylinositol 3-kinase and nuclear factor kappaB in pulmonary artery smooth muscle cells. *Mol Biol Cell.* 2007 Dec; 18(12):4691-7.
  2. BelAiba RS, Djordjevic T, Bonello S, Artunc F, Lang F, Hess J, Görlich A. The serum- and glucocorticoid-inducible kinase Skg-1 is involved in pulmonary vascular remodeling. *Circ Res.* 2006 Mar 31; 98(6):828-36.
  3. BelAiba RS, Djordjevic T, Petry A, Diemer K, Bonello S, Banfi B, Hess J, Pogrebniak A, Bickel C, Görlich A. NOX5 variants are functionally active in endothelial cells. *Free Radic Biol Med.* 2007 Feb 15; 42(4):446-59.
  4. Boerma M, Fu Q, Wang J, Loose DS, Bartolozzi A, Ellis JL, McGonigle S, Paradise E, Sweetnam P, Fink LM, Vozentin-Brottons MC, Hauer-Jensen M. Comparative gene expression profiling in three primary human cell lines after treatment with a novel inhibitor of Rho kinase or atorvastatin. *Blood Coagul Fibrinolysis.* 2008 Oct; 19(7):709-18.

5. Bonello S, Zähringer C, BelAiba RS, Djordjevic T, Hess J, Michiels C, Kietzmann T, Görlich A. Reactive oxygen species activate the HIF-1alpha promoter via a functional NFκB site. *Arterioscler Thromb Vasc Biol.* 2007 Apr; 27(4):755-61.
6. Bradbury DA, Newton R, Zhu YM, El-Haroun H, Corbett L, Knox AJ. Cyclooxygenase-2 induction by bradykinin in human pulmonary artery smooth muscle cells is mediated by the cyclic AMP response element through a novel autocrine loop involving endogenous prostaglandin E<sub>2</sub>, E-prostanoid 2 (EP2), and EP4 receptors. *J Biol Chem.* 2003; 278(50): 49954-64.
7. Chan MC, Nguyen PH, Davis BN, Ohoka N, Hayashi H, Du K, Lagna G, Hata A. A novel regulatory mechanism of the bone morphogenetic protein (BMP) signaling pathway involving the carboxyl-terminal tail domain of BMP type II receptor. *Mol Cell Biol.* 2007 Aug; 27(16):5776-89.
8. Clapp LH, Finney P, Turcato S, Tran S, Rubin LJ, Tinker A. Differential effects of stable prostacyclin analogs on smooth muscle proliferation and cyclic AMP generation in human pulmonary artery. *Am J Respir Cell Mol Biol.* 2002; 26: 194-201.
9. Davis BN, Hilyard AC, Lagna G, Hata A. SMAD proteins control DROSHA-mediated microRNA maturation. *Nature.* 2008 Jul 3; 454(7200):56-61.
10. Davis BN, Hilyard AC, Nguyen PH, Lagna G, Hata A. Induction of microRNA-221 by platelet-derived growth factor signaling is critical for modulation of vascular smooth muscle phenotype. *J Biol Chem.* 2009 Feb 6; 284(6):3728-38.
11. Deacon K, Knox A. Endothelin-1 (ET-1) Increases the Expression of Remodeling Genes in Vascular Smooth Muscle through Linked Calcium and cAMP Pathways. *Journal of Biological Chemistry.* 2010. 285(34):25913-25927.
12. Diebold I, Djordjevic T, Hess J, Görlich A. Rac-1 promotes pulmonary artery smooth muscle cell proliferation by upregulation of plasminogen activator inhibitor-1: role of NFκB-dependent hypoxia-inducible factor-1α transcription. *Thromb Haemost.* 2008 Dec; 100(6):1021-8.
13. Díez M, Barberà JA, Ferrer E, Fernández-Lloris R, Pizarro S, Roca J, Peinado VI. Plasticity of CD133(+) cells: Role in pulmonary vascular remodeling. *Cardiovasc Res.* 2007 Dec 1; 76(3):517-27.
14. El-Haroun H, Clarke DL, Deacon K, Bradbury D, Clayton A, Sutcliffe A, Knox AJ. IL-1β, BK, and TGF-β1 attenuate PGI<sub>2</sub>-mediated cAMP formation in human pulmonary artery smooth muscle cells by multiple mechanisms involving p38 MAP kinase and PKA. *Am J Physiol Lung Cell Mol Physiol.* 2008 Mar; 294(3):L553-62.
15. Fan C, Su Q, Li Y, Liang L, Angelini DJ, Guggino WB, Johns RA. Hypoxia-induced mitogenic factor/FIZZ1 induces intracellular calcium release through the PLC-IP(3) pathway. *Am J Physiol Lung Cell Mol Physiol.* 2009 Aug; 297(2):L263-70.
16. Fantozzi I, Platoshyn O, Wong AH, Zhang S, Remillard CV, Furtado MR, Petruskene OV, Yuan JX. Bone morphogenetic protein-2 upregulates expression and function of voltage-gated K<sup>+</sup> channels in human pulmonary artery smooth muscle cells. *Am J Physiol Lung Cell Mol Physiol.* 2006; 291(5): L993-1004.
17. Golovina VA, Platoshyn O, Bailey CL, Wang J, Limsuwan A, Sweeney M, Rubin LJ, Yuan JXJ. Upregulated TRP and enhanced capacitative Ca<sup>2+</sup> entry in human pulmonary artery myocytes during proliferation. *Am J Physiol Heart Circ Physiol.* 2001 Feb; 280(2):H746-55.
18. Hagen M, Fagan K, Steudel W, Carr M, Lane K, Rodman DM, West J. Interaction of interleukin-6 and the BMP pathway in pulmonary smooth muscle. *Am J Physiol Lung Cell Mol Physiol.* 2007 Jun; 292(6):L1473-9.
19. Hartney T, Birari R, Venkataraman S, Villegas L, Martinez M, Black S, Stenmark K, Nozik-Grayck E. Xanthine Oxidase-Derived ROS Upregulate Egr-1 via ERK1/2 in PA Smooth Muscle Cells: Model to Test Impact of Extracellular ROS in Chronic Hypoxia. *PloS One.* 2011; 6(11):e27531.
20. Holland SJ, Powell MJ, Franci C, Chan EW, Friera AM, Atchison RE, McLaughlin J, Swift SE, Pali ES, Yam G, Wong S, Lasaga J, Shen MR, Yu S, Xu W, Hitishi Y, Bogenberger J, Nör JE, Payan DG, Lorens JB. Multiple roles for the receptor tyrosine kinase Ax1 in tumor formation. *Cancer Res.* 2005 Oct 15; 65:9294-303.
21. Hong Z, Smith AJ, Archer SL, Wu X-C, Nelson DP, Peterson D, Johnson G, Weir EK. Pergolide is an inhibitor of voltage-gated

- potassium channels, including Kv1.5, and causes pulmonary vasoconstriction. *Circ.* 2005; 112:1494-9.
22. Kimura S, Egashira K, Chen L, Nakano K, Iwata E, Miyagawa M, Tsujimoto H, Hara K, Morishita R, Sueishi K, Tominaga R, Sunagawa K. Nanoparticle-mediated delivery of nuclear factor kappaB decoy into lungs ameliorates monocrotaline-induced pulmonary arterial hypertension. *Hypertension.* 2009 May; 53(5):877-83.
23. Krick S, Platoshyn O, McDaniel SS, Rubin LJ, Yuan XJX. Augmented K<sup>+</sup> currents and mitochondrial membrane depolarization in pulmonary artery myocytes apoptosis. *Am J Physiol Lung Cell Mol Physiol.* 2001 Oct; 281(4):L887-94.
24. Krick S, Platoshyn O, Sweeney M, Kim H, Yuan JXJ. Activation of K<sup>+</sup> channels induces apoptosis in vascular smooth muscle cells. *Am J Physiol Cell Physiol.* 2001 Apr; 280(4): C970-9.
25. Krick S, Platoshyn O, Sweeney M, McDaniel SS, Zhang S, Rubin LJ, Yuan JXJ. Nitric oxide induced apoptosis by activating K<sup>+</sup> channels in pulmonary vascular smooth muscle cells. *Am J Physiol Heart Circ Physiol.* 2002 Jan; 282(1):H184-93.
26. Ku M, Howard S, Ni W, Lagna G, Hata A. OAZ regulates bone morphogenetic protein signaling through Smad6 activation. *J Biol Chem.* 2006; 281(8):5277-87.
27. Kugathasan L, Ray JB, Deng Y, Rezaei E, Dumont DJ, Stewart DJ. The angiopoietin-1-Tie2 pathway prevents rather than promotes pulmonary arterial hypertension in transgenic mice. *J Exp Med.* 2009 Sep 28; 206(10):2221-34.
28. Kunichika N, Landsberg JW, Ying Y, Kunichika H, Thistlethwaite PA, Rubin LJ, Yuan J X-J. Bosentan inhibits transient receptor potential channel expression in pulmonary vascular myocytes. *Am J Respir Crit Care Med.* 2004; 170:1101-7.
29. Labrecque L, Lamy S, Chapus A, Mihoubi S, Durocher Y, Cass B, Bojanowski MW, Gingras D, Bélieau R. Combined inhibition of PDGF and VEGF receptors by ellagic acid, a dietary-derived phenolic compound. *Carcinog.* 2005; 26(4):821-6.
30. Lagna G, Nguyen PH, Ni W, Hata A. BMP-dependent activation of caspase-9 and caspase-8 mediates apoptosis in pulmonary artery smooth muscle cells. *Am J Physiol Lung Cell Mol Physiol.* 2006; 291(5):L1059-67.
31. Lamy S, Beaulieu E, Labbé D, Bédard V, Moghrabi A, Barrette S, Gingras D, Bélieau R. Delphinidin, a dietary anthocyanidin, inhibits platelet derived growth factor ligand/receptor (PDGF/PDGFR) signaling. *Carcinogenesis.* 2008 Mar 13. [Epub ahead of print].
32. Lamy S, Ruiz MT, Wisniewski J, Garde S, Rabbani SA, Panchal C, Wu JJ, Annabi S. A prostate secretory protein94-derived synthetic peptide PCK3145 inhibits VEGF signaling in endothelial cells: implication in tumor angiogenesis. *Int J Canc.* 2006; 118(9):2350-8.
33. Limsuwan A, Platoshyn O, Yu Y, Rubin LJ, Rothman A, Yuan JXJ. Inhibition of K<sup>+</sup> channel activity in human pulmonary artery smooth muscle cells by serum from patients with pulmonary hypertension secondary to congenital heart disease. *Pediat Res.* 2001; 50:23-8.
34. Lu X, Murphy T, Nanes M, Hart C. PPAR $\gamma$  regulates hypoxia-induced Nox4 expression in human pulmonary artery smooth muscle cells through NF-kB. *Am J Physiol Lung Cell Mol Physiol.* 2010; 299:L559-L566.
35. Maban JRH, Wilkinson K, Schach C, Yuan J X-J. Histamine-mediated increases in cytosolic [Ca<sup>2+</sup>] involve different mechanisms in human pulmonary artery smooth muscle and endothelial cells. *Am J Physiol Cell Physiol.* 2005; 290:C325-36.
36. Mwaikambo BR, Yang C, Chemtob S, Hardy P. Hypoxia up-regulates CD36 expression and function via hypoxia-inducible factor-1- and phosphatidylinositol 3-kinase-dependent mechanisms. *J Biol Chem.* 2009 Sep 25;284(39):26695-707.
37. Neuman NA, Ma S, Schnitzler GR, Zhu Y, Lagna G, Hata A. The four-and-a-half LIM domain protein 2 regulates vascular smooth muscle phenotype and vascular tone. *J Biol Chem.* 2009 May 8; 284(19):13202-12.
38. Ogawa A, Firth AL, Yao W, Madani MM, Kerr KM, Auger WR, Jamieson SW, Thistlethwaite PA, Yuan JX. Inhibition of mTOR attenuates store-operated Ca<sup>2+</sup> entry in cells from endarterectomized tissues of patients with chronic thromboembolic pulmonary hypertension. *Am J Physiol Lung Cell Mol Physiol.* 2009 Oct; 297(4):L666-76.
39. Olszewski A, Li Y, Tang B, Hanze J, Eul B, Bohle RM, Wilhelm J, Morty RE, Brau ME,

- Weir EK, Kwapiszewska G, Klapetko W, Seeger W, Olschewski H. Impact of TASK-1 in human pulmonary artery smooth muscle cells. *Circ Res.* 2006; 98:1072-80.
40. Pacheco-Rodriguez G, Kumaki F, Steagall WK, Zhang Y, Ikeda Y, Lin JP, Billings EM, Moss J. Chemokine-enhanced chemotaxis of lymphangioleiomyomatosis cells with mutations in the tumor suppressor TSC2 gene. *J Immunol.* 2009 Feb 1; 182(3):1270-7.
  41. Patel HH, Zhang S, Murray F, Suda RY, Head BP, Yokoyama U, Swaney JS, Niesman IR, Schermuly RT, Pullamsetti SS, Thistlethwaite PA, Miyamoto A, Farquhar MG, Yuan JX, Insel PA. Increased smooth muscle cell expression of caveolin-1 and caveolae contribute to the pathophysiology of idiopathic pulmonary arterial hypertension. *FASEB J.* 2007 Sep; 21(11):2970-9.
  42. Platoshyn O, Golovina VA, Bailey CL, Limsuwan A, Krick S, Juhaszova M, Seiden JE, Rubin LJ, Yuan JX. Sustained membrane depolarization and pulmonary artery smooth muscle cell proliferation. *Am J Physiol Cell Physiol.* 2000 Nov; 279(5): C1540-9.
  43. Platoshyn O, Remillard CV, Fantozzi I, Mandegar M, Sison TT, Zhang S, Burg E, Yuan J X-J. Diversity of voltage-dependent K<sup>+</sup> channels in human pulmonary artery smooth muscle cells. *Am J Physiol Lung Cell Physiol.* 2004; 287:L226-38.
  44. Remillard CV, Tigno DD, Platoshyn O, Burg ED, Brevnova EE, Conger D, Nicholson A, Rana BK, Channick RN, Rubin LJ, O'connor DT, Yuan JX. Function of Kv1.5 channels and genetic variations of KCNA5 in patients with idiopathic pulmonary arterial hypertension. *Am J Physiol Cell Physiol.* 2007 May; 292(5):C1837-53.
  45. Samoylenko A, Dimova EY, Horbach T, Teplyuk N, Immenschuh S, Kietzmann T. Opposite expression of the antioxidant heme oxygenase-1 in primary cells and tumor cells: regulation by interaction of USF-2 and Fra-1. *Antioxid Redox Signal.* 2008 Jul; 10(7):1163-74.
  46. Sweeney M, Yu Y, Platoshyn O, Zhang S, McDaniel SS, Yuan JXJ. Inhibition of endogenous TRP1 decreases capacitative CA<sup>2+</sup> entry and attenuates pulmonary artery smooth muscle cell proliferation. *Am J Physiol Lung Cell Mol Physiol.* 2002 Jul; 283(1):L144-55.
  47. Tada Y, Majka S, Carr M, Harral J, Crona D, Kuriyama T, West J. Molecular effects of loss of BMPR2 signaling in smooth muscle in a transgenic mouse model of PAH. *Am J Physiol Lung Cell Mol Physiol.* 2007 Jun; 292(6):L1556-63.
  48. Talts JF, Sasaki T, Miosge N, Göhring W, Mann K, Mayne R, Timpl R. Structural and functional analysis of the recombinant G domain of the laminin α4 chain and its proteolytic processing in tissues. *J Biol Chem.* 2000; 275(45):35192-9.
  49. Upton PD, Long L, Trembath RC, Morrell NW. Functional characterization of bone morphogenetic protein binding sites and Smad1/5 activation in human vascular cells. *Mol Pharmacol.* 2008 Feb; 73(2):539-52.
  50. Wort SJ, Ito M, Chou PC, Mc Master SK, Badiger R, Jazrawi E, de Souza P, Evans TW, Mitchell JA, Pinhu L, Ito K, Adcock IM. Synergistic induction of endothelin-1 by tumor necrosis factor alpha and interferon gamma is due to enhanced NF-kappaB binding and histone acetylation at specific kappaB sites. *J Biol Chem.* 2009 Sep 4; 284(36):24297-305.
  51. Wu X, Chang MS, Mitsialis SA, Kourembanas S. Hypoxia regulates bone morphogenetic protein signaling through C-terminal-binding protein 1. *Circ Res.* 2006; 99(3):240-7.
  52. Young KA, Ivester C, West J, Carr M, Rodman DM. BMP signaling controls PASMC Kv channel expression in vitro and in vivo. *Am J Physiol Cell Mol Physiol.* 2006; 290:L841-8.
  53. Yu Y, Fantozzi I, Remillard CV, Landsberg JW, Kunichika N, Platoshyn O, Tigno DD, Thistlethwaite PA, Rubin LJ, Yuan J X-J. Enhanced expression of transient receptor potential channels in idiopathic pulmonary arterial hypertension. *PNAS.* 2004 Sep 21; 101(38): 13861-6.
  54. Zhang Q, Liu S-H, Erikson M, Lewis M, Unemori E. Relaxin activates the MAP kinase pathway in human endometrial stromal cells. *J Cell Biochem.* 2002; 85(3): 536-44.
  55. Zhang S, Dong H, Rubin LJ, Yuan JX. Upregulation of Na<sup>+</sup>/Ca<sup>2+</sup> exchanger contributes to the enhanced Ca<sup>2+</sup> entry in pulmonary artery smooth muscle cells from patients with idiopathic pulmonary arterial hypertension. *Am J Physiol Lung Cell Mol Physiol.* 2002 Jul; 283(1):L144-55.

- hypertension. *Am J Physiol Cell Physiol.* 2007; 292(6):C2297-305.
56. Zhang S, Patel HH, Murray F, Remillard CV, Schach C, Thistlethwaite PA, Insel PA, Yuan JX. Pulmonary artery smooth muscle cells from normal subjects and IPAH patients show divergent cAMP-mediated effects on TRPC expression and capacitative Ca<sup>2+</sup> entry. *Am J Physiol Lung Cell Mol Physiol.* 2007 May; 292(5):L1202-10.
  57. Zhang S, Yuan J X-J, Barrett KE, Dong H. Role of Na<sup>+</sup>/Ca<sup>2+</sup> exchange in regulating cytosolic Ca<sup>2+</sup> in cultured human pulmonary artery smooth muscle cells. *Am J Physiol Cell Physiol.* 2005; 288:C245-52.
  58. Zhang W, Yan SD, Zhu A, Zou YS, Williams M, Godman GC, Thomashow BM, Ginsburg ME, Stern DM, Yan S-F. Expression of Egr-1 in late stage emphysema. *Am J Pathol.* 2000 Oct; 157:1311-20.
  59. Zheng Y-M, Wang Q-S, Rathore R, Zhang W-H, Mazurkiewicz JE, Sorrentino V, Singer HA, Kotlikoff MI, Wang Y-X. Type-3 ryanodine receptors mediate hypoxia-, but not neurotransmitter-induced calcium release and contraction in pulmonary artery smooth muscle cells. *J Gen Physiol.* 2005 Apr; 125:427-40.
  60. Edelstein LC, Pan A, Collins T. Chromatin modification and the endothelial-specific activation of the E-selectin gene. *J Biol Chem.* 2005 Mar 25; 280(12):11192-202.
  61. Ehsan A, Mann MJ, Dell'Acqua G, Tamura K, Braun-Dullaeus R, Dzau VJ. Endothelial healing in vein grafts: proliferative burst unimpaired by genetic therapy of neointimal disease. *Circulation.* 2002 Apr 9; 105(14):1686-92.
  62. Fernando AN, Fernando LP, Fukuda Y, Kaplan AP. Assembly, activation, and signaling by kinin-forming proteins on human vascular smooth muscle cells. *Am J Physiol Heart Circ Physiol.* 2005 Jul; 289(1):H251-7.
  63. Ghilardi C, Chiorino G, Dossi R, Nagy Z, Giavazzi R, Bani M. Identification of novel vascular markers through gene expression profiling of tumor-derived endothelium. *BMC Genomics.* 2008 Apr 30; 9:201.
  64. Hall JL, Matter CM, Wang X, Gibbons GH. Hyperglycemia inhibits vascular smooth muscle cell apoptosis through a protein kinase C-dependent pathway. *Circ Res.* 2000 Sep 29; 87(7):574-80.
  65. Holladay C, Keeney M, Greiser U, Murphy M, O'Brien T, Pandit A. A matrix reservoir for improved control of non-viral gene delivery. *J Control Release.* 2009 Jun 19; 136(3):220-5.
  66. Lagna G, Ku MM, Nguyen PH, Neuman NA, Davis BN, Hata A. Control of phenotypic plasticity of smooth muscle cells by bone morphogenetic protein signaling through the myocardin-related transcription factors. *J Biol Chem.* 2007 Dec 21; 282(51):37244-55.
  67. Li C, Zheng Y, Imran M. In vitro study of cell-promoting multiple-armed peptides. *J Biomed Mater Res A.* 2004 Oct 1; 71(1):134-42.
  68. Liu Y, Chan-Park MB. Hydrogel based on interpenetrating polymer networks of dextran and gelatin for vascular tissue engineering. *Biomaterials.* 2009 Jan; 30(2):196-207.
  69. Lippi P, Geng X, Cifarelli V, Drain P, Trucco M. C-peptide is internalised in human endothelial and vascular smooth muscle cells via early endosomes. *Diabetologia.* 2009 Oct; 52(10):2218-28.
  70. Matsusaki M, Kadowaki K, Nakahara Y, Akashi M. Fabrication of cellular multilayers with nanometer-sized extracellular matrix

## UASMC

1. Bai H, Pollman MJ, Inishi Y, Gibbons GH. Regulation of vascular smooth muscle cell apoptosis. Modulation of bad by a phosphatidylinositol 3-kinase-dependent pathway. *Circ Res.* 1999 Aug 6; 85(3):229-37.
2. Cifarelli V, Luppi P, Tse HM, He J, Piganelli J, Trucco M. Human proinsulin C-peptide reduces high glucose-induced proliferation and NF-kappaB activation in vascular smooth muscle cells. *Atherosclerosis.* 2008 Feb 20. [Epub ahead of print]
3. Curi MA, Skelly CL, Meyerson SL, Baldwin ZK, Balasubramanian V, Advani SJ, Glagov S, Roizman B, Weichselbaum RR, Schwartz LB. Sustained inhibition of experimental neointimal hyperplasia with a genetically modified herpes simplex virus. *J Vasc Surg.* 2003 Jun; 37(6):1294-300.
4. Djurovic S, Kristansen H, Sletten M, Halvorsen K, Berg K. Variations in transfection efficiency of VEGF165 and VEGF121-cDNA: its effects on proliferation and migration of human endothelial cells. *Mol Biotechnol.* 2004 Jan; 26(1):7-16.

- films. *Angew Chem Int Ed Engl.* 2007; 46(25):4689-92.
16. Mercurius KO, Morla AO. Inhibition of vascular smooth muscle cell growth by inhibition of fibronectin matrix assembly. *Circ Res.* 1998 Mar 23; 82(5):548-56.
  17. Noseda M, Chang L, McLean G, Grim JE, Clurman BE, Smith LL, Karsan A. Notch activation induces endothelial cell sysle arrest and participates in contact inhibition: role of p21<sup>Cip1</sup> repression. *Mol Cell Biol.* 2004 Oct; 24(20):8813-22.
  18. Paul BZ, Ashby B, Sheth SB. Distribution of prostaglandin IP and EP receptor subtypes and isoforms in platelets and human umbilical artery smooth muscle cells. *Br J Haematol.* 1998 Sep; 102(5):1204-11.
  19. Pollman MJ, Naumovski L, Gibbons GH. Vascular cell apoptosis: cell type-specific modulation by transforming growth factor-beta1 in endothelial cells versus smooth muscle cells. *Circulation.* 1999 Apr 20; 99(15):2019-26.
  20. Pollman MJ, Yamada T, Horiuchi M, Gibbons GH. Vasoactive substances regulate vascular smooth muscle cell apoptosis. Countervailing influences of nitric oxide and angiotensin II. *Circ Res.* 1996 Oct; 79(4):748-56.
  21. Ren J, Jin P, Wang E, Marincola FM, Stroncek DF. MicroRNA and gene expression patterns in the differentiation of human embryonic stem cells. *J Transl Med.* 2009 Mar 23; 7:20.
  22. Ruiz E, Siow RC, Bartlett SR, Jenner AM, Sato H, Bannai S, Mann GE. Vitamin C inhibits diethylmaleate-induced L-cystine transport in human vascular smooth muscle cells. *Free Radic Biol Med.* 2003 Jan 1; 34(1):103-10.
  23. Sapienza P, di Marzo L, Borrelli V, Sterpetti AV, Mingoli A, Piagnerelli R, Cavallaro A. Basic fibroblast growth factor mediates carotid plaque instability through metalloproteinase-2 and -9 expression. *Eur J Vasc Endovasc Surg.* 2004 Jul; 28(1):89-97.
  24. Siow RC, Sato H, Leake DS, Pearson JD, Bannai S, Mann GE. Vitamin C protects human arterial smooth muscle cells against atherogenic lipoproteins: effects of antioxidant vitamins C and E on oxidized LDL-induced adaptive increases in cystine transport and glutathione. *Arterioscler*
- Thromb Vasc Biol.* 1998 Oct; 18(10):1662-70.
25. Suzuki Y, Komi Y, Ashino H, Yamashita J, Inoue J, Yoshiki A, Eichmann A, Amanuma H, Kojima S. Retinoic acid controls blood vessel formation by modulating endothelial and mural cell interaction via suppression of Tie2 signaling in vascular progenitor cells. *Blood.* 2004 Jul 1; 104(1):166-9.
  26. Vernon RB, Gooden MD, Lara SL, Wight TN. Microgrooved fibrillar collagen membranes as scaffolds for cell support and alignment. *Biomaterials.* 2005 Jun; 26(16):3131-40.
  27. Wang J, Lou P, Henkin J. Selective inhibition of endothelial cell proliferation by fumagillin is not due to differential expression of methionine aminopeptides. *J Cell Biol.* 2000; 77(3):465-73.
  28. Winterbone MS, Tribolo S, Needs PW, Kroon PA, Hughes DA. Physiologically relevant metabolites of quercetin have no effect on adhesion molecule or chemokine expression in human vascular smooth muscle cells. *Atherosclerosis.* 2009 Feb; 202(2):431-8.
  29. Wu-Wong JR, Nakane M, Ma J. Effects of vitamin D analogs on the expression of plasminogen activator inhibitor-1 in human vascular cells. *Thromb Res.* 2006; 118(6):709-14.
  30. Xu Y, Liu YJ, Yu Q. Angiopoietin-3 inhibits pulmonary metastasis by inhibiting tumor angiogenesis. *Cancer Res.* 2004 Sep 1;64(17):6119-26.
  31. Yu G, Rux AH, Ma P, Bdeir K, Sachais BS. Endothelial expression of E-selectin is induced by the platelet-specific chemokine platelet factor 4 through LRP in an NF-kappaB-dependent manner. *Blood.* 2005 May 1; 105(9):3545-51.
  32. Zhao Y, Qiu Q, Mahdi F, Shariat-Madar Z, RØjkjær R, Schmaier AH. Assembly and activation of HK-PK complex on endothelial cells result in bradykinin liberation and NO formation. *Am J Physiol Heart Circ Physiol.* 2001; 280:H1821-9.

**UtSMC**

1. Asada H, Yamagata Y, Taketani T, Matsuoka A, Tamura H, Hattori N, Ohgane J, Hattori N, Shiota K, Sugino N. Potential link between estrogen receptor-alpha gene hypomethylation and uterine fibroid

- formation. *Mol Hum Reprod.* 2008 Sep; 14(9):539-45.
2. Carney SA, Tahara H, Swartz CD, Risinger JI, He H, Moore AB, Haseman JK, Barrett JC, Dixon D. Immortalization of human uterine leiomyoma and myometrial cell lines after induction of telomerase activity: molecular and phenotypic characteristics. *Lab Invest.* 2002 Jun; 82(6):719-28.
  3. Croci T, Cecchi R, Marini P, Rouget C, Viviani N, Germain G, Guagnini F, Fradin Y, Descamps L, Pascal M, Advenier C, Breuiller-Fouché M, Leroy MJ, Bardou M. In vitro and in vivo pharmacological characterization of ethyl-4-[trans-4-[(2S)-2-hydroxy-3-[4-hydroxy-3[(methylsulfonyl)amino]phenoxy]propyl]amino]cyclohexyl]benzoate hydrochloride (SAR150640), a new potent and selective human beta3-adrenoceptor agonist for the treatment of preterm labor. *J Pharmacol Exp Ther.* 2007 Jun; 321(3):1118-26.
  4. Cuppoletti J, Malinowska DH, Chakrabarti J, Ueno R. Effects of lubiprostone on human uterine smooth muscle cells. *Prostaglandins Other Lipid Mediat.* 2008 Jun; 86(1-4):56-60.
  5. Hayashi T, Kobayashi Y, Kohsaka S, Sano K. The mutation in the ATP-binding region of JAK1, identified in human uterine leiomyosarcomas, results in defective interferon-gamma inducibility of TAP1 and LMP2. *Oncogene.* 2006 Jul 6; 25(29):4016-26.
  6. Ingraham SE, Lynch RA, Surti U, Rutter JL, Buckler AJ, Khan SA, Menon AG, Lepont P. Identification and characterization of novel human transcripts embedded within HMGA2 in t(12;14)(q15;q24.1) uterine leiomyoma. *Mutat Res.* 2006 Dec 1; 602(1-2):43-53.
  7. Ivanov V, Roomi MW, Kalinovsky T, Niedzwiecki A, Rath M. Natural nutrient mixture effectively reduces collagen matrix contraction driven by human uterine smooth muscle cells. *J Obstet Gynaecol Res.* 2006 Feb; 32(1):23-31.
  8. Kelly CR, Sharif NA. Pharmacological evidence for a functional serotonin-2B receptor in a human uterine smooth muscle cell line. *J Pharmacol Exp Ther.* 2006; 317(3):1254-61.
  9. Mandal AK, Ray R, Zhang Z, Chowdhury B, Pattabiraman N, Mukherjee AB. Uteroglobin inhibits prostaglandin F2alpha receptor-mediated expression of genes critical for the production of pro-inflammatory lipid mediators. *J Biol Chem.* 2005 Sep 23; 280(38):32897-904.
  10. O'Brien M, O'Shaughnessy D, Ahamide E, Morrison JJ, Smith TJ. Differential expression of the metalloproteinase MMP3 and the alpha5 integrin subunit in human myometrium at labour. *Mol Hum Reprod.* 2007 Sep; 13(9):655-61.
  11. Rybalkin SD, Rybalkina IG, Feil R, Hofmann F, Beavo JA. Regulation of cGMP-specific phosphodiesterase (PDE5) phosphorylation in smooth muscle cells. *J Biol Chem.* 2002 Feb 1; 277(5):3310-7.
  12. Serradeil-Le Gal C, Valette G, Foulon L, Germain G, Advenier C, Naline E, Bardou M, Martinolle JP, Pouzet B, Raufaste D, Garcia C, Double-Cazanave E, Pauly M, Pascal M, Barbier A, Scatton B, Maffrand JP, Le Fur G. SSR126768A (4-chloro-3-[(3R)-(+)-5-chloro-1-(2,4-dimethoxybenzyl)-3-methyl-2-oxo-2,3-dihydro-1H-indol-3-yl]-N-ethyl-N-(3-pyridylmethyl)-benzamide, hydrochloride): a new selective and orally active oxytocin receptor antagonist for the prevention of preterm labor. *J Pharmacol Exp Therap.* 2004 Apr; 309(1):414-24.
  13. Shih I, Wang T, Wu T, Kurman RJ, Gearhart JD. Expression of Mel-CAM in implantation site intermediate trophoblastic cell line, IST-1, limits its migration on uterine smooth muscle cells. *J Cell Sci.* 1998 Sep; 111 ( Pt 17):2655-64.
  14. Spessotto P, Bulla R, Danussi C, Radillo O, Cervi M, Monami G, Bossi F, Tedesco F, Doliana R, Colombatti A. EMILIN1 represents a major stromal element determining human trophoblast invasion of the uterine wall. *J Cell Sci.* 2006 Nov 1; 119(Pt 21):4574-84.
  15. Sun N, Critchley DR, Paulin D, Li Z, Robson RM. Identification of a repeated domain within mammalian alpha-synemin that interacts directly with talin. *Exp Cell Res.* 2008 May 1; 314(8):1839-49.
  16. Tahara A, Tsukada J, Ishii N, Tomura Y, Wada K, Kusayama T, Yatsu T, Uchida W, Tanaka A. Comparison of vasopressin binding sites in human uterine and vascular smooth muscle cells. *Eur J Pharmacol.* 1999 Jul 28; 378(1):137-42.
  17. Tahara A, Tsukada J, Tomura Y, Kusayama T, Wada K, Ishii N, Taniguchi N, Suzuki T, Yatsu T, Uchida W, Shibasaki M. Effects of YM218, a nonpeptide vasopressin V1A receptor-selective antagonist, on human

**Custom Cell Types**

- vasopressin and oxytocin receptors. *Pharmacol Res.* 2005 Mar; 51(3):275-81.
18. Tahara A, Tsukada J, Tomura Y, Wada K, Kusayama T, Ishii N, Yatsu T, Uchida W, Tanaka A. Pharmacologic characterization of the oxytocin receptor in human uterine smooth muscle cells. *Br J Pharmacol.* 2000 Jan;129(1):131-9.
19. Tsukada J, Tahara A, Tomura Y, Wada Ki , Kusayama T, Ishii N, Yatsu T, Uchida W, Taniguchi N, Tanaka A. Effects of YM471, a nonpeptide AVP V(1A) and V(2) receptor antagonist, on human AVP receptor subtypes expressed in CHO cells and oxytocin receptors in human uterine smooth muscle cells. *Br J Pharmacol.* 2001 Jul; 133(5):746-54.
20. Tsukamoto H, Shibata K, Kajiyama H, Terauchi M, Nawa A, Kikkawa F. Uterine smooth muscle cells increase invasive ability of endometrial carcinoma cells through tumor-stromal interaction. *Clin Exp Metastasis.* 2007; 24(6):423-9.
21. Ulloa A, Gonzales AL, Zhong M, Kim YS, Cantlon J, Clay C, Ku CY, Earley S, Sanborn BM. Reduction in TRPC4 expression specifically attenuates G-protein coupled receptor-stimulated increases in intracellular calcium in human myometrial cells. *Cell Calcium.* 2009 Jul; 46(1):73-84.
22. Varella-Garcia M, Chen L, Zheng X, Yu L, Dixon D. Karyotypic characteristics of human uterine leiomyoma and myometrial cell lines following telomerase induction. *Cancer Genet Cytogenet.* 2006 Oct 1; 170(1):71-5.
23. Yamashita S, Katayama H, Saitoh H, Akao T, Park YS, Mizuki E, Ohba M, Ito A. Typical Three-Domain Cry Proteins of *Bacillus thuringiensis* Strain A1462 Exhibit Cytocidal Activity on Limited Human Cancer Cells. *J Biochem (Tokyo).* 2005 Dec; 138(6):663-72.
24. Yamamoto E, Ino K, Miyoshi E, Shibata K, Takahashi N, Kajiyama H, Nawa A, Nomura S, Nagasaka T, Kikkawa F. Expression of N-acetylglucosaminyltransferase V in endometrial cancer correlates with poor prognosis. *Br J Cancer.* 2007 Dec 3; 97(11):1538-44.
25. Zhong M, Murtazina DA, Phillips J, Ku CY, Sanborn BM. Multiple Signals Regulate Phospholipase CBeta3 in Human Myometrial Cells. *Biol Reprod.* 2008 Jun; 78(6):1007-17.
1. Kennard S, Liu H, Lilly B. Transforming growth factor-beta (TGF- 1) down-regulates Notch3 in fibroblasts to promote smooth muscle gene expression. *J Biol Chem.* 2008 Jan 18; 283(3):1324-33.
2. Ray JB, Arab S, Deng Y, Liu P, Penn L, Courtman DW, Ward ME. Oxygen regulation of arterial smooth muscle cell proliferation and survival. *Am J Physiol Heart Circ Physiol.* 2008 Feb; 294(2):H839-52.

\* References not specifically citing the use of Lonza cells, media, or reagents in their research.

+ Denotes sections containing only the articles published within the last ten years.