

Product References

Clonetics® Human Microvascular Endothelial Cells

HMVEC General/Multiple

1. Becker CM, Sampson DA, Short SM, Javaherian K, Folkman J, D'Amato RJ. Short synthetic endostatin peptides inhibit endothelial migration in vitro and endometriosis in a mouse model. *Fertil Steril*. 2006 Jan; 85(1): 71-7.
2. Beckert S, Farrahi F, Aslam RS, Scheuenstuhl H, Königsrainer A, Hussain MZ, Hunt TK. Lactate stimulates endothelial cell migration. *Wound Repair Regen*. 2006; 14(3):321-4.
3. Bouzin C, Brouet A, De Vriese J, Dewever J, Feron O. Effects of vascular endothelial growth factor on the lymphocyte-endothelium interactions: identification of caveolin-1 and nitric oxide as control points of endothelial cell anergy. *J Immunol*. 2007 Feb 1;178(3):1505-11.
4. Cai L, Johnstone BH, Cook TG, Liang Z, Traktuev D, Cornetta K, Ingram DA, Rosen ED, March KL. Suppression of hepatocyte growth factor production impairs the ability of adipose-derived stem cells to promote ischemic tissue revascularization. *Stem Cells*. 2007 Dec;25(12):3234-43.
5. Chanseaud Y, García de la Peña-Lefebvre P, Guilpain P, Mahr A, Tamby MC, Uzan M, Guillevin L, Boissier MC, Mouthon L. IgM and IgG autoantibodies from microscopic polyangiitis patients but not those with other small- and medium-sized vessel vasculitides recognize multiple endothelial cell antigens. *Clin Immunol*. 2003 Nov;109(2):165-78.
6. Collin-Osdoby P, Rothe L, Anderson F, Nelson M, Maloney W, Osdoby P. Receptor activator of NF- κ B and osteoprotegerin expression by human microvascular endothelial cells, regulation by inflammatory cytokines, and role in human osteoclastogenesis. *J Biol Chem*. 2001; 276(23): 20659-72.
7. David L, Mallet C, Mazerbourg S, Feige JJ, Bailly S. Identification of BMP9 and BMP10 as functional activators of the orphan activin receptor-like kinase 1 (ALK1) in endothelial cells. *Blood*. 2007 Mar 1;109(5):1953-61.
8. Dietrich T, Onderka J, Bock F, Kruse FE, Vossmeier D, Stragies R, Zahn G, Cursiefen C. Inhibition of Inflammatory Lymphangiogenesis by Integrin α 5 Blockade. *Am J Pathol*. 2007 May 24 [Epub ahead of print]
9. Fernando LP, Natesan S, Joseph K, Kaplan AP. High molecular weight kininogen and factor XII binding to endothelial cells and astrocytes. *Thromb Haemost*. 2003 Nov;90(5):787-95.
10. García de la Peña-Lefebvre P, Chanseaud Y, Tamby MC, Reinbolt J, Batteux F, Allanore Y, Kahan A, Meyer O, Benveniste O, Boyer O, Guillevin L, Boissier MC, Mouthon L. IgG reactivity with a 100-kDa tissue and endothelial cell antigen identified as topoisomerase 1 distinguishes between limited and diffuse systemic sclerosis patients. *Clin Immunol*. 2004 Jun;111(3):241-51.
11. Gou L, Eisenman JR, Mahimkar RM, Peschon JJ, Paxton RJ, Black RS. A proteomic approach for the identification of cell-surface proteins shed by metalloproteases. *Mol & cell Proteonom*. 2002; 1: 30-6.
12. Haas CS, Amin MA, Allen BB, Ruth JH, Haines GK, Woods JM, Koch AE. Inhibition of angiogenesis by interleukin-4 gene therapy in rat adjuvant-induced arthritis. *Arthritis Rheum*. 2006; 54(8): 2402-14.
13. Harding TC, Lalani AS, Roberts BN, Yendluri S, Luan B, Koprivnikar KE, Gonzalez-Edick M, Huan-Tu G, Musterer R, VanRoey MJ, Ozawa T, LeCouter RA, Deen D, Dickinson PJ, Jooss K. AAV serotype 8-

- mediated gene delivery of a soluble VEGF receptor to the CNS for the treatment of glioblastoma. *Mol Ther.* 2006;13(5):956-66.
14. Heise C, Hermiston T, Johnson L, Brooks G, Sampson-Johannes A, Williams A, Hawkins L, Kirn D. An adenovirus E1A mutant that demonstrates potent and selective systemic anti-tumoral efficacy. *Nature Med.* 2000 Oct; 6(10): 1134-9.
 15. Holland SJ, Powell MJ, Franci C, Chan EW, Frieri AM, Atchison RE, McLaughlin J, Swift SE, Pali ES, Yam G, Wong S, Lasaga J, Shen MR, Yu S, Xu W, Hitishi Y, Bogenberger J, Nör JE, Payan DG, Lorens JB. Multiple roles for the receptor tyrosine kinase Ax1 in tumor formation. *Canc Res.* 2005 Oct 15; 65: 9294-303.
 16. Irigoyen M, Ansó E, Martínez E, Garayoa M, Martínez-Irujo JJ, Rouzaut A. Hypoxia alters the adhesive properties of lymphatic endothelial cells. A transcriptional and functional study. *Biochim Biophys Acta.* 2007 Jun;1773(6):880-90. Epub
 17. Khan SY, Kelher MR, Heal JM, Blumberg N, Boshkov LK, Phipps R, Gettings KF, McLaughlin NJ, Silliman CC. Soluble CD40 ligand accumulates in stored blood components, primes neutrophils through CD40, and is a potential cofactor in the development of transfusion-related acute lung injury. *Blood.* 2006;108(7):2455-62.
 18. Kuo LE, Kitlinska JB, Tilan JU, Li L, Baker SB, Johnson MD, Lee EW, Burnett MS, Fricke ST, Kvetnansky R, Herzog H, Zukowska Z. Neuropeptide Y acts directly in the periphery on fat tissue and mediates stress-induced obesity and metabolic syndrome. *Nat Med.* 2007 Jul;13(7):803-11.
 19. Kupprion C, Motamed K, Sage EH. SPARC (BM-40, Osteonectin) inhibits the mitogenic effect of vascular endothelial growth factor on microvascular endothelial cells. *J Biol Chem.* Nov 1998; 273(458): 29635-40.
 20. Leng Q, Kahn J, Zhu J, Scaria P, Mixson J. Needle-like morphology of H2K4b polyplexes associated with increases in transfection in vitro. *Cancer Ther.* 2007 Jun;5B:193-202.
 21. Li A, Cheng G, Zhu GH, Tarnawski AS. Ghrelin stimulates angiogenesis in human microvascular endothelial cells: Implications beyond GH release. *Biochem Biophys Res Commun.* 2007 Feb 9;353(2):238-43.
 22. McLachlan E, Shao Q, Wang HL, Langlois S, Laird DW. Connexins act as tumor suppressors in three-dimensional mammary cell organoids by regulating differentiation and angiogenesis. *Cancer Res.* 2006; 66(20):9886-94.
 23. Mirastschijski U, Konrad D, Lundberg E, Lyngstadaas SP, Jorgensen LN, Agren MS. Effects of a topical enamel matrix derivative on skin wound healing. *Wound Rep Regen.* 2004 Jan; 12(1): 100-8.
 24. Munchhof AM, Li F, White HA, Mead LE, Krier TR, Fenoglio A, Li X, Yuan J, Yang FC, Ingram DA. Neurofibroma-associated growth factors activate a distinct signaling network to alter the function of neurofibromin-deficient endothelial cells. *Hum Mol Genet.* 2006; 15(11):1858-69.
 25. Naumova E, Ubezio P, Garofalo A, Borsotti P, cassis L, Riccardi E, Scanziani E, Eccles SA, Bani MR, Giavazzi R. The vascular targeting property of paclitaxel is enhanced by SU6668, a receptor tyrosine kinase inhibitor, causing apoptosis of endothelial cells and inhibition of angiogenesis. *Clinic Canc Res.* 2006 Mar; 12: 1839-49.
 26. Omori K, Shikata Y, Sarai K, Watanabe N, Wada J, Goda N, Kataoka N, Shikata K, Makino H. Edaravone mimics sphingosine-1-phosphate-induced endothelial barrier enhancement in human microvascular endothelial cells. *Am J Physiol Cell Physiol.* 2007 Nov;293(5):C1523-31.
 27. Park CC, Morel JCM, Amin MA, Connors MA, Harlow LA, Koch AE. Evidence of IL-18 as a novel angiogenic mediator. *J Immunol.* 2001; 167: 1644-53.
 28. Pivarcsi A, Gombert M, Dieu-Nosjean M-C, Lauerma A, Kubitzka R, Meller S, Ricker J, Muller A, Da Cunha L, Haahtela A, Sonkoly E, Fridman W-H, Alenius H, Kemeny L, Ruzicka T, Zlotnik A, Homey B. CC chemokine Ligand 18, an atopic dermatitis-associated and dendritic cell-derived chemokine, is regulated by staphylococcal products and allergen exposure. *J Immuno.* 2005; 173: 5810-7.
 29. Pollmann M-A, Shao Q, Laird DW, Sandig M. Connexin 43 mediated gap junctional communication enhances breast tumor cell diapedesis in culture. *Breast Canc Res.* 2005; 7: R522-34.
 30. Proost P, Struyf S, Loos T, Gouwy M, Schutyser E, Conings R, Ronsse I, Parmentier M, Grillet B, Opdenakker G, Balzarini J, Van Damme J. Coexpression and interaction of CXCL10 and CD26 in

- mesenchymal cells by synergising inflammatory cytokines: CXCL8 and CXCL10 are discriminative markers for autoimmune arthropathies. *Arthritis Res Ther.* 2006; 8(4): R107.
31. Ralph JA, Zocco D, Bresnihan B, Fitzgerald O, McEvoy AN, Murphy EP. A role for type 1alpha corticotropin-releasing hormone receptors in mediating local changes in chronically inflamed tissue. *Am J Pathol.* 2007;170(3):1121-33.
 32. Servettaz A, Tamby MC, Guilpain P, Reinbolt J, Garcia de la Peña-Lefebvre P, Allanore Y, Kahan A, Meyer O, Guillevin L, Mouthon L. Anti-endothelial cell antibodies from patients with limited cutaneous systemic sclerosis bind to centromeric protein B (CENP-B). *Clin Immunol.* 2006 Aug;120(2):212-9.
 33. Silva EA, Mooney DJ. Spatiotemporal control of vascular endothelial growth factor delivery from injectable hydrogels enhances angiogenesis. *J Thromb Haemost.* 2007; 5(3): 590-8.
 34. Steiling H, Longet K, Moodycliffe A, Mansourian R, Bertschy E, Smola H, Mauch C, Williamson G. Sodium-dependent vitamin C transporter isoforms in skin: Distribution, kinetics, and effect of UVB-induced oxidative stress. *Free Radic Biol Med.* 2007 Sep 1;43(5):752-62.
 35. Tamby MC, Chanseaud Y, Humbert M, Fermanian J, Guilpain P, Garcia-de-la-Peña-Lefebvre P, Brunet S, Servettaz A, Weill B, Simonneau G, Guillevin L, Boissier MC, Mouthon L. Anti-endothelial cell antibodies in idiopathic and systemic sclerosis associated pulmonary arterial hypertension. *Thorax.* 2005 Sep;60(9):765-72.
 36. Thomson L, Blaylock MG, Sexton DW, Campbell A, Walsh GM. Cetirizine and levocetirizine inhibit eotaxin-induced eosinophil transendothelial migration through human dermal or lung microvascular endothelial cells. *Clin Exp Allergy.* 2002 Aug;32(8):1187-92.
 37. Vlahakis NE, Young BA, Atakilit A, Hawkridge AE, Issaka RB, Boudreau N, Sheppard D. Integrin alpha9beta1 directly binds to vascular endothelial growth factor (VEGF)-A and contributes to VEGF-A-induced angiogenesis. *J Biol Chem.* 2007 May 18;282(20):15187-96.
 38. White AC, Sousa AM, Blumberg J, Ryan HF, Fanburg BL, Kayyali US. Plasma antioxidants in subjects before hematopoietic stem cell transplantation. *Bone Marrow Transplant.* 2006; 38(7):513-20.
 39. Zhang X, Wang JF, Kunos G, Groopman JE. Cannabinoid modulation of Kaposi's sarcoma-associated herpesvirus infection and transformation. *Cancer Res.* 2007 Aug 1;67(15):7230-7.
 40. Zhou Z, Bolontrade MF, Reddy K, Duan X, Guan H, Yu L, Hicklin DJ, Kleinerman ES. Suppression of Ewing's sarcoma tumor growth, tumor vessel formation, and vasculogenesis following anti vascular endothelial growth factor receptor-2 therapy. *Clin Cancer Res.* 2007 Aug 15;13(16):4867-73.
 41. Zou HY, Li Q, Lee JH, Arango ME, McDonnell SR, Yamazaki S, Koudriakova TB, Alton G, Cui JJ, Kung PP, Nambu MD, Los G, Bender SL, Mroczkowski B, Christensen JG. An orally available small-molecule inhibitor of c-Met, PF-2341066, exhibits cytoreductive antitumor efficacy through antiproliferative and antiangiogenic mechanisms. *Cancer Res.* 2007 May 1;67(9):4408-17.

HMVEC-L

1. Brazelle WD, Shi W, Siemann DW. VEGF-associated tyrosine kinase inhibition increases the tumor response to single and fractionated dose radiotherapy. *Int J Radiat Oncol Biol Phys.* 2006;65(3):836-41.
2. Chen C, Nan B, Lin P, Yao Q. C-reactive protein increases plasminogen activator inhibitor-1 expression in human endothelial cells. *Thromb Res.* 2008;122(1):125-33.
3. David KC, Brady MT, Weimer LK, Hellberg MR, Nixon JC, Graff G. Characterization of the in vitro anti-inflammatory activity of AL-5898 and related benzopyranyl esters and amides. *Inflammation.* 2003 Feb;27(1):31-43.
4. Fujisawa N, Hayashi S, Kurdowska A, Noble JM, Naitoh K, Miller EJ. Staphylococcal enterotoxin A-induced injury of human lung endothelial cells and IL-8 accumulation are mediated by TNF- α . *J Immuno.* 1998; 161: 5627-32.
5. Gallagher DC, Bhatt RS, Parikh SM, Patel P, Seery V, McDermott DF, Atkins MB, Sukhatme VP. Angiopoietin 2 Is a Potential Mediator of High-Dose Interleukin 2-

- Induced Vascular Leak. *Clinical Cancer Research*. 2007;13: 2115-20.
6. Gallagher DC, Parikh SM, Balonov K, Miller A, Gautam S, Talmor D, Sukhatme VP. Circulating angiopoietin 2 correlates with mortality in a surgical population with acute lung injury/adult respiratory distress syndrome. *Shock*. 2008 Jun;29(6):656-61.
 7. Gaugler MH, Neunlist M, Bonnaud S, Aubert P, Benderitter M, Paris F. Intestinal epithelial cell dysfunction is mediated by an endothelial-specific radiation-induced bystander effect. *Radiat Res*. 2007 Feb;167(2):185-93.
 8. Gaugler MH, Vereycken-Holler V, Squiban C, Aigueperse J. PECAM-1 (CD31) is required for interactions of platelets with endothelial cells after irradiation. *J Thromb Haemost*. 2004 Nov;2(11):2020-6.
 9. Gaugler MH, Vereycken-Holler V, Squiban C, Vandamme M, Vozenin-Brotans MC, Benderitter M. Pravastatin limits endothelial activation after irradiation and decreases the resulting inflammatory and thrombotic responses. *Radiat Res*. 2005 May;163(5):479-87.
 10. Gibson RL, Nizet V, Rubens CE. Group B streptococcal beta-hemolysin promotes injury of lung microvascular endothelial cells. *Pediatr Res*. 1999 May;45(5 Pt 1):626-34.
 11. Hallahan DE, Virudachalam S. Intercellular adhesion molecule 1 knockout abrogates radiation induced pulmonary inflammation. *Proc Natl Acad Sci U S A*. 1997 Jun 10;94(12):6432-7.
 12. Hallenbeck PL, Chang YN, Hay C, Golightly D, Stewart D, Lin J, Phipps S, Chiang YL. A novel tumor-specific replication-restricted adenoviral vector for gene therapy of hepatocellular carcinoma. *Hum Gene Ther*. 1999 Jul 1;10(10):1721-33.
 13. Hammerman SI, Klings ES, Hendra KP, Upchurch GR Jr, Rishikof DC, Loscalzo J, Farber HW. Endothelial cell nitric oxide production in acute chest syndrome. *Am J Physiol*. 1999 Oct;277(4 Pt 2):H1579-92.
 14. Hansen AB, Bouchelouche K, Olesen JD. Human lung microvascular endothelial cells activate allogeneic T cells through an LFA-3-dependent, but CD86-independent mechanism. *APMIS*. 2001 Dec;109(12):849-56.
 15. Hasaneen NA, Zucker S, Lin RZ, Vaday GG, Panettieri RA, Foda HD. Angiogenesis is induced by airway smooth muscle strain. *Am J Physiol Lung Cell Mol Physiol*. 2007 Oct;293(4):L1059-68.
 16. Hasaneen NA, Vaday GG, Zucker S, Foda HD. Mechanical stretch induces MMP-2 release and activation in lung endothelium: role of EMMPRIN. *Am J Physiol Lung Cell Mol Physiol*. 2003 Mar;284(3):L541-7.
 17. Hu M, Du Q, Vancurova I, Lin X, Miller EJ, Simms HH, Wang P. Proapoptotic effect of curcumin on human neutrophils: activation of the p38 mitogen-activated protein kinase pathway. *Crit Care Med*. 2005 Nov; 33(11): 2571-8.
 18. Hu M, Lin X, Du Q, Miller EJ, Wang P, Simms HH. Regulation of polymorphonuclear leukocyte apoptosis: role of lung endothelium-epithelium bilayer transmigration. *Am J Physiol Lung Cell Mol Physiol*. 2005 Feb;288(2):L266-74.
 19. Kaufmann JE, Oksche A, Wollheim CB, Günther G, Rosenthal W, Vischer UM. Vasopressin-induced von Willebrand factor secretion from endothelial cells involves V2 receptors and cAMP. *J Clin Invest*. 2000 Jul;106(1):107-16.
 20. Lamouille S, Mallet C, Feige JJ, Bailly S. Activin receptor-like kinase 1 is implicated in the maturation phase of angiogenesis. *Blood*. 2002 Dec 15;100(13):4495-501.
 21. Lee TD, Gonzalez ML, Kumar P, Grammas P, Pereira HA. CAP37, a neutrophil-derived inflammatory mediator, augments leukocyte adhesion to endothelial monolayers. *Microvasc Res*. 2003 Jul;66(1):38-48.
 22. Lindner K, Uhlig U, Uhlig S. Ceramide alters endothelial cell permeability by a nonapoptotic mechanism. *Br J Pharmacol*. 2005 May;145(1):132-40.
 23. Lominadze D, Saari JT, Percival SS, Schuschke DA. Proinflammatory effects of copper deficiency on neutrophils and lung endothelial cells. *Immunol Cell Biol*. 2004 Jun;82(3):231-8.
 24. Lund AK, Agbor LN, Zhang N, Baker A, Zhao H, Fink GD, Kanagy NL, Walker MK. Loss of the aryl hydrocarbon receptor induces hypoxemia, endothelin-1, and systemic hypertension at modest altitude. *Hypertension*. 2008 Mar;51(3):803-9.
 25. Mallory BP, Mead TJ, Wiginton DA, Kulkarni RM, Greenberg JM, Akeson AL. Lymphangiogenesis in the developing lung

- promoted by VEGF-A. *Microvasc Res.* 2006 Jul-Sep;72(1-2):62-73.
26. Mammoto T, Parikh SM, Mammoto A, Gallagher D, Chan B, Mostoslavsky G, Ingber DE, Sukhatme VP. Angiopoietin-1 requires p190 RhoGAP to protect against vascular leakage in vivo. *J Biol Chem.* 2007 Aug 17;282(33):23910-8.
 27. Medhora M, Daniels J, Mundey K, Fisslthaler B, Busse R, Jacobs ER, Harder DR. Epoxygenase-driven angiogenesis in human lung microvascular endothelial cells. *Am J Physiol Heart Circ Physiol.* 2003; 284: H215-24.
 28. Moreland JG, Bailey G, Nauseef WM, Weiss JP. Organism-specific neutrophil-endothelial cell interactions in response to *Escherichia coli*, *Streptococcus pneumoniae*, and *Staphylococcus aureus*. *J Immunol.* 2004 Jan 1;172(1):426-32.
 29. Murphy JT, Duffy S. ZO-1 redistribution and F-actin stress fiber formation in pulmonary endothelial cells after thermal injury. *J Trauma.* 2003 Jan;54(1):81-9; discussion 89-90.
 30. Narula P, Xu J, Kazzaz JA, Robbins CG, Davis JM, Horowitz S. Synergistic cytotoxicity from nitric oxide and hyperoxia in cultured lung cells. *Am J Physiol.* 1998 Mar;274(3 Pt 1):L411-6.
 31. Park IW, Ullrich CK, Schoenberger E, Ganju RK, Groopman JE. HIV-1 Tat induces microvascular endothelial apoptosis through caspase activation. *J Immunol.* 2001 Sep 1;167(5):2766-71.
 32. Pelaia G, Cuda G, Vatrella A, Grembiale RD, De Sarro G, Maselli R, Costanzo FS, Avvedimento VE, Rotiroli D, Marsico SA. Effects of glucocorticoids on activation of c-jun N-terminal, extracellular signal-regulated, and p38 MAP kinases in human pulmonary endothelial cells. *Biochem Pharmacol.* 2001 Dec 15;62(12):1719-24.
 33. Raaz U, Kuhn H, Wirtz H, Hammerschmidt S. Rapamycin reduces high-amplitude, mechanical stretch-induced apoptosis in pulmonary microvascular endothelial cells. *Microvasc Res.* 2009 May; 77(3):297-303.
 34. Rao RS, Howard CA, Teague TK. Pulmonary endothelial permeability is increased by fluid from packed red blood cell units but not by fluid from clinically-available washed units. *J Trauma.* 2006;60(4):851-8.
 35. Roca-Cusachs P, Alcaraz J, Sunyer R, Samitier J, Farré R, Navajas D. Micropatterning of single endothelial cell shape reveals a tight coupling between nuclear volume in G1 and proliferation. *Biophys J.* 2008 Jun;94(12):4984-95.
 36. Shi W, Siemann DW. Inhibition of renal cell carcinoma angiogenesis and growth by antisense oligonucleotides targeting vascular endothelial growth factor. *Br J Cancer.* 2002 Jul 1;87(1):119-26.
 37. Shi W, Teschendorf C, Muzyczka N, Siemann DW. Gene therapy delivery of endostatin enhances the treatment efficacy of radiation. *Radiother Oncol.* 2003 Jan;66(1):1-9.
 38. Spiropoulou CF, Albariño CG, Ksiazek TG, Rollin PE. Andes and Prospect Hill hantaviruses differ in early induction of interferon although both can downregulate interferon signaling. *J Virol.* 2007 Mar;81(6):2769-76.
 39. Spiropoulou CF, Goldsmith CS, Shoemaker TR, Peters CJ, Compans RW. Sin Nombre virus glycoprotein trafficking. *Virology.* 2003 Mar 30;308(1):48-63.
 40. Struyf S, Burdick MD, Peeters E, Van den Broeck K, Dillen C, Proost P, Van Damme J, Strieter RM. Platelet factor-4 variant chemokine CXCL4L1 inhibits melanoma and lung carcinoma growth and metastasis by preventing angiogenesis. *Cancer Res.* 2007 Jun 15;67(12):5940-8.
 41. Subramaniam D, Virtala R, Pawłowski K, Clausen IG, Warkentin S, Stevens T, Janciauskiene S. TNF-alpha-induced self expression in human lung endothelial cells is inhibited by native and oxidized alpha1-antitrypsin. *Int J Biochem Cell Biol.* 2008;40(2):258-71.
 42. Tabata T, Kawakatsu H, Maidji E, Sakai T, Sakai K, Fang-Hoover J, Aiba M, Sheppard D, Pereira L. Induction of an epithelial integrin alpha v beta 6 in human cytomegalovirus-infected endothelial cells leads to activation of transforming growth factor-beta1 and increased collagen production. *Am J Pathol.* 2008 Apr;172(4):1127-40.
 43. Ten Kate M, Hofland LJ, van Grevenstein WM, van Koetsveld PV, Jeekel J, van Eijck CH. Influence of proinflammatory cytokines on the adhesion of human colon carcinoma cells to lung microvascular endothelium. *Int J Cancer.* 2004 Dec 20;112(6):943-50.

44. Uchida T, Shirasawa M, Ware LB, Kojima K, Hata Y, Makita K, Mednick G, Matthay ZA, Matthay MA. Receptor for advanced glycation end-products is a marker of type I cell injury in acute lung injury. *Am J Respir Crit Care Med.* 2006 May 1;173(9):1008-15.
45. Vereycken-Holler V, Aigueperse J, Gaugler MH. Radiation effects on circulating and endothelial cell interactions studied by quantitative real-time videomicroscopy. *Int J Radiat Biol.* 2002 Oct;78(10):923-30.
46. Weisser M, Tiegs G, Wendel A, Uhlig S. Quantification of apoptotic and lytic cell death by video microscopy in combination with artificial neural networks. *Cytometry.* 1998 Jan 1;31(1):20-8.
47. Wen XY, Bai Y, Stewart AK. Adenovirus-mediated human endostatin gene delivery demonstrates strain-specific antitumor activity and acute dose-dependent toxicity in mice. *Hum Gene Ther.* 2001 Mar 1;12(4):347-58.
48. Woszczek G, Chen LY, Nagineni S, Alsaaty S, Harry A, Logun C, Pawliczak R, Shelhamer JH. IFN-gamma induces cysteinyl leukotriene receptor 2 expression and enhances the responsiveness of human endothelial cells to cysteinyl leukotrienes. *J Immunol.* 2007 Apr 15;178(8):5262-70.
49. Zachlederova M, Jarolim P. Gene expression profiles of microvascular endothelial cells after stimuli implicated in the pathogenesis of vasoocclusion. *Blood Cells Mol Dis.* 2003 Jan-Feb;30(1):70-81.
50. Zachlederová M, Jarolím P. The dynamics of gene expression in human lung microvascular endothelial cells after stimulation with inflammatory cytokines. *Physiol Res.* 2006;55(1):39-47.
51. Zhang C, Chakravarty D, Sakabe I, Mewani RR, Boudreau HE, Kumar D, Ahmad I, Kasid UN. Role of SCC-S2 in experimental metastasis and modulation of VEGFR-2, MMP-1, and MMP-9 expression. *Mol Ther.* 2006;13(5):947-55.
52. Zhang N, Walker MK. Crosstalk between the aryl hydrocarbon receptor and hypoxia on the constitutive expression of cytochrome P4501A1 mRNA. *Cardiovasc Toxicol.* 2007; 7(4):282-90.

HMVEC-LLy

1. Aleku M, Schulz P, Keil O, Santel A, Schaeper U, Dieckhoff B, Janke O, Endruschat J, Durieux B, Röder N, Löffler K, Lange C, Fechtner M, Möpert K, Fisch G, Dames S, Arnold W, Jochims K, Giese K, Wiedenmann B, Scholz A, Kaufmann J. Atu027, a liposomal small interfering RNA formulation targeting protein kinase N3, inhibits cancer progression. *Cancer Res.* 2008 Dec 1;68(23):9788-98.
2. Danussi C, Spessotto P, Petrucco A, Wassermann B, Sabatelli P, Montesi M, Doliana R, Bressan GM, Colombatti A. Emilin1 deficiency causes structural and functional defects of lymphatic vasculature. *Mol Cell Biol.* 2008 Jun;28(12):4026-39.
3. Klein D, Demory A, Peyre F, Kroll J, Augustin HG, Helfrich W, Kzyshkowska J, Schledzewski K, Arnold B, Goerdt S. Wnt2 acts as a cell type-specific, autocrine growth factor in rat hepatic sinusoidal endothelial cells cross-stimulating the VEGF pathway. *Hepatology.* 2008 Mar;47(3):1018-31.
4. Navarro A, Perez RE, Rezaiekhalthigh M, Mabry SM, Ekekezie II. T1alpha/podoplanin is essential for capillary morphogenesis in lymphatic endothelial cells. *Am J Physiol Lung Cell Mol Physiol.* 2008 Oct;295(4):L543-51.
5. Pegu A, Qin S, Fallert Junecko BA, Nisato RE, Pepper MS, Reinhart TA. Human Lymphatic Endothelial Cells Express Multiple Functional TLRs. *J Immunol.* 2008 Mar 1;180(5):3399-405.

HMVEC-LBI

1. Matsuda A, Orihara K, Fukuda S, Fujinaga H, Matsumoto K, Saito H. Corticosteroid enhances TNF-alpha-mediated leukocyte adhesion to pulmonary microvascular endothelial cells. *Allergy.* 2008 Dec;63(12):1610-6.
2. Navarro A, Perez RE, Rezaiekhalthigh M, Mabry SM, Ekekezie II. T1alpha/podoplanin is essential for capillary morphogenesis in lymphatic endothelial cells. *Am J Physiol Lung Cell Mol Physiol.* 2008 Oct;295(4):L543-51.
3. Reynolds AM, Xia W, Holmes MD, Hodge SJ, Danilov S, Curiel DT, Morrell NW, Reynolds PN. Bone morphogenetic protein

type 2 receptor gene therapy attenuates hypoxic pulmonary hypertension. *Am J Physiol Lung Cell Mol Physiol*. 2007 May;292(5):L1182-92.

4. Star GP, Giovinazzo M, Langleben D. Effects of bone morphogenic proteins and transforming growth factor-beta on In-vitro production of endothelin-1 by human pulmonary microvascular endothelial cells. *Vascul Pharmacol*. 2009 Jan-Feb;50(1-2):45-50.

HMVEC-d

1. Akula SM, Pramod NP, Wang FZ, Chandran B. Integrin alpha3beta1 (CD 49c/29) is a cellular receptor for Kaposi's sarcoma-associated herpesvirus (KSHV/HHV-8) entry into the target cells. *Cell*. 2002 Feb 8;108(3):407-19.
2. Becker CM, Sampson DA, Short SM, Javaherian K, Folkman J, D'Amato RJ. Short synthetic endostatin peptides inhibit endothelial migration in vitro and endometriosis in a mouse model. *Fertil Steril*. 2006 Jan;85(1):71-7.
3. Beckert S, Farrahi F, Aslam RS, Scheuenstuhl H, Königsrainer A, Hussain MZ, Hunt TK. Lactate stimulates endothelial cell migration. *Wound Repair Regen*. 2006 May-Jun;14(3):321-4.
4. Bocci G, Nicolaou KC, Kerbel RS. Protracted low-dose effects on human endothelial cell proliferation and survival in vitro reveal a selective antiangiogenic window for various chemotherapeutic drugs. *Cancer Res*. 2002 Dec 1;62(23):6938-43.
5. Cannon JS, Ciuffo D, Hawkins AL, Griffin CA, Borowitz MJ, Hayward GS, Ambinder RF. A new primary effusion lymphoma-derived cell line yields a highly infectious Kaposi's sarcoma herpesvirus-containing supernatant. *J Virol*. 2000 Nov;74(21):10187-93.
6. Carroll PA, Kenerson HL, Yeung RS, Lagunoff M. Latent Kaposi's sarcoma-associated herpesvirus infection of endothelial cells activates hypoxia-induced factors. *J Virol*. 2006 Nov;80(21):10802-12.
7. Chintalgattu V, Harris GS, Akula SM, Katwa LC. PPAR-gamma agonists induce the expression of VEGF and its receptors in cultured cardiac myofibroblasts. *Cardiovasc Res*. 2007 Apr 1;74(1):140-50.
8. Ciuffo DM, Cannon JS, Poole LJ, Wu FY, Murray P, Ambinder RF, Hayward GS. Spindle cell conversion by Kaposi's sarcoma-associated herpesvirus: formation of colonies and plaques with mixed lytic and latent gene expression in infected primary dermal microvascular endothelial cell cultures. *J Virol*. 2001 Jun;75(12):5614-26.
9. Clarke PA, Dickson JH, Harris JC, Grabowska A, Watson SA. Gastrin enhances the angiogenic potential of endothelial cells via modulation of heparin-binding epidermal-like growth factor. *Cancer Res*. 2006 Apr 1;66(7):3504-12.
10. D'Anna R, Le Buanec H, Alessandri G, Caruso A, Burny A, Gallo R, Zagury JF, Zagury D, D'Alessio P. Selective activation of cervical microvascular endothelial cells by human papillomavirus 16-e7 oncoprotein. *J Natl Cancer Inst*. 2001 Dec 19;93(24):1843-51.
11. Dardik R, Solomon A, Loscalzo J, Eskaraev R, Bialik A, Goldberg I, Schiby G, Inbal A. Novel proangiogenic effect of factor XIII associated with suppression of thrombospondin 1 expression. *Arterioscler Thromb Vasc Biol*. 2003 Aug 1;23(8):1472-7.
12. David L, Mallet C, Mazerbourg S, Feige JJ, Bailly S. Identification of BMP9 and BMP10 as functional activators of the orphan activin receptor-like kinase 1 (ALK1) in endothelial cells. *Blood*. 2007 Mar 1;109(5):1953-61.
13. Degryse B, Neels JG, Czekay RP, Aertgeerts K, Kamikubo Y, Loskutoff DJ. The low density lipoprotein receptor-related protein is a motogenic receptor for plasminogen activator inhibitor-1. *J Biol Chem*. 2004 May 21;279(21):22595-604.
14. Deng H, Yan CL, Hu Y, Xu Y, Liao KH. Photochemotherapy inhibits angiogenesis and induces apoptosis of endothelial cells in vitro. *Photodermatol Photoimmunol Photomed*. 2004 Aug;20(4):191-9.
15. Dyson OF, Bryan BA, Lambert PJ, Ford PW, Akula SM. Beta1 integrins mediate tubule formation induced by supernatants derived from KSHV-infected cells. *Intervirology*. 2007;50(4):245-53.
16. Dyson OF, Oxendine TL, Hamden KE, Ford PW, Akula SM. Differential regulation of the attachment of Kaposi's sarcoma-associated herpesvirus (KSHV)-infected human B cells to extracellular matrix by KSHV-encoded gB

- and cellular α V integrins. *Cell Microbiol.* 2008 Apr 9. Ahead of print.
17. Elder BL, Arlian LG, Morgan MS. *Sarcoptes scabiei* (Acari: Sarcoptidae) mite extract modulates expression of cytokines and adhesion molecules by human dermal microvascular endothelial cells. *J Med Entomol.* 2006 Sep;43(5):910-5.
 18. Fortier AH, Nelson BJ, Grella DK, Holaday JW. Antiangiogenic activity of prostate-specific antigen. *J Natl Cancer Inst.* 1999 Oct 6;91(19):1635-40.
 19. Fujiwara M, Jin E, Ghazizadeh M, Kawanami O. An in vitro model to evaluate regulatory mechanisms of antigen expression by normal pulmonary vessel endothelial cells. *Microvasc Res.* 2001 Mar;61(2):215-9.
 20. Gao D, Kumar G, Co C, Ho CC. Formation of capillary tube-like structures on micropatterned biomaterials. *Adv Exp Med Biol.* 2008;614:199-205.
 21. Garrett TA, Van Buul JD, Burridge K. VEGF-induced Rac1 activation in endothelial cells is regulated by the guanine nucleotide exchange factor Vav2. *Exp Cell Res.* 2007 Sep 10;313(15):3285-97.
 22. Hamden KE, Bryan BA, Ford PW, Xie C, Li YQ, Akula SM. Spectroscopic analysis of Kaposi's sarcoma-associated herpesvirus infected cells by Raman tweezers. *J Virol Methods.* 2005 Nov;129(2):145-51.
 23. Holler V, Buard V, Gaugler MH, Guipaud O, Baudelin C, Sache A, Perez Mdel R, Squiban C, Tamarat R, Milliat F, Benderitter M. Pravastatin limits radiation-induced vascular dysfunction in the skin. Pravastatin limits radiation-induced vascular dysfunction in the skin. *J Invest Dermatol.* 2009 May; 129(5):1280-91.
 24. Hunt TK, Aslam RS, Beckert S, Wagner S, Ghani QP, Hussain MZ, Roy S, Sen CK. Aerobically derived lactate stimulates revascularization and tissue repair via redox mechanisms. *Antioxid Redox Signal.* 2007 Aug;9(8):1115-24.
 25. Lamoreaux WJ, Fitzgerald ME, Reiner A, Hasty KA, Charles ST. Vascular endothelial growth factor increases release of gelatinase A and decreases release of tissue inhibitor of metalloproteinases by microvascular endothelial cells in vitro. *Microvasc Res.* 1998 Jan;55(1):29-42.
 26. Lamouille S, Mallet C, Feige JJ, Bailly S. Activin receptor-like kinase 1 is implicated in the maturation phase of angiogenesis. *Blood.* 2002 Dec 15;100(13):4495-501.
 27. Laurent C, Voisin P, Pouget JP. DNA damage in cultured skin microvascular endothelial cells exposed to gamma rays and treated by the combination pentoxifylline and alpha-tocopherol. *Int J Radiat Biol.* 2006; 82(5): 309-21.
 28. Liu L, Xu Z, Fuhlbrigge RC, Peña-Cruz V, Lieberman J, Kupper TS. Vaccinia virus induces strong immunoregulatory cytokine production in healthy human epidermal keratinocytes: a novel strategy for immune evasion. *J Virol.* 2005 Jun;79(12):7363-70.
 29. Lynch CN, Wang YC, Lund JK, Chen YW, Leal JA, Wiley SR. TWEAK induces angiogenesis and proliferation of endothelial cells. *J Biol Chem.* 1999 Mar 26;274(13):8455-9.
 30. Mezquita J, Mezquita B, Pau M, Mezquita C. Down-regulation of Flt-1 gene expression by the proteasome inhibitor MG262. *J Cell Biochem.* 2003 Aug 15;89(6):1138-47.
 31. Murofushi Y, Nagano S, Kamizono J, Takahashi T, Fujiwara H, Komiya S, Matsuishi T, Kosai K. Cell cycle-specific changes in hTERT promoter activity in normal and cancerous cells in adenoviral gene therapy: a promising implication of telomerase-dependent targeted cancer gene therapy. *Int J Oncol.* 2006 Sep;29(3):681-8.
 32. Murphy DA, Makonnen S, Lassoued W, Feldman MD, Carter C, Lee WM. Inhibition of tumor endothelial ERK activation, angiogenesis, and tumor growth by sorafenib (BAY43-9006). *Am J Pathol.* 2006 Nov;169(5):1875-85.
 33. Parry TJ, Cushman C, Gallegos AM, Agrawal AB, Richardson M, Andrews LE, Maloney L, Mokler VR, Wincott FE, Pavco PA. Bioactivity of anti-angiogenic ribozymes targeting Flt-1 and KDR mRNA. *Nucleic Acids Res.* 1999 Jul 1;27(13):2569-77.
 34. Raghu H, Sharma-Walia N, Veettil MV, Sadagopan S, Chandran B. Kaposi's sarcoma-associated herpesvirus utilizes an actin polymerization-dependent macropinocytic pathway to enter human dermal microvascular endothelial and human umbilical vein endothelial cells. *J Virol.* 2009 May;83(10):4895-911.
 35. Raife TJ, Atkinson B, Aster RH, McFarland JG, Gottschall JL. Minimal evidence of

- platelet and endothelial cell reactive antibodies in thrombotic thrombocytopenic purpura. *Am J Hematol.* 1999 Oct;62(2):82-7.
36. Rappocciolo G, Jenkins FJ, Hensler HR, Piazza P, Jais M, Borowski L, Watkins SC, Rinaldo CR. DC-SIGN is a receptor for human herpesvirus 8 on dendritic cells and macrophages. *J Immunol.* 2006;176(3):1741-9.
37. Sadagopan S, Sharma-Walia N, Veettil MV, Bottero V, Levine R, Vart RJ, Chandran B. Kaposi's sarcoma-associated herpesvirus upregulates angiogenin during infection of human dermal microvascular endothelial cells, which induces 45S rRNA synthesis, antiapoptosis, cell proliferation, migration, and angiogenesis. *J Virol.* 2009 Apr;83(7):3342-64.
38. Sadagopan S, Sharma-Walia N, Veettil MV, Raghu H, Sivakumar R, Bottero V, Chandran B. Kaposi's sarcoma-associated herpesvirus induces sustained NF-kappaB activation during de novo infection of primary human dermal microvascular endothelial cells that is essential for viral gene expression. *J Virol.* 2007 Apr;81(8):3949-68.
39. Sharma-Walia N, Raghu H, Sadagopan S, Sivakumar R, Veettil MV, Naranatt PP, Smith MM, Chandran B. Cyclooxygenase 2 induced by Kaposi's sarcoma-associated herpesvirus early during in vitro infection of target cells plays a role in the maintenance of latent viral gene expression. *J Virol.* 2006 Jul;80(13):6534-52.
40. Shawber CJ, Das I, Francisco E, Kitajewski J. Notch signaling in primary endothelial cells. *Ann N Y Acad Sci.* 2003 May;995:162-70.
41. Sörensson J, Matejka GL, Ohlson M, Haraldsson B. Human endothelial cells produce orosomucoid, an important component of the capillary barrier. *Am J Physiol.* 1999 Feb;276(2 Pt 2):H530-4.
42. Struyf S, Burdick MD, Peeters E, Van den Broeck K, Dillen C, Proost P, Van Damme J, Strieter RM. Platelet factor-4 variant chemokine CXCL4L1 inhibits melanoma and lung carcinoma growth and metastasis by preventing angiogenesis. *Cancer Res.* 2007 Jun 15;67(12):5940-8.
43. Tjin Tham Sjin RM, Satchi-Fainaro R, Birsner AE, Ramanujam VM, Folkman J, Javaherian K. A 27-amino-acid synthetic peptide corresponding to the NH2-terminal zinc-binding domain of endostatin is responsible for its antitumor activity. *Cancer Res.* 2005 May 1;65(9):3656-63.
44. Veettil MV, Sharma-Walia N, Sadagopan S, Raghu H, Sivakumar R, Naranatt PP, Chandran B. RhoA-GTPase facilitates entry of Kaposi's sarcoma-associated herpesvirus into adherent target cells in a Src-dependent manner. *J Virol.* 2006 Dec;80(23):11432-46.
45. Wang YC, Ho CC. Micropatterning of proteins and mammalian cells on biomaterials. *FASEB J.* 2004 Mar;18(3):525-7.
46. Wautier MP, Boval B, Chappey O, Enjolras O, Wernert N, Merland JJ, Wautier JL. Cultured endothelial cells from human arteriovenous malformations have defective growth regulation. *Blood.* 1999 Sep 15;94(6):2020-8.
47. Wong C, Inman E, Spaethe R, Helgerson S. Fibrin-based biomaterials to deliver human growth factors. *Thromb Haemost.* 2003 Mar;89(3):573-82.
48. Xu B, deWaal RM, Mor-Vaknin N, Hibbard C, Markovitz DM, Kahn ML. The endothelial cell-specific antibody PAL-E identifies a secreted form of vimentin in the blood vasculature. *Mol Cell Biol.* 2004; 24(20): 9198-206.
49. Xu XS, Vanderziel C, Bennett CF, Monia BP. A role for c-Raf kinase and Ha-Ras in cytokine-mediated induction of cell adhesion molecules. *J Biol Chem.* 1998 Dec 11;273(50):33230-8.
50. Yang YH, Wang SJ, Chuang YH, Lin YT, Chiang BL. The level of IgA antibodies to human umbilical vein endothelial cells can be enhanced by TNF-alpha treatment in children with Henoch-Schönlein purpura. *Clin Exp Immunol.* 2002 Nov;130(2):352-7.

HMVEC-dLy

1. Dietrich T, Onderka J, Bock F, Kruse FE, Vossmeier D, Stragies R, Zahn G, Cursiefen C. Inhibition of inflammatory lymphangiogenesis by integrin alpha5 blockade. *Am J Pathol.* 2007 Jul;171(1):361-72.
2. Dunworth WP, Fritz-Six KL, Caron KM. Adrenomedullin stabilizes the lymphatic endothelial barrier in vitro and in vivo. *Peptides.* 2008 Dec;29(12):2243-9.

3. Fritz-Six KL, Dunworth WP, Li M, Caron KM. Adrenomedullin signaling is necessary for murine lymphatic vascular development. *J Clin Invest.* 2008 Jan;118(1):40-50.
4. Irigoyen M, Ansó E, Salvo E, de las Herrerías JD, Martínez-Irujo JJ, Rouzaut A. TGFbeta-induced protein mediates lymphatic endothelial cell adhesion to the extracellular matrix under low oxygen conditions. *Cell Mol Life Sci.* 2008 Jul;65(14):2244-55.
5. Iwata C, Kano MR, Komuro A, Oka M, Kiyono K, Johansson E, Morishita Y, Yashiro M, Hirakawa K, Kaminishi M, Miyazono K. Inhibition of cyclooxygenase-2 suppresses lymph node metastasis via reduction of lymphangiogenesis. *Cancer Res.* 2007 Nov 1;67(21):10181-9.
6. Mikhaylova M, Mori N, Wildes FB, Walczak P, Gimi B, Bhujwalla ZM. Hypoxia Increases Breast Cancer Cell-Induced Lymphatic Endothelial Cell Migration. *Neoplasia.* 2008 April; 10(4): 380–388.
7. Mishima K, Watabe T, Saito A, Yoshimatsu Y, Imaizumi N, Masui S, Hirashima M, Morisada T, Oike Y, Araie M, Niwa H, Kubo H, Suda T, Miyazono K. Prox1 induces lymphatic endothelial differentiation via integrin alpha9 and other signaling cascades. *Mol Biol Cell.* 2007 Apr;18(4):1421-9.
8. Oka M, Iwata C, Suzuki HI, Kiyono K, Morishita Y, Watabe T, Komuro A, Kano MR, Miyazono K. Inhibition of endogenous TGF-beta signaling enhances lymphangiogenesis. *Blood.* 2008 May 1;111(9):4571-9.
9. Padera TP, Kuo AH, Hoshida T, Liao S, Lobo J, Kozak KR, Fukumura D, Jain RK. Differential response of primary tumor versus lymphatic metastasis to VEGFR-2 and VEGFR-3 kinase inhibitors cediranib and vandetanib. *Mol Cancer Ther.* 2008 Aug;7(8):2272-9.
10. Pegu A, Qin S, Fallert Junecko BA, Nisato RE, Pepper MS, Reinhart TA. Human Lymphatic Endothelial Cells Express Multiple Functional TLRs. *J Immunol.* 2008 Mar 1;180(5):3399-405.
11. Sawa Y, Tsuruga E, Iwasawa K, Ishikawa H, Yoshida S. Leukocyte adhesion molecule and chemokine production through lipoteichoic acid recognition by toll-like receptor 2 in cultured human lymphatic endothelium. *Cell Tissue Res.* 2008 Aug;333(2):237-52.
12. Sawa Y, Ueki T, Hata M, Iwasawa K, Tsuruga E, Kojima H, Ishikawa H, Yoshida S. LPS-induced IL-6, IL-8, VCAM-1, and ICAM-1 expression in human lymphatic endothelium. *J Histochem Cytochem.* 2008 Feb;56(2):97-109.
13. Seandel M, Butler JM, Kobayashi H, Hooper AT, White IA, Zhang F, Vertes EL, Kobayashi M, Zhang Y, Shmelkov SV, Hackett NR, Rabbany S, Boyer JL, Rafii S. Generation of a functional and durable vascular niche by the adenoviral E4ORF1 gene. *Proc Natl Acad Sci U S A.* 2008 Dec 9;105(49):19288-93.
14. Yoon CM, Hong BS, Moon HG, Lim S, Suh PG, Kim YK, Chae CB, Gho YS. Sphingosine-1-phosphate promotes lymphangiogenesis by stimulating S1P1/Gi/PLC/Ca2+ signaling pathways. *Blood.* 2008 Aug 15;112(4):1129-38.

HMVEC-dBI

1. Mulligan-Kehoe MJ, Drinane MC, Mollmark J, Casciola-Rosen L, Hummers LK, Hall A, Rosen A, Wigley FM, Simons M. Antiangiogenic plasma activity in patients with systemic sclerosis. *Arthritis Rheum.* 2007 Oct;56(10):3448-58.
2. Padera TP, Kuo AH, Hoshida T, Liao S, Lobo J, Kozak KR, Fukumura D, Jain RK. Differential response of primary tumor versus lymphatic metastasis to VEGFR-2 and VEGFR-3 kinase inhibitors cediranib and vandetanib. *Mol Cancer Ther.* 2008 Aug; 7(8):2272-9.

HMVEC-C

1. Bone DB, Hammond JR. Nucleoside and nucleobase transporters of primary human cardiac microvascular endothelial cells: characterization of a novel nucleobase transporter. *Am J Physiol Heart Circ Physiol.* 2007 Dec;293(6):H3325-32.
2. Dabbas S, Kaushik RR, Dandamudi S, Kuesters GM, Campbell RB. Importance of the liposomal cationic lipid content and type in tumor vascular targeting: physicochemical characterization and in vitro studies using human primary and transformed endothelial cells. *Endothelium.* 2008 Jul-Aug;15(4):189-201.

3. Finetti F, Solito R, Morbidelli L, Giachetti A, Ziche M, Donnini S. Prostaglandin E2 regulates angiogenesis via activation of fibroblast growth factor receptor-1. *J Biol Chem.* 2008 Jan 25;283(4):2139-46.
4. Lehle K, Schreml S, Kunz-Schughart LA, Rupprecht L, Birnbaum DE, Schmid C, Preuner JG. mTOR inhibitors and calcineurin inhibitors do not affect adhesion molecule expression of human macro- and microvascular endothelial cells. *J Vasc Res.* 2008;45(4):333-42.
5. Ryzhov S, Solenkova NV, Goldstein AE, Lamparter M, Fleenor T, Young PP, Greelish JP, Byrne JG, Vaughan DE, Biaggioni I, Hatzopoulos AK, Feoktistov I. Adenosine receptor-mediated adhesion of endothelial progenitors to cardiac microvascular endothelial cells. *Circ Res.* 2008 Feb 15;102(3):356-63.
6. Santos SC, Miguel C, Domingues I, Calado A, Zhu Z, Wu Y, Dias S. VEGF and VEGFR-2 (KDR) internalization is required for endothelial recovery during wound healing. *Exp Cell Res.* 2007 May 1;313(8):1561-74.
7. Santos SC, Vala I, Miguel C, Barata JT, Garção P, Agostinho P, Mendes M, Coelho AV, Calado A, Oliveira CR, e Silva JM, Saldanha C. Expression and subcellular localization of a novel nuclear acetylcholinesterase protein. *J Biol Chem.* 2007 Aug 31;282(35):25597-603.
8. Urbich C, Mallat Z, Tedgui A, Clauss M, Zeiher AM, Dimmeler S. Upregulation of TRAF-3 by shear stress blocks CD40-mediated endothelial activation. *J Clin Invest.* 2001 Nov;108(10):1451-8.
9. migration and adhesion to endothelium. *Biochim Biophys Acta.* 1999 Oct 13;1452(1):36-45.
4. Edlund M, Andersson E, Fried G. Progesterone withdrawal causes endothelin release from cultured human uterine microvascular endothelial cells. *Hum Reprod.* 2004 Jun;19(6):1272-80.
5. Enders AC, Meyers S, Vandevoort CA, Douglas GC. Interactions of macaque blastocysts with epithelial cells in vitro. *Hum Reprod.* 2005 Nov;20(11):3026-32.
6. Isaacson MK, Feire AL, Compton T. Epidermal growth factor receptor is not required for human cytomegalovirus entry or signaling. *J Virol.* 2007 Jun;81(12):6241-7.
7. Norgall S, Papoutsi M, Rössler J, Schweigerer L, Wilting J, Weich HA. Elevated expression of VEGFR-3 in lymphatic endothelial cells from lymphangiomas. *BMC Cancer.* 2007 Jun 21; 7: 105.
8. Robinson NJ, Wareing M, Hudson NK, Blankley RT, Baker PN, Aplin JD, Crocker IP. Oxygen and the liberation of placental factors responsible for vascular compromise. *Lab Invest.* 2008 Mar;88(3):293-305.
9. Soghomonians A, Barakat AI, Thirkill TL, Douglas GC. Trophoblast migration under flow is regulated by endothelial cells. *Biol Reprod.* 2005 Jul;73(1):14-9.
10. Soghomonians A, Thirkill TL, Mariano NF, Barakat AI, Douglas GC. Effect of aqueous tobacco smoke extract and shear stress on PECAM-1 expression and cell motility in human uterine endothelial cells. *Toxicol Sci.* 2004 Oct;81(2):408-18.

UtMVEC-Myo

1. Albrecht ED, Babischkin JS, Lidor Y, Anderson LD, Udoff LC, Pepe GJ. Effect of estrogen on angiogenesis in co-cultures of human endometrial cells and microvascular endothelial cells. *Hum Reprod.* 2003 Oct;18(10):2039-47.
2. Clarke PA, Dickson JH, Harris JC, Grabowska A, Watson SA. Gastrin enhances the angiogenic potential of endothelial cells via modulation of heparin-binding epidermal-like growth factor. *Cancer Res.* 2006 Apr 1;66(7):3504-12.
3. Douglas GC, Thirkill TL, Blankenship TN. Vitronectin receptors are expressed by macaque trophoblast cells and play a role in
11. Tabata T, Kawakatsu H, Maidji E, Sakai T, Sakai K, Fang-Hoover J, Aiba M, Sheppard D, Pereira L. Induction of an epithelial integrin alpha v beta 6 in human cytomegalovirus-infected endothelial cells leads to activation of transforming growth factor-beta1 and increased collagen production. *Am J Pathol.* 2008 Apr;172(4):1127-40.
12. Thirkill TL, Hendren SR, Soghomonians A, Mariano NF, Barakat AI, Douglas GC. Regulation of trophoblast beta1-integrin expression by contact with endothelial cells. *Cell Commun Signal.* 2004 Jun 9;2(1):4.
13. Yamamoto-Tabata T, McDonagh S, Chang HT, Fisher S, Pereira L. Human

cytomegalovirus interleukin-10
downregulates metalloproteinase activity
and impairs endothelial cell migration and
placental cytotrophoblast invasiveness in
vitro. J Virol. 2004 Mar;78(6):2831-40.

* References not specifically citing the use of Lonza cells, media,
or reagents in their research.

+ Denotes sections containing only the articles published within
the last ten years.