

Product References

Clonetics® Fibroblast Cells

Cells

General/Multiple Fibroblast Cell Types

1. Roomi MW, Monterrey JC, Kalinovsky T, Rath M, Niedzwiecki A. Distinct patterns of matrix metalloproteinase-2 and -9 expression in normal human cell lines. *Oncol Rep.* 2009 Mar; 21(3):821-6.

AoAF

1. Gilbertson DG, Duff ME, West JW, Kelly JD, Sheppard PO, Hofstrand PD, Gao Z, Shoemaker K, Bukowski TR, Moore M, Feldhaus AL, Humes JM, Palmer TE, Hart CE. Platelet-derived growth factor C (PDGF-C), a novel growth factor that binds to PDGF α and β receptor. *J Biol Chem.* 2001 Jul 20; 276(29): 27408-14.
2. McLean K, Schirm S, Johns A, Morser J, Light DR. FXa-induced responses in vascular wall cells are PAR-mediated and inhibited by ZK-807834. *Thromb Res.* 2001 Aug 15;103(4):281-97.
3. Naveau A, Reinald N, Fournier B, Durand E, Lafont A, Coulomb B, Gogly B. Gingival fibroblasts inhibit MMP-1 and MMP-3 activities in an ex-vivo artery model. *Connect Tissue Res.* 2007;48(6):300-8.
4. Nie T, Akins RE Jr, Kiick KL. Production of heparin-containing hydrogels for modulating cell responses. *Acta Biomater.* 2009 Mar;5(3):865-75.

HPdLF

1. Egusa H, Kaneda Y, Akashi Y, Hamada Y, Matsumoto T, Saeki M, Thakor DK, Tabata Y, Matsuura N, Yatani H. Enhanced bone regeneration via multimodal actions of synthetic peptide SVVYGLR on osteoprogenitors and osteoclasts. *Biomaterials.* 2009 Sep;30(27):4676-86.

2. Hiraga T, Ninomiya T, Hosoya A, Takahashi M, Nakamura H. Formation of bone-like mineralized matrix by periodontal ligament cells in vivo: a morphological study in rats. *J Bone Miner Metab.* 2009; 27(2):149-57.
3. Johnson DL, Carnes D, Steffensen B, Cochran DL. Cellular Effects of Enamel Matrix Derivative Are Associated With Different Molecular Weight Fractions Following Separation by Size-Exclusion Chromatography. *Journal of Periodontology.* 2009; 80 (4): 648-656.
4. Nagata S, Nozaki T, Ohura K, Daito. Analysis of Gene Expression during Differentiation Induction of Normal Human Periodontal Ligament Cells into an Osteoblast Lineage. *Journal of Oral Tissue Engineering.* 2008; 6 (2): 88-96.
5. Walter C, Klein MO, Pabst A, Al-Nawas B, Duschner H, Ziebart T. Influence of bisphosphonates on endothelial cells, fibroblasts, and Osteogenic cells. *Clin Oral Investig.* 2009 Mar 18.

NHDF⁺

1. Abruzzo T, Tun T, Sambanis A. Efficient transmicrocatheter delivery of functional fibroblasts with a bioengineered collagen gel-platinum microcoil complex: toward the development of endovascular cell therapy for cerebral aneurysms. *AJNR Am J Neuroradiol.* 2007 Sep;28(8):1586-93.
2. Alikhani M, MacLellan CM, Raptis M, Vora S, Trackman PC, Graves DT. Advanced glycation end products induce apoptosis in fibroblasts through activation of ROS, MAP kinases, and the FOXO1 transcription factor. *Am J Physiol Cell Physiol.* 2007 Feb;292(2):C850-6.
3. Allen C, Vongpunsawad S, Nakamura T, James CD, Schroeder M, Cattaneo R, Giannini C, Krempski J, Peng KW, Goble JM, Uhm JH, Russell SJ, Galanis E.

- Retargeted oncolytic measles strains entering via the EGFRvIII receptor maintain significant antitumor activity against gliomas with increased tumor specificity. *Cancer Res.* 2006; 66(24):11840-50.
4. Anderson BD, Nakamura T, Russell SJ, Peng K-W. High CD46 receptor density determines preferential killing of tumor cells by oncolytic measles virus. *Canc Res.* 2004 Jul 15; 64: 4919-26.
 5. Arlian LG, Morgan MS, Peterson KT. House Dust and Storage Mite Extracts Influence Skin Keratinocyte and Fibroblast Function. *Int Arch Allergy Immunol.* 2007 Aug 17;145(1):33-42 [Epub ahead of print]
 6. Arnold, SJ, Osvath SR, Hall RA, King NJC, Sedger LM. Regulation of antigen processing and presentation molecules in West Nile virus-infected human skin fibroblasts. *Virol.* 2004; 324: 286-96.
 7. Bader RA. Synthesis and viscoelastic characterization of novel hydrogels generated via photopolymerization of 1,2-epoxy-5-hexene modified poly(vinyl alcohol) for use in tissue replacement. *Acta Biomater.* 2008 Jul;4(4):967-75.
 8. Bae JY, Choi JS, Choi YJ, Shin SY, Kang SW, Han SJ, Kang YH. (-)Epigallocatechin gallate hampers collagen destruction and collagenase activation in ultraviolet-B-irradiated human dermal fibroblasts: involvement of mitogen-activated protein kinase. *Food Chem Toxicol.* 2008 Apr;46(4):1298-307.
 9. Baird IS, Yau AY, Mann BK. Mammalian cell-seeded hydrogel microarrays printed via dip-pin technology. *Biotechniques.* 2008 Feb;44(2):249-56.
 10. Banas A, Teratani T, Yamamoto Y, Tokuhara M, Takeshita F, Osaki M, Kawamata M, Kato T, Okochi H, Ochiya T. IFATS collection: in vivo therapeutic potential of human adipose tissue mesenchymal stem cells after transplantation into mice with liver injury. *Stem Cells.* 2008 Oct;26(10):2705-12.
 11. Barberi T, Willis LM, Soccia ND, Studer L. Derivation of multipotent mesenchymal precursors from human embryonic stem cells. *PloS Med.* 2005 Jun; 2(6): e161.
 12. Becker JL, Blanchard DK. Characterization of primary breast carcinomas grown in three-dimensional cultures. *J Surg Res.* 2007 Oct;142(2):256-62.
 13. Bernier SG, Lazarus DD, Clark E, Doyle B, Labenski MT, Thompson CD, Westlin WF, Hannig G. A methionine aminopeptidase-2 inhibitor, PPI-2458, for the treatment of rheumatoid arthritis. *PNAS.* 2004 Jul 20; 101(29): 10768-73.
 14. Boehme KW, Guerrero M, Compton T. Human cytomegalovirus envelope glycoproteins B and H are necessary for TLR2 activation in permissive cells. *J Immunol.* 2006; 177(10):7094-102.
 15. Chen Y, Wei T, Yan L, Lawrence F, Qian HR, Burkholder TP, Starling JJ, Yingling JM, Shou J. Developing and applying a gene functional association network for anti-angiogenic kinase inhibitor activity assessment in an angiogenesis co-culture model. *BMC Genomics.* 2008 Jun 2;9:264.
 16. Crabb SJ, Howell M, Rogers H, Ishfaq M, Yurek-George A, Carey K, Pickering BM, East P, Mitter R, Maeda S, Johnson PW, Townsend P, Shin-ya K, Yoshida M, Ganesan A, Packham G. Characterisation of the in vitro activity of the depsipeptide histone deacetylase inhibitor spiruchostatin A. *Biochem Pharmacol.* 2008 Aug 15;76(4):463-75.
 17. Dabiri G, Tumbarello DA, Turner CE, Van De Water L. TGF-beta1 Slows the Growth of Pathogenic Myofibroblasts through a Mechanism Requiring the Focal Adhesion Protein, Hic-5. *J Invest Dermatol.* 2007 Aug 2; [Epub ahead of print]
 18. DeCarlo AA, Cohen JA, Aguado A, Glenn B. Isolation and characterization of human gingival microvascular endothelial cells. *J Periodontal Res.* 2008 Apr;43(2):246-54.
 19. Degistirici O, Jäger M, Knipper A. Applicability of cord blood-derived unrestricted somatic stem cells in tissue engineering concepts. *Cell Prolif.* 2008 Jun;41(3):421-40.
 20. Devireddy RV, Neidert MR, Bischof JC, Tranquillo RT. Cryopreservation of collagen-based tissue equivalents. II. Effects of freezing in the absence of Cryoprotective agents. *Tiss Engineer.* 2003 Dec; 9(6): 1089-1100.
 21. Dietzen DJ, Page KL, Tetzloff TA, Bohrer A, Turk J. Inhibition of 3-hydroxy-3-methylglutaryl coenzyme A (HMG CoA) reductase blunts factor VIIa/tissue factor and prothrombinase activities via effects on membrane phosphatidylserine. *Arterioscler Thromb Vasc Biol.* 2007 Mar;27(3):690-6.
 22. Droga-Mazovec G, Bojic L, Petelin A, Ivanova S, Romih R, Repnik U, Salvesen GS, Stoka V, Turk V, Turk B. Cysteine cathepsins trigger caspase-dependent cell death through cleavage of bid and

- antiapoptotic Bcl-2 homologues. *J Biol Chem.* 2008 Jul 4;283(27):19140-50.
23. Felty Q, Porther N. Estrogen-induced redox sensitive Id3 signaling controls the growth of vascular cells. *Atherosclerosis.* 2008 May;198(1):12-21.
24. Friis T, Engel A-M, Klein BM, Rygaard J, Houn G. Levamisole inhibits angiogenesis in vitro and tumor growth in vivo. *Angiogen.* 2005 Mar; 8(1): 25-34.
25. Gendron KB, Hockstein NG, Thaler ER, Vachani A, Hanson CW. In vitro discrimination of tumor cell lines with an electronic nose. *Otolaryngol Head Neck Surg.* 2007 Aug;137(2):269-73.
26. Ghosh K, Pan Z, Guan E, Ge S, Liu Y, Nakamura T, Ren XD, Rafailovich M, Clark RA. Cell adaptation to a physiologically relevant ECM mimic with different viscoelastic properties. *Biomaterials.* 2007 Feb;28(4):671-9.
27. Gobin AS, Rhea R, Newman RA, Mathur AB. Silk-fibroin-coated liposome for long-term and targeted drug delivery. *Int J Nanomed.* 2006 Jan; 1(1): 81-8.
28. Greene AH, Bumgardner JD, Yang Y, Moseley J, Haggard WO. Chitosan-coated stainless steel screws for fixation in contaminated fractures. *Clin Orthop Relat Res.* 2008 Jul;466(7):1699-704.
29. Grey F, Meyers H, White EA, Spector DH, Nelson J. A Human Cytomegalovirus-Encoded microRNA Regulates Expression of Multiple Viral Genes Involved in Replication. *PLoS Pathog.* 2007 Nov 2;3(11):e163 [Epub ahead of print]
30. Guo Y, Xie J, Rubin E, Tang YX, Lin F, Zi X, Hoang BH. Frzb, a secreted Wnt antagonist, decreases growth and invasiveness of fibrosarcoma cells associated with inhibition of Met signaling. *Cancer Res.* 2008 May 1;68(9):3350-60.
31. Hasegawa K, Pham L, O'Connor MK, Federspiel MJ, Russell SJ, Peng K-W. Dual therapy of ovarian cancer using measles viruses expressing carcinoembryonic antigen and sodium iodide symporter. *Clinic Canc Res.* 2006 Mar; 12: 1868-75.
32. Hénault J, Robitaille G, Senécal J-L, Raymond Y. DNA topoisomerase I binding to fibroblasts induces monocyte adhesion and activation in the presence of anti-topoisomerase I autoantibodies from systemic sclerosis patients. *Arthritis Rheumat.* 2006; 54(3): 963-73.
33. Henke E, Perk J, Vider J, de Candia P, Chin Y, Solit DB, Ponomarev V, Cartegni L, Manova K, Rosen N, Benezra R. Peptide-conjugated antisense oligonucleotides for targeted inhibition of a transcriptional regulator in vivo. *Nat Biotechnol.* 2008 Jan;26(1):91-100.
34. Isaacson MK, Feire AL, Compton T. Epidermal growth factor receptor is not required for human cytomegalovirus entry or signaling. *J Virol.* 2007 Jun;81(12):6241-7.
35. Iuso A, Scacco S, Piccoli C, Bellomo F, Petruzzella V, Trentadue R, Minuto M, Ripoli M, Capitanio N, Zeviani M, Papa S. Dysfunctions of cellular oxidative metabolism in patients with mutations in the NDUFS1 and NDUFS4 genes of complex I. *J Biol Chem.* 2006 Apr 14; 281(15): 10374-80.
36. Joyner DE, Albritton KH, Bastar JD, Randall RL. G3139 antisense oligonucleotide directed against antiapoptotic Bcl-2 enhances doxorubicin cytotoxicity in the FU-SY-1 synovial sarcoma cell line. *J Orthopaed Res.* 2006; 24(3): 474-80.
37. Joyner DE, Bastar JD, Randall RL. Doxorubicin induces cell senescence preferentially over apoptosis in the FU-SY-1 synovial sarcoma cell line. *J Orthop Res.* 2006; 24(6):1163-9.
38. Joyner DE, Damron TA, Aboulafia A, Bokor W, Bastar JD, Randall RL. Heterogeneous expression of melanoma antigen (hMAGE) mRNA in mesenchymal neoplasia. *Tissue Antigens.* 2006 Jul;68(1):19-27.
39. Joyner DE, Wade ML, Szabo A, Bastar J, Coffin CM, Albritton KH, Bernard PS, Randall RL. Discriminate gene lists derived from cDNA microarray profiles of limited samples permit distinguishing mesenchymal neoplasia ex vivo. *J Canc Res Clinic Oncol.* 2005 Mar; 131(3): 137-46.
40. Juckem LK, Boehme KW, Feire AL, Compton T. Differential initiation of innate immune responses induced by human cytomegalovirus entry into fibroblast cells. *J Immunol.* 2008 Apr 1;180(7):4965-77.
41. Kidokoro T, Tanikawa C, Furukawa Y, Katagiri T, Nakamura Y, Matsuda K. CDC20, a potential cancer therapeutic target, is negatively regulated by p53. *Oncogene.* 2007 Sep 17; [Epub ahead of print]
42. Kou I, Ikegawa S. SOX9-dependent and – independent transcriptional regulation of human cartilage link protein. *J Biol Chem.* 2004; 279(49): 50942-8.
43. Koyama K, Ozawa T, Hatsushika K, Ando T, Takano S, Wako M, Suenaga F, Ohnuma Y,

- Ohba T, Katoh R, Sugiyama H, Hamada Y, Ogawa H, Okumura K, Nakao A. A possible role for TSLP in inflammatory arthritis. *Biochem Biophys Res Commun.* 2007 May 25;357(1):99-104.
44. Kubo S, Seleme MC, Soifer HS, Perez JL, Moran JV, Kazazian HH, Kasahara N. L1 retrotransposition in nondividing and primary human somatic cells. *Proc Natl Acad Sci U S A.* 2006 May 23; 103(21):8036-41.
45. Lam V, Boehme KW, Compton T, Yin J. Spatial patterns of protein expression in focal infections of human cytomegalovirus. *Biotechnol Bioeng.* 2006 Apr 20;93(6):1029-39.
46. Lee SH, Moon JJ, West JL. Three-dimensional micropatterning of bioactive hydrogels via two-photon laser scanning photolithography for guided 3D cell migration. *Biomaterials.* 2008 Jul;29(20):2962-8.
47. Lelièvre E, Hinek A, Lupu F, Buquet C, Soncin F, Mattot V. VE-statin/egf17 regulates vascular elastogenesis by interacting with lysyl oxidases. *EMBO J.* 2008 Jun 18;27(12):1658-70.
48. Lowry WE, Richter L, Yachechko R, Pyle AD, Tchieu J, Sridharan R, Clark AT, Plath K. Generation of human induced pluripotent stem cells from dermal fibroblasts. *Proc Natl Acad Sci U S A.* 2008 Feb 26;105(8):2883-8.
49. McMillan JR, Akiyama M, Tanaka M, Yamamoto S, Goto M, Abe R, Sawamura D, Shimomura M, Shimizu H. Small-diameter porous poly (epsilon-caprolactone) films enhance adhesion and growth of human cultured epidermal keratinocyte and dermal fibroblast cells. *Tissue Eng.* 2007 Apr;13(4):789-98.
50. Mirastschijski U, Konrad D, Lundberg E, Lyngstadaas SP, Jorgensen LN, Agren MS. Effects of a topical enamel matrix derivative on skin wound healing. *Wound Rep Regener.* 2004 Jan; 12(1): 100-8.
51. Mishima Y, Terui Y, Sugimura N, Matsumoto-Mishima Y, Rokudai A, Kuniyoshi R, Hatake K. Continuous treatment of bestatin induces anti-angiogenic property in endothelial cells. *Cancer Sci.* 2007 Mar; 98(3):364-72.
52. Mukherjee A, Westwell AD, Bradshaw TD, Stevens MFG, Carmichael J, Martin SG. Cytotoxic and antiangiogenic activity of AW464 (NSC 706704), a novel thioredoxin inhibitor: an *in vitro* study. 2005; *Br J Canc.* 92: 350-8.
53. Njauw CN, Yuan H, Zheng L, Yao M, Martins-Green M. Origin of periendothelial cells in microvessels derived from human microvascular endothelial cells. *Int J Biochem Cell Biol.* 2008;40(4):710-20.
54. Nonomura Y, Nagasaka K, Hagiya H, Sekine C, Nanki T, Tamamori-Adachi M, Miyasaka N, Kohsaka H. Direct modulation of rheumatoid inflammatory mediator expression in retinoblastoma protein-dependent and -independent pathways by cyclin-dependent kinase 4/6. *Arthritis Rheum.* 2006 Jul;54(7):2074-83.
55. Ochi N, Matsuo Y, Sawai H, Yasuda A, Takahashi H, Sato M, Funahashi H, Okada Y, Manabe T. Vascular endothelial growth factor-C secreted by pancreatic cancer cell line promotes lymphatic endothelial cell migration in an *in vitro* model of tumor lymphangiogenesis. *Pancreas.* 2007 May;34(4):444-51.
56. Ohba S, Ikeda T, Kugimiya F, Yano F, Lichtler AC, Nakamura K, Takato T, Kawaguchi H, Chung UI. Identification of a potent combination of osteogenic genes for bone regeneration using embryonic stem (ES) cell-based sensor. *FASEB J.* 2007 Jun;21(8):1777-87.
57. Ohba S, Nakajima K, Komiyama Y, Kugimiya F, Igawa K, Itaka K, Moro T, Nakamura K, Kawaguchi H, Takato T, Chung UI. A novel osteogenic helioxanthin-derivative acts in a BMP-dependent manner. *Biochem Biophys Res Commun.* 2007 Jun 15;357(4):854-60.
58. Pivarcsi A, Gombert M, Dieu-Nosjean M-C, Lauerman A, Kubitzka R, Meller S, Ricker J, Muller A, Da Cunha L, Haahtela A, Sonkoly E, Fridman W-H, Alenius H, Kemeny L, Ruzicka T, Zlotnik A, Homey B. CC chemokine Ligand 18, an atopic dermatitis-associated and dendritic cell-derived chemokine, is regulated by staphylococcal products and allergen exposure. *J Immuno.* 2005; 173: 5810-7.
59. Polverino A, Coxon A, Starnes C, Diaz Z, Demelfi T, Wang L, Bready J, Estrada J, Cattley R, Kaufman S, Chen D, Gan Y, Kumar G, Meyer J, Neervannan S, Alva G, Talvenheimo J, Montestruque S, Tasker A, Patel V, Radinsky R, Kendall R. AMG 706, an Oral, Multikinase Inhibitor that Selectively Targets Vascular Endothelial Growth Factor, Platelet-Derived Growth Factor, and Kit Receptors, Potently Inhibits Angiogenesis and Induces Regression in Tumor

- Xenografts. *Cancer Res.* 2006 Sep 1; 66(17):8715-21.
60. Ravelojaona V, Robert AM, Robert L, Renard G. Collagen biosynthesis in cell culture: Comparison of corneal keratocytes and skin fibroblasts Effect of rhamnose-rich oligo- and polysaccharides. *Pathol Biol (Paris)*. 2008 Mar;56(2):66-9.
61. Renaud S, Pugacheva EM, Delgado MD, Braunschweig R, Abdullaev Z, Loukinov D, Benhattar J, Lobanenkov V. Expression of the CTCF-paralogous cancer-testis gene, brother of the regulator of imprinted sites (BORIS), is regulated by three alternative promoters modulated by CpG methylation and by CTCF and p53 transcription factors. *Nucleic Acids Res.* 2007 Oct 25; [Epub ahead of print]
62. Robichaux Viehoever A, Anderson D, Jansen D, Mahadevan-Jansen A. Organotypic raft cultures as an effective in vitro tool for understanding raman spectral analysis of tissue. *Photochem Photobiol*. 2003; 78: 517-24.
63. Robinson PS, Johnson SL, Evans MC, Barocas VH, Tranquillo RT. Functional Tissue-Engineered Valves from Cell-Remodeled Fibrin with Commissural Alignment of Cell-Produced Collagen. *Tissue Eng.* 2007 Dec 19.
64. Rubins KH, Hensley LE, Bell GW, Wang C, Lefkowitz EJ, Brown PO, Relman DA. Comparative analysis of viral gene expression programs during poxvirus infection: a transcriptional map of the vaccinia and monkeypox genomes. *PLoS ONE*. 2008 Jul 9;3(7):e2628.
65. Sachse C, Krausz E, Krönke A, Hannus M, Walsh A, Grabner A, Ovcharenko D, Dorris D, Trudel C, Sönnichsen B, Echeverri CJ. High-throughput RNA interference strategies for target discovery and validation by using synthetic short interfering RNAs: functional genomics investigations of biological pathways. *Meth Enzymol*. 2005; 392.
66. Sadat S, Gehmert S, Song YH, Yen Y, Bai X, Gaiser S, Klein H, Alt E. The cardioprotective effect of mesenchymal stem cells is mediated by IGF-I and VEGF. *Biochem Biophys Res Commun*. 2007 Nov 23;363(3):674-9.
67. Sánchez R, Mohr I. Inhibition of cellular 2'-5' oligoadenylate synthetase by the herpes simplex virus type 1 Us11 protein. *J Virol*. 2007 Apr;81(7):3455-64.
68. Schutyser E, Struyf S, Wuyts A, Out W, Geboes K, Grillet B, Opdenakker G, Van Damme J. Selective induction of CCL18/PARC by staphylococcal enterotoxins in mononuclear cells and enhanced levels in septic and rheumatoid arthritis. 2001; 31(12): 2755-62.
69. Segura T, Schmokel H, Hubbell JA. RNA interference targeting hypoxia inducible factor 1alpha reduces post-operative adhesions in rats. *J Surg Res*. 2007 Aug;141(2):162-70.
70. Subramaniam K, Pech CM, Stacey MC, Wallace HJ. Induction of MMP-1, MMP-3 and TIMP-1 in normal dermal fibroblasts by chronic venous leg ulcer wound fluid. *Int Wound J*. 2008 Mar;5(1):79-86.
71. Suzuki C, Daigo Y, Kikuchi T, Katagiri T, Nakamura Y. Identification of COX17 as a therapeutic target for non-small cell lung cancer. *Canc Res*. 2003; 63: 7038-41.
72. Takizawa T, Anderson CL, Robinson JM. A novel FcγR-defined, IgG-containing organelle in placental endothelium. *J Immunol*. 2005; 175: 2331-9.
73. Tang W, Chang SB, Hemler ME. Links between CD147 function, glycosylation, and caveolin-1. *Mol Biol Cell*. 2004 Sep; 15: 4043-50.
74. Tang W, Hemler ME. Caveolin-1 regulates matrix metalloproteinases-1 induction and CD147/EMMPRIN cell surface clustering. *J Biol Chem*. 2004 Mar 19; 279(12): 11112-8.
75. Walsh D, Mohr I. Assembly of an active translation initiation factor complex by a viral protein. *Genes Dev*. 2006 Feb 15; 20(4): 461-72.
76. Wang C, Gong Y, Lin Y, Shen J, Wang DA. A novel gellan gel-based microcarrier for anchorage-dependent cell delivery. *Acta Biomater*. 2008 Sep;4(5):1226-34.
77. Watson JL, Hill R, Lee PW, Giacomantonio CA, Hoskin DW. Curcumin induces apoptosis in HCT-116 human colon cancer cells in a p21-independent manner. *Exp Mol Pathol*. 2008 Jun;84(3):230-3.
78. Yang H, Kao WJ. Synthesis and characterization of nanoscale dendritic RGD clusters for potential applications in tissue engineering and drug delivery. *Int J Nanomedicine*. 2007;2(1):89-99.
79. Zhang Y, Lehman JM, Petti LM. Apoptosis of mortal human fibroblasts transformed by the bovine papillomavirus E5 oncoprotein. *AACR*. 2002; 1: 122-36.
80. Zhao H, Alexeev A, Chang E, Greenburg G, Bojanowski K. *Lycium barbarum* glycoconjugates: effect on human skin and

- cultured dermal fibroblasts. *Phytomed.* 2005; 12: 131-7.
81. Zhao H, Alexeev A, Sharma V, Guzman LD, Bojanowski K. Effect of SBD.4A--a defined multicomponent preparation of Angelica sinensis--in periodontal regeneration models. *Phytother Res.* 2008 Jul;22(7):923-8.
- NHLF**
1. Budinger GRS, Chandel NS, Donnelly HK, Eisenbart J, Oberoi M, Jain M. Active transforming growth factor- β 1 activates the procollagen I promoter in patients with acute lung injury. *Intensive Care Med.* 2005 Jan; 31(1): 121-8.
 2. Capetandes A, Zhuang M, Haque FN, Xie L, Frieri M. Vascular endothelial growth factor is increased by human pulmonary cells stimulated with Dermatophagoides sp. extract. *Allergy Asthma Proc.* 2007 May-Jun;28(3):324-30.
 3. Du HY, Olivo M, Mahendran R, Huang Q, Shen HM, Ong CN, Bay BH. Hypericin photoactivation triggers down-regulation of matrix metalloproteinase-9 expression in well-differentiated human nasopharyngeal cancer cells. *Cell Mol Life Sci.* 2007 Apr;64(7-8):979-88.
 4. Dunkern TR, Feurstein D, Rossi GA, Sabatini F, Hatzelmann A. Inhibition of TGF-beta induced lung fibroblast to myofibroblast conversion by phosphodiesterase inhibiting drugs and activators of soluble guanylyl cyclase. *Eur J Pharmacol.* 2007 Oct 15;572(1):12-22.
 5. Fitzgerald SM, Chi DS, Hall HK, Reynolds SA, Aramide O, Lee SA, Krishnaswamy G. GM-CDF induction in human lung fibroblasts by IL-1 β , TNF- α , and macrophage contact. *J Interferon & Cytokine Res.* 2003 Feb; 23(2): 57-65.
 6. Frieri M, Capetandes A. The effect of enantiomers of beta-agonists on myofibroblast-derived vascular endothelial growth factor and other matrix components in the presence of dust-mite extract. *Allergy Asthma Proc.* 2008 Mar-Apr;29(2):182-8.
 7. Fukazawa T, Maeda Y, Durbin ML, Nakai T, Matsuoka J, Tanaka H, Naomoto Y, Tanaka N. Pulmonary adenocarcinoma-targeted gene therapy by a cancer- and tissue-specific promoter system. *Mol Cancer Ther.* 2007 Jan; 6(1):244-52.
 8. Fukazawa T, Maeda Y, Sladek FM, Owen-Schaub LB. Development of a cancer-targeted tissue-specific promoter system. *Canc Res.* 2004 Jan 1; 64: 363-9.
 9. Horak CE, Lee JH, Elkahloun AG, Boissan M, Dumont S, Maga TK, Arnaud-Dabernat S, Palmieri D, Stetler-Stevenson WG, Lacombe ML, Meltzer PS, Steeg PS. Nm23-H1 suppresses tumor cell motility by down-regulating the lysophosphatidic acid receptor EDG2. *Cancer Res.* 2007 Aug 1;67(15):7238-46.
 10. Isumi Y, Minamino N, Katafuchi T, Yoshioka M, Tsuji T, Kangawa K, Matsuo H. Adrenomedullin production in fibroblasts: its possible function as a growth regulator of swiss 3T3 cells. *Endocrinol.* 1998; 139(5): 2552-63.
 11. Iwamoto LM, Fujiwara N, Nakamura KT, Wada RK. Na-K-Cl cotransporter inhibition impairs human lung cellular proliferation. *Am J Physiol Lung Cell Mol Physiol.* 2004; 287: L510-4.
 12. Kagawa S, He C, Gu J, Koch P, Rha S-J, Roth JA, Curley SA, Stephens LC, Fang B. Antitumor activity and bystander effects of the tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) gene. *Canc Res.* 2001 Apr 15; 61: 3330-8.
 13. Kolodick JE, Peters-Golden M, Larios J, Toews GB, Thannickal VJ, Moore BB. Prostaglandin E₂ inhibits fibroblast to myofibroblast transition via E. prostanoid receptor 2 signaling and cyclic adenosine monophosphate elevation. *Am J Respir Cell Mol Biol.* 29: 537-44.
 14. Königs M, Lenczyk M, Schwerdt G, Holzinger H, Gekle M, Humpf HU. Cytotoxicity, metabolism and cellular uptake of the mycotoxin deoxynivalenol in human proximal tubule cells and lung fibroblasts in primary culture. *Toxicology.* 2007 Oct 30;240(1-2):48-59.
 15. Krishna G, Liu K, Shigemitsu H, Gao M, Raffin TA, Rosen GD. PG490-88, a derivative of triptolide, blocks bleomycin-induced lung fibroblasts. *Am J Pathol.* 2001 Mar; 158(3): 997-1004.
 16. Lee JH, Kaminski N, Dolganov G, Grunin G, Koth L, Soloman C, Erle DJ, Sheppard D. Interleukin-13 induces dramatically different transcriptional programs in three human airway cell types. *Am J Respir Cell Mol Biol.* 2001; 25L 474-85.

17. Maneva-Radicheva L, Ebert U, Dimoudis N, Altankov G. Fibroblast remodeling of adsorbed collagen type IV is altered in contact with cancer cells. *Histol Histopathol.* 2008 Jul;23(7):833-42.
18. Mishra A, Wang M, Schlotman J, Nikolaidis NM, DeBrosse CW, Karow ML, Rothenberg ME. Resistin-like molecule-beta is an allergen-induced cytokine with inflammatory and remodeling activity in the murine lung. *Am J Physiol Lung Cell Mol Physiol.* 2007 Aug;293(2):L305-13.
19. Moorman JP, Fitzgerald SM, Prayther DC, Lee SA, Chi DS, Krishnaswamy G. Induction of p38- and gClqR-dependent IL-8 expression in pulmonary fibroblasts by soluble hepatitis C core protein. *Respir Res.* 2005 Sep 15; 6: 105-16.
20. Nakayama S, Mukae H, Sakamoto N, Kakugawa T, Yoshioka S, Soda H, Oku H, Urata Y, Kondo T, Kubota H, Nagata K, Kohno S. Pirfenidone inhibits the expression of HSP47 in TGF-beta1-stimulated human lung fibroblasts. *Life Sci.* 2008 Jan 16;82(3-4):210-7.
21. Ponnaiya B, Jenkins-Baker G, Randers-Pferson G, Geard CR. Quantifying a bystander response following microbeam irradiation using single-cell RT-PCR analyses. *Exp Hematol.* 2007 Apr;35(4 Suppl 1):64-8.
22. Ramachandra M, Rahman A, Zou A, Vaillancourt M, Howe JA, Antelman D, Sugarman B, Demers GW, Engler H, Johnson D, Shabram. Re-engineering adenovirus regulatory pathways to enhance oncolytic specificity and efficacy. *Nat Biotechnol.* 2001 Nov; 19: 1035-41.
23. Schmitz M, Zhao S, Deuse Y, Schäkel K, Wehner R, Wöhner H, Hölig K, Wienforth F, Kiessling A, Bornhäuser, Temme A, Rieger MA, Weigle B, Bachman M, Rieber EP. Tumocidal potential of native blood dendritic cells: direct tumor cell killing and activation of NK cell-mediated cytotoxicity. *J Immunol.* 2005; 174: 4127-34.
24. Synenki L, Chandel NS, Budinger GR, Donnelly HK, Topin J, Eisenbart J, Jovanovic B, Jain M. Bronchoalveolar lavage fluid from patients with acute lung injury/acute respiratory distress syndrome induces myofibroblast differentiation. *Crit Care Med.* 2007 Mar;35(3):842-8.
25. Temme A, Rodriguez JA, Hendruschik S, Günes S, Weigle B, Schäkel K, Schmitz M, Bachmann M, Schackert G, Rieber EP. Nuclear localization of Survivin renders HeLa tumor cells more sensitive to apoptosis by induction of p53 and Bax. *Cancer Lett.* 2007 Jun 8;250(2):177-93.
26. Thompson HG, Truong DT, Griffith CK, George SC. A three-dimensional in vitro model of angiogenesis in the airway mucosa. *Pulm Pharmacol Ther.* 2007;20(2):141-8.
27. Weigel-Kelley KA, Yoder MC, Srivastava A. Recombinant human parvovirus B19 vectors: erythrocyte P antigen is necessary but not sufficient for successful transduction of human hematopoietic cells. *J Virol.* 2001 May; 75(9): 4110-6.
28. Woodruff PG. Gene expression in asthmatic airway smooth muscle. *Proc Am Thorac Soc.* 2008 Jan 1;5(1):113-8.
29. Yamauchi E, Shoji S, Nishihara M, Shimoda T, Nishima S. Contribution of lung fibroblast migration in the fibrotic process of airway remodeling in asthma. *Allergol Int.* 2008 Mar;57(1):73-8.
30. Yang Z-Y, Huang Y, Ganesh L, Leung K, Kong W-P, Schatz O, Subbarao K, Nabel GJ. pH-dependent entry of severe acute respiratory syndrome coronavirus is mediated by the spike glycoprotein and enhanced by dendritic cell transfer through DC-SIGN. *J Virol.* 2004 Jun; 78(11): 5642-50.
31. Yoshioka S, Mukae H, Ishii H, Kakugawa T, Ishimoto H, Sakamoto N, Fujii T, Urata Y, Kondo T, Kubota H, Nagata K, Kohno S. Alpha-defensin enhances expression of HSP47 and collagen-1 in human lung fibroblasts. *Life Sci.* 2007 Apr 24;80(20):1839-45.
32. Zhou H, Ivanov VN, Gillespie J, Geard CR, Amundson SA, Brenner DJ, Yu Z, Lieberman HB, Hei TK. Mechanism of radiation-induced bystander effect: role of the cyclooxygenase-2 signaling pathway. *PNAS.* 2005 Oct 11; 102(41): 14641-6.
33. Zhou H, Ivanov VN, Lien YC, Davidson M, Hei TK. Mitochondrial function and nuclear factor-kappaB-mediated signaling in radiation-induced bystander effects. *Cancer Res.* 2008 Apr 1;68(7):2233-40.

Custom/Specialty Cell Types

1. *Cardiac Fibroblasts:* Kapoun AM, Liang F, O'Young G, Damm DL, Quon D, White FT,

Munson K, Lam A, Schreiner GF, Protter AA. B-type natriuetic peptide exerts broad functional opposition to transforming growth factor- β in primary human cardiac fibroblasts. *Circ Res.* 2004; 94: 453-61.

Media

1. Akino K, Mineda T, Akita S. Early cellular changes of human mesenchymal stem cells and their interaction with other cells. *Wound Repair Regener.* 2005 Jul; 13(4): 434-40.
2. Chae HJ, Kim HR, Xu C, Bailly-Maitre B, Krajewska M, Krajewski S, Banares S, Cui J, Digicaylioglu M, Ke N, Kitada S, Monosov E, Thomas M, Kress CL, Babendure JR, Tsien RY, Lipton SA, Reed JC. BI-1 regulates an apoptosis pathway linked to endoplasmic reticulum stress. *Mol Cell.* 2004 Aug 13;15(3):355-66.
3. Chandel NS, Budinger GR, Mutlu GM, Varga J, Synenki L, Donnelly HK, Zirk A, Eisenbart J, Jovanovic B, Jain M. Keratinocyte growth factor expression is suppressed in early acute lung injury/acute respiratory distress syndrome by smad and c-Abl pathways. *Crit Care Med.* 2009 May;37(5):1678-84.
4. Chiribau CB, Cheng L, Cucoranu IC, Yu YS, Clempus RE, Sorescu D. FOXO3A regulates peroxiredoxin III expression in human cardiac fibroblasts. *J Biol Chem.* 2008 Mar 28;283(13):8211-7.
5. Ellis DG, Cheng Q, Lee DA. The effects of growth factors on Tenon's capsule fibroblasts in serum-free culture. *Curr Eye Res.* 1996 Jan; 15(1): 27-35.
6. Goodpaster T, Legesse-Miller A, Hameed MR, Aisner SC, Randolph-Habecker J, Coller HA. An immunohistochemical method for identifying fibroblasts in formalin-fixed, paraffin-embedded tissue. *J Histochem Cytochem.* 2008 Apr;56(4):347-58.
7. Griffith CK, Miller C, Sainson RC, Calvert JW, Jeon NL, Hughes CC, George SC. Diffusion limits of an in vitro thick prevascularized tissue. *Tissue Eng.* 2005 Jan-Feb;11(1-2):257-66.
8. Guo W, Shan B, Klingsberg R, Qin X, Lasky JA. Degradation of TGF-{beta}1-induced Fibroblast-Myofibroblast Differentiation by Histone Deacetylase (HDAC) Inhibition. *Am J Physiol Lung Cell Mol Physiol.* 2009 Aug 21.
9. Hong RH, Lum J, Koch R. Growth of keloid-producing fibroblasts in commercially available serum-free media. *Otolaryngol Head neck Surg.* 1999 Oct; 121(4): 469-73.
10. Liu Y, Su Y, Wiznitzer M, Epifano O, Ladisch S. Ganglioside depletion and EGF responses of human GM3 synthase-deficient fibroblasts. *Glycobiology.* 2008 Aug;18(8):593-601.
11. Lühn K, Laskowska A, Pielage J, Klämbt C, Ipe U, Vestweber D, Wild MK. Identification and molecular cloning of a functional GDP-fucose transporter in *Drosophila melanogaster*. *Exp Cell Res.* 2004 Dec 10;301(2):242-50.
12. Prabhakaran S, Liang X, Skare JT, Potts JR, Höök M. A novel fibronectin binding motif in MSCRAMMs targets F3 modules. *PLoS One.* 2009;4(4):e5412.
13. Tremble PM, Lane TF, Sage EH, Werb Z. SPARC, a secreted protein associated with morphogenesis and tissue remodeling, induces expression of metalloproteinases in fibroblasts through a novel extracellular matrix-dependent pathway. *J Cell Biol.* 1993; 121: 1433-44.
14. Wang HW, Trotter MW, Lagos D, Bourboulia D, Henderson S, Mäkinen T, Elliman S, Flanagan AM, Alitalo K, Boshoff C. Kaposi sarcoma herpesvirus-induced cellular reprogramming contributes to the lymphatic endothelial gene expression in Kaposi sarcoma. *Nat Genet.* 2004 Jul;36(7):687-93.

* References not specifically citing the use of Lonza cells, media, or reagents in their research.

+ Denotes sections containing only the articles published within the last ten years.